


GL SpectroSoft Report



Measurement name: *Integrated*
 Measurement time: 2021-05-13 15:58:19
 Report time: 2022-05-06 12:14:39

Client name: *Azzardo*
 Model name: *PETER 120 4000 CHROME*
 Item No: *AZ2090*
 Serial No.:
 Made by:

Results					
CIE 1931 2° observer		CIE 1964 10° observer		Other	
x	0,3793	x	0,3854	CCT	4070
y	0,3821	y	0,3770	Chromaticity Error	0,003
u'	0,2222	u'	0,2283	Color Peak	592,95
v'	0,5037	v'	0,5024	Color Peak Value	26,93
L	100,00	L	100,00	Color Dominant	577,3
a	7,29	a	12,72	Luminous Intensity	0,00
b	33,83	b	32,52	Purity	
X	1605,66	X	1752,24	Radiometric	4,9424
Y	1617,53	Y	1714,02	PAR	
Z	1010,15	Z	1080,00	PPFD	
Rendering Indices				Metamerism Indices	
Ra	82,4	Ra	82,4	Mivis	1,3
R1	80,5	R8	67,3	Miuv	4,6
R2	86,4	R9	11,4	Binning	
R3	91,8	R10	68,3		
R4	83,1	R11	82,2	Binning	6L
R5	80,7	R12	62,6	Brightness	
R6	81,8	R13	81,4		
R7	87,4	R14	95,4		

CIE 1931

CIE 1960

CIE 1976

