



Light quality control


## GL SpectroSoft Flicker Report

Measurement name: 2022-09-01T14:46:16  
Measurement time: 2022-09-01 14:46:16  
Report time: 2022-09-01 14:53:41

Client name: Azzardo Ligthing  
Model name: Fler  
Item No: AZ3202  
Serial No.:  
Made by: John Smith

|                 |          |
|-----------------|----------|
| Flicker         | 99,97 Hz |
| Flicker index   | 0,005363 |
| Flicker percent | 5,11 %   |
| SVM             | 0,0069   |
| SAM             | -6,83    |
| Mp              | 0,046    |
| VESA flicker    | -68,77   |
| JEITA flicker   | -71,78   |
| PstLM           | 0,135    |


### Flicker chart



### FFT chart



Light quality control






Light quality control


### California's JA10 Test Method

|                         |       |
|-------------------------|-------|
| Flicker percent 1000 Hz | 1,170 |
| Flicker percent 400 Hz  | 0,691 |
| Flicker percent 200 Hz  | 0,570 |
| Flicker percent 90 Hz   | 0,213 |
| Flicker percent 40 Hz   | 0,143 |

#### FFT filtered 1000 Hz




#### FFT filtered 400 Hz






Light quality control

### FFT filtered 200 Hz



### FFT filtered 90 Hz



### FFT filtered 40 Hz



Light quality control

