



Light quality control


## GL SpectroSoft Flicker Report

Measurement name: 2022-08-17T15:06:24  
Measurement time: 2022-08-17 15:06:24  
Report time: 2022-08-17 15:09:38

Client name: Azzardo Ligthing  
Model name: Floki 4000K  
Item No: AZ4467  
Serial No.:  
Made by: John Smith

|                 |          |
|-----------------|----------|
| Flicker         | 99,59 Hz |
| Flicker index   | 0,005416 |
| Flicker percent | 4,76 %   |
| SVM             | 0,0035   |
| SAM             | -4,92    |
| Mp              | 0,079    |
| VESA flicker    | -62,78   |
| JEITA flicker   | -65,80   |
| PstLM           | 0,141    |


### Flicker chart



### FFT chart



Light quality control






Light quality control


### California's JA10 Test Method

|                         |       |
|-------------------------|-------|
| Flicker percent 1000 Hz | 1,194 |
| Flicker percent 400 Hz  | 0,713 |
| Flicker percent 200 Hz  | 0,439 |
| Flicker percent 90 Hz   | 0,241 |
| Flicker percent 40 Hz   | 0,158 |

#### FFT filtered 1000 Hz




#### FFT filtered 400 Hz






Light quality control

### FFT filtered 200 Hz



### FFT filtered 90 Hz



### FFT filtered 40 Hz



Light quality control

