



Light quality control


## GL SpectroSoft Flicker Report

Measurement name: 2023-02-03T11:14:04  
Measurement time: 2023-02-03 11:14:04  
Report time: 2023-02-03 11:23:41

Client name: Azzardo Ligthing  
Model name: AZ5479  
Item No: AZ5479  
Serial No.:  
Made by: John Smith

|                 |          |
|-----------------|----------|
| Flicker         | 49,51 Hz |
| Flicker index   | 0,00661  |
| Flicker percent | 6,32 %   |
| SVM             | 0,0033   |
| SAM             | -3,08    |
| Mp              | 0,087    |
| VESA flicker    | -62,62   |
| JEITA flicker   | -65,63   |
| PstLM           | 0,141    |


### Flicker chart



### FFT chart



Light quality control






Light quality control


### California's JA10 Test Method

|                         |       |
|-------------------------|-------|
| Flicker percent 1000 Hz | 1,192 |
| Flicker percent 400 Hz  | 0,826 |
| Flicker percent 200 Hz  | 0,517 |
| Flicker percent 90 Hz   | 0,343 |
| Flicker percent 40 Hz   | 0,140 |

#### FFT filtered 1000 Hz




#### FFT filtered 400 Hz






Light quality control

### FFT filtered 200 Hz



### FFT filtered 90 Hz



### FFT filtered 40 Hz



## Light quality control

