

ADVANTAGE
FOR THE
FUTURE
OF THE
WORLD

A modern, sculptural light fixture is the central focus. It features a thick, curved black frame that forms a large, open loop. Inside this loop, a ring of warm white LED lights is visible, creating a glowing effect. The fixture is suspended by thin, dark wires. The background is a solid black, which makes the light fixture stand out.

AZzardo[®]

New collection 2022



BULGARIA

VISTA_G LTD

tel.: +359 32 655 877
mobile: +359 885 388 003
e-mail: sales@iml.bg
• www.vista-g.com



CROATIA REP. OF BOSNIA AND HERZEGOVINA MONTENEGRO

REMBOL D.O.O.

KOPERNIKOVA 5; 10000 ZAGREB

tel.: +91 222 02 29
tel.: +91 520 12 54
e-mail: info@azzardo.com.hr
• www.azzardo.com.hr



CZECH REPUBLIC

AZZARDO LIGHTING S.R.O.

tel.: +421 41 565 22 56
e-mail: info@azzardo.sk
• www.azzardodesign.com



HUNGARY

ELTER LTD.

tel.: +36 74 510 348
e-mail: info@elter.hu
• www.elter.hu



ICELAND

PFAFF

tel.: +354 414 0400
fax: +354 414 0401
e-mail: pfaff@pfaff.is
• www.pfaff.com



ITALY

LEONARDO ANICETO

tel.: +39 3931212029
e-mail: aniceto.staff@gmail.com

ANGELO FOLLIERO

tel.: +39 336 605 301
e-mail: angelofofficio@libero.it



NETHERLANDS

HENNIE BUKKEMS

tel.: +31 6201 36811
e-mail: bukkemsagenturen@gmail.com



POLAND

TORINO HOLDING S.A.

tel.: +48 61 849 40 80
fax: +48 61 849 40 84
e-mail: biuro@lampy.it
• www.azzardolighting.com



PORTUGAL

DOMOLED

NÚCLEO EMPRESARIAL
DA ABRUNHEIRA ZONA
POENTE PAV.4, 2710-089 SINTRA

tel.: +351 219 111 201
tel.: +351 911 003 235
e-mail: geral@domoled.pt
• www.domoled.pt



ROMANIA

JACEK KREMPIŃSKI

tel.: +48 518 543 875
e-mail: jacekkrempinski@gmail.com



SLOVAKIA

AZZARDO LIGHTING S.R.O.

TEL.: +421 41 565 22 56
e-mail: info@azzardo.sk
• www.azzardodesign.com



UKRAINE

ELEKOMP

m. KYIV, provulok Lukianivsky 11B

fax: +38 063 263 30 64
tel.: +38 067 353 3757
e-mail: elekomp.project@gmail.com
• www.elekomp.com.ua

PROFORMA

KYIV, EKS KAVATORNA 24

tel.: +38 098 193 22 22
tel.: +38 097 083 81 53
e-mail: zakaz@proforma.kiev.ua
• www.proforma.kiev.ua



UNITED KINGDOM AND IRELAND

IAN DORMER

tel.: 07745 763251
e-mail: ian@eurolamps.uk

AUTHORISED POINT OF SALE

PF FURNITURE LTD

UNIT A PRESTWICH INDUSTRIAL ESTATE

COAL PIT LN

ATHERTON, M46 OFY

MANCHESTER

tel.: +44 073 839 768 12
tel.: +44 019 428 717 37
e-mail: sales@pffurniture.co.uk

AZzardo®

DECORATIVE

www.azzardolighting.com



decorative


Amber Milano	22
Brighton	12
Cortega.	9
Cream SMART	58
Davinci	32
Flash 130.	21
Halo	11
Halo Top	10
Helena	24
Helios 6.	3
Lenox 40 SMART	64
Norman.	20
Opera.	19
Oviedo	8
Sandra	6
Santander	4

Silver Ball.	28
Solen 6	2
Solvent R Pendant CCT SMART.	54
Solvent R Top CCT SMART	52
Solvent S Pendant CCT SMART.	50
Solvent S Top CCT SMART	48
Sovana Pendant CCT SMART	57
Sovana Top CCT SMART	56
Sybilla	26
Thin CCT SMART	62
Trinton	31
Veneti.	34
Vera	30
Vinca	36
Waves	18
Zyta	14

Solen 6

new

2



Solen 6

AZ4700

(black/gold)

E14 6x Max 40W
metal/glass



Helios 6

3


new



1 BLACK



2 GOLD



Helios 6

- 1 AZ4698 (black)
- 2 AZ4699 (gold)

E14 6x Max 40W
metal/glass

Santander

new


4



1 BLACK




2 GOLD



Santander

5

new



Santander

- ❶ AZ4418 (black)
- ❷ AZ4419 (gold)

G9 4x Max 5W
metal/glass




Sandra

DIMM

new

6




1 BLACK



2 WHITE



3 GOLD






Sandra

DIMM

7

new




Sandra 1 dimm LED

AZ3351

(black)

LED 36W 3600lm 3000K dimmable
glass/acrylic



Sandra 3 dimm LED

① **AZ3352** (black)

new ② **AZ4426** (white)

new ③ **AZ4427** (gold)

LED 48W 4800lm DIMM 3000K
metal/glass


Oviedo

new


8



1 BLACK / BLACK




2 GOLD / BLACK



Oviedo 6

- 1 AZ4420 (black/black)
- 2 AZ4421 (gold/black)

G9 6x Max 5W
metal glass



Oviedo 8

- 1 AZ4422 (black/black)
- 2 AZ4423 (gold/black)

G9 8x Max 5W
metal glass



Cortega

9


new



1 BLACK



2 GOLD



Cortega

- 1 **AZ4424** (black)
- 2 **AZ4425** (gold)

G9 3x Max 5W
metal glass





Halo TOP

new

10

new




1 BLACK

new




2 GOLD



Halo 60 Top

- 1 AZ4701 (black)
- 2 AZ4702 (gold)

LED 42W 3600lm 3000K-6000K
metal/acryl



Halo 80 Top

- 1 AZ4703 (black)
- 2 AZ4704 (gold)

LED 55W 4700lm 3000K-6000K
metal/acryl



Halo

11


new

new

1 BLACK

new


2 GOLD



Halo 40 Wall

- 1 AZ4705 (black)
- 2 AZ4706 (gold)

LED 28W 2200lm 3000K-6000K
metal/acryl



Halo Pendant 100+80+60


- 1 AZ4707 (black)
- 2 AZ4708 (gold)

LED 130W 11100lm 3000K
aluminium/acrylic

Brighton

new

12



Brighton 3 LED

- 1 **AZ1609** (chrome)
- new 2 **AZ4428** (black)
- new 3 **AZ4429** (gold)


LED 55W 3300lm
3000K
metal crystals




Brighton

13

new



1 CHROME



2 BLACK



3 GOLD

Zyta

new

14



1 WHITE



2 BLACK



3 GREY



4 BLACK/ALU




ZYTA 2 S + SHADE ZA BK



ZYTA S TABLE + SHADE ZA BK




*Shades exchanging
not available for this lamp



Zyta Wall XS

- 1 **AZ1533** (white)
- 2 **AZ1565** (black)
- 3 **AZ2491** (grey)

1x E27 MAX 60W
fabric/metal



Zyta Wall XS

- new 4 **AZ4793** (black/alu black)

1x E27 MAX 60W
fabric/metal




Lamp bodies

+

Shades

=

Bodies + Shades



Zyta S Pendant

LAMP BODY

AZ1845 (black/alu)

E27 1x Max 60W
aluminium


+



Shade ZF GR

AZ2598 Ø 20 (grey)
AZ2601 Ø 26 (grey)
AZ2583 Ø 30 (grey)
AZ2604 Ø 36 (grey)

=



Zyta S Pendant

LAMP BODY + SHADES

- **AZ1845** + **AZ2601** or
- **AZ1845** + **AZ2600** or
- **AZ1845** + **AZ2602** or
- **AZ1845** + **AZ2594** or
- **AZ1845** + **AZ4779**



Zyta S Wall

LAMP BODY

AZ1844 (black/alu)

E27 1x Max 60W
aluminium


+



Shade ZF BK

AZ2597 Ø 20 (black)
AZ2600 Ø 26 (black)
AZ2586 Ø 30 (black)
AZ2603 Ø 36 (black)


=



Zyta S Wall

LAMP BODY + SHADES

- **AZ1844** + **AZ2598** or
- **AZ1844** + **AZ2597** or
- **AZ1844** + **AZ2599** or
- **AZ1844** + **AZ2593** or
- **AZ1844** + **AZ4778**



Zyta 2S Pendant

LAMP BODY

AZ1846 (black/alu)

E27 2x Max 60W
aluminium


+



Shade ZF WH

AZ2599 Ø 20 (white)
AZ2602 Ø 26 (white)
AZ2588 Ø 30 (white)
AZ2605 Ø 36 (white)


=



Zyta 2S Pendant

LAMP BODY + SHADES

- **AZ1846** + 2x **AZ2601** or
- **AZ1846** + 2x **AZ2600** or
- **AZ1846** + 2x **AZ2602** or
- **AZ1846** + 2x **AZ2594** or
- **AZ4846** + 2x **AZ4779**



Zyta S Table

LAMP BODY

AZ1848 (black/alu)

E27 1x Max 60W
aluminium

+



Shade ZA ALU

AZ2593 Ø 18 (aluminium)
AZ2594 Ø 23 (aluminium)
AZ2596 Ø 33 (aluminium)


=



Zyta S Table

LAMP BODY + SHADES

- **AZ1848** + **AZ2598** or
- **AZ1848** + **AZ2597** or
- **AZ1848** + **AZ2599** or
- **AZ1848** + **AZ2593** or
- **AZ1848** + **AZ4778**



Zyta M Pendant

LAMP BODY

AZ1847 (black/alu)

E27 1x Max 60W
aluminium


+



Shade ZA BK

new AZ4778 Ø 18 (aluminium)
new AZ4779 Ø 23 (aluminium)
new AZ4781 Ø 33 (aluminium)


=



Zyta M Pendant

LAMP BODY + SHADES

- **AZ1847** + **AZ2604** or
- **AZ1847** + **AZ2603** or
- **AZ1847** + **AZ2605** or
- **AZ1847** + **AZ2596** or
- **AZ1847** + **AZ4781**



Zyta Floor


LAMP BODY

AZ1849 (black/alu)

E27 1x Max 60W
aluminium

+

=



Zyta Floor

LAMP BODY + SHADES

- **AZ1849** + **AZ2604** or
- **AZ1849** + **AZ2603** or
- **AZ1849** + **AZ2605** or
- **AZ1849** + **AZ2596** or
- **AZ1849** + **AZ4781**

Zyta

new

16



1 WHITE



2 BLACK



3 GREY




4 BLACK/ALU



5 GOLD/ALU




*Shades exchanging
not available for this lamp



Zyta Wall XS

- new 1 **AZ4187** (black/gold white)
new 2 **AZ4185** (black/gold black)

1x E27 MAX 60W
fabric/metal



Zyta Wall XS

- new 4 **AZ4792** (black/gold black)
new 5 **AZ4186** (black/gold gold)

1x E27 MAX 60W
fabric/metal




Lamp bodies

+

Shades

=

Bodies + Shades



Zyta S Pendant

LAMP BODY

new AZ4189 (black/gold)

E27 1x Max 60W
aluminium

+



Shade ZF BK


AZ2597 Ø 20 (black)

AZ2600 Ø 26 (black)

AZ2586 Ø 30 (black)

AZ2603 Ø 36 (black)

=



Zyta S Pendant

LAMP BODY + SHADES

- **AZ4189** + **AZ4790** or
- **AZ4189** + **AZ2600** or
- **AZ4189** + **AZ4602** or
- **AZ4189** + **AZ4779**



Zyta S Wall

LAMP BODY

new AZ4190 (black/gold)

E27 1x Max 60W
aluminium

+



Shade ZF WH


AZ2599 Ø 20 (white)

AZ2602 Ø 26 (white)

AZ2588 Ø 30 (white)

AZ2605 Ø 36 (white)


=



Zyta S Wall

LAMP BODY + SHADES

- **AZ4190** + **AZ4789** or
- **AZ4190** + **AZ2599** or
- **AZ4190** + **AZ4779** or
- **AZ4190** + **AZ4778**



Zyta 2S Pendant

LAMP BODY

new AZ4191 (black/gold)

E27 2x Max 60W
aluminium

+




Shade ZA GOLD

new AZ4789 Ø 18 (aluminium)

new AZ4790 Ø 23 (aluminium)

new AZ4791 Ø 33 (aluminium)


=



Zyta 2S Pendant

LAMP BODY + SHADES

- **AZ4191** + 2x **AZ4779** or
- **AZ4191** + 2x **AZ2602** or
- **AZ4191** + 2x **AZ4790** or
- **AZ4191** + 2x **AZ4779**



Zyta S Table

LAMP BODY

new AZ4188 (black/gold)

E27 1x Max 60W
aluminium

+



Shade ZA BK

new AZ4778 Ø 18 (aluminium)

new AZ4779 Ø 23 (aluminium)

new AZ4781 Ø 33 (aluminium)


=



Zyta S Table

LAMP BODY + SHADES

- **AZ4190** + **AZ4791** or
- **AZ4190** + **AZ2599** or
- **AZ4190** + **AZ2593** or
- **AZ4190** + **AZ4778**




Zyta M Pendant

LAMP BODY

new AZ4192 (black/gold)

E27 1x Max 60W
aluminium

+




Shade ZA BK

new AZ4778 Ø 18 (aluminium)

new AZ4779 Ø 23 (aluminium)

new AZ4781 Ø 33 (aluminium)


=



Zyta M Pendant

LAMP BODY + SHADES

- **AZ4192** + **AZ4781** or
- **AZ4192** + **AZ2603** or
- **AZ4192** + **AZ2605** or
- **AZ4192** + **AZ4791**



Zyta Floor


LAMP BODY

new AZ4193 (black/gold)

E27 1x Max 60W
aluminium

+

=



Zyta Floor

LAMP BODY + SHADES

- **AZ4193** + **AZ4781** or
- **AZ4193** + **AZ2605** or
- **AZ4193** + **AZ4791** or
- **AZ4193** + **AZ4781**



Waves

DIMM

new

18



1 BLACK




2 WHITE



3 GOLD



READY DIMM POWER



Waves LED

- 1 AZ2912 (black)
- 2 AZ2913 (white)
- new 3 AZ4058 (gold)


LED 70W 4900lm 3000K DIMM
aluminium/acrylic



Opera WALL

19

new




1 BLACK



2 GOLD



3 WHITE




max 500

33; 44; 55; 65

Opera XL LED

- 1 AZ3139 (black)
- 2 AZ3140 (gold)

LED 329W 19740lm 3000K
aluminium/acrylic



Opera Wall LED

- 1 AZ3141 (black)
- new 2 AZ4321 (gold)
- 3 AZ3142 (white)

LED 18W 1000lm 3000K
aluminium/acryl



Norman

new 20




1 BLACK



1 WHITE




2 WOOD



Norman Wall XL LED

- new 1 AZ4179 (black)
2 AZ1685 (white)


LED 23W 1200lm 3000K
metal acryl



Norman Wall L LED

- new 1 AZ4177 (black)
2 AZ1684 (white)


LED 17W 1000lm 3000K
metal acryl



Norman Wall M LED

- new 1 AZ4178 (black)
2 AZ1683 (white)

LED 13W 800lm 3000K
metal acryl



Norman XL LED

- new 1 AZ4180 (black)
2 AZ1685 (white)
3 AZ1686 (wood)


LED 29W 1700lm 3000K
metal



Flash 130

21

new




Flash 130 LED

AZ4416

(black)

LED 54W 4400lm 3000K
metal acryl



Flash LED

AZ3203

(black)

LED 70W 5700lm 3000K
metal acryl



Amber MILANO

new

22



1 CHROME




2 CLEAR



3 COPPER




3 BRASS



Amber milano 1

- 1 **AZ2148** (chrome)
- 2 **AZ3074** (clear)
- 3 **AZ3077** (copper)


G9 1x 40W only LED
metal/chrome/glass



Amber milano 3

- 1 **AZ2149** (chrome)
- 2 **AZ3075** (clear)
- 3 **AZ3078** (copper)


G9 3x 40W only LED
metal/chrome/glass



Amber milano 5

- 1 **AZ0722** (chrome)
- 2 **AZ3076** (clear)
- 3 **AZ3172** (copper)

G9 5x 40W only LED
metal/chrome/glass



Amber milano 9

- ① **AZ3673** (chrome)
- ② **AZ3102** (clear)
- ③ **AZ3134** (copper)
- new** ④ **AZ4014** (brass)

G9 9x 40W only LED
metal/chrome/glass


ROOF LINING FOR AMBER MILANO 5



Helena

new

24




Helena A LED

AZ3341

(brass)

LED 21W 1785lm 3000K
metal/brass/glass




Helena B LED

AZ3342

(brass)

LED 14W 1190lm 3000K
metal/brass/glass



Helena C LED

AZ4668

(brass)

LED 23W 1200lm 3000K
metal/glass



Helena

25

new



Sybilla

new

26



1 CHROME

new




2 BLACK

new




3 GOLD



Sybilla 3 table

AZ2103

G9 3x Max 25W
metal/chrome




Sybilla 6 floor

1 **AZ2101** (chrome)

new 2 **AZ4405** (black)

new 3 **AZ4408** (gold)

G9 6x Max 25W
metal/glass



Sybilla 7 pendant

1 **AZ2102** (chrome)

new 2 **AZ4406** (black)

new 3 **AZ4409** (gold)


G9 7x Max 25W
metal/glass



Sybilla

27

new



Sybilla 10 pendant


- 1 **AZ2100** (chrome)
- new 2 **AZ4404** (black)
- new 3 **AZ4407** (gold)

G9 10x Max 25W
metal/glass



Silver ball


28



Silver Ball 18

AZ0731


E27 1x 60W
metal/chrome/glass



Silver Ball 25

AZ0733


E27 1x 60W
metal/chrome/glass



Silver Ball 35

AZ0732

E27 1x 60W
metal/chrome/glass



Silver Ball 40


AZ0734

E27 1x 60W
metal/chrome/glass

Silver ball

29


new



Silver Ball 4

AZ2531


4x E27 60W
metal/chrome/glass



Silver Ball 3

AZ4750 (chrome)

E27 3x Max 40W
metal/glass



Silver Ball 3 line

AZ4751 (chrome)

E27 3x Max 40W
metal/glass



Vera

new

30


new



1 WHITE



2 BLACK



Vera

- new 1 **AZ4417** (white)
2 **AZ3201** (black)

LED 6W + 5W
500lm + 250lm 3000K
metal acrylic

Trinton

31

new

new



1 BLACK




2 CHROME




Trinton

- new 1 **AZ4753** (black)
2 **AZ0024** (chrome)

E14 3x 40W
metal/chrome






Davinci 48 LED

- ❶ **AZ2648** (chrome)
- ❷ **AZ2649** (sandy nickel)
- ❸ **AZ2650** (golden)
- ❹ **AZ2651** (black chrome)
- new** ❺ **AZ4262** (matt black)

LED 8W 500lm 3000K RA>90
metal acryl



Davinci 58 LED

- ❶ **AZ2652** (chrome)
- ❷ **AZ2653** (sandy nickel)
- ❸ **AZ2654** (golden)
- ❹ **AZ2655** (black chrome)
- new** ❺ **AZ4263** (matt black)

LED 10W 700lm 3000K RA>90
metal acryl



Davinci

33

new



1 CHROME



2 SANDY NICKEL




3 GOLDEN



4 BLACK CHROME




5 MATT BLACK



Davinci 70 LED

- 1 **AZ2656** (chrome)
- 2 **AZ2657** (sandy nickel)
- 3 **AZ2658** (golden)
- 4 **AZ2659** (black chrome)

LED 12W 835lm 3000K RA>90
metal



Davinci 90 LED

- 1 **AZ2660** (chrome)
- 2 **AZ2661** (sandy nickel)
- 3 **AZ2662** (golden)
- 4 **AZ2663** (black chrome)
- new** 5 **AZ4264** (matt black)

LED 16W 1200lm 3000K RA>90
metal

Remote control

Veneti
CCT

new

34



Turn off the fan

Rotations' direction (SUMMER / WINTER function)

Rotations' speed 1-6

Natural wind (medium speed)

The maximum brightness in 4000K colour temp.

DIMM – reduce the brightness of the light

Turn on / off the light

Automatic shutdown (2h or 6h)

DIMM – increase the brightness of the light

CCT- color change (3000K / 4000K / 5000K)

FAN

Speed
Power
Material

Adjustable 1-6
38W
metal / polywood

LAMP

Power
CCT
Source

18W
3000K / 4000K / 5500K
240V / 110V


Rotations' direction (SUMMER / WINTER) function

☼ SUMMER

❄ WINTER



Dimmable function 10-100%



Installation variants



LED LAMP




NO LED LAMP
END CUP INCLUDED



Veneti CCT

35

new



Veneti CCT LED + Remote Control

- ① **AZ4447** (white/oak)
- ② **AZ4448** (black/black)
- ③ **AZ4449** (bronze/walnut)
- ④ **AZ4450** (black/teak wood)
- ⑤ **AZ4451** (white/white)


LED 18W 1400lm 3000K
aluminium



① WHITE/OAK



② BLACK/BLACK



③ BRONZE/WALNUT



④ BLACK/TEAK WOOD



⑤ WHITE/WHITE

Remote control

Vinca
CCT

new

36



Turn off the fan

Rotations' direction (SUMMER / WINTER function)

Rotations' speed 1-6

Natural wind (medium speed)

The maximum brightness in 4000K colour temp.

DIMM – reduce the brightness of the light

Turn on / off the light

Automatic shutdown (2h or 6h)

DIMM – increase the brightness of the light

CCT- color change (3000K / 4000K / 5000K)

FAN

Speed
Power
Material

Adjustable 1-6
38W
metal / polywood


LAMP

Power
CCT
Source


18W
3000K / 4000K / 5500K
240V / 110V

Rotations' direction (SUMMER / WINTER) function


☀ SUMMER



❄ WINTER



Dimmable function 10-100%



Installation variants



LED LAMP




NO LED LAMP
END CUP INCLUDED



Vinca CCT

37


new



1 BLACK/BLACK



2 WHITE/WHITE



Vinca CCT LED + Remote Control

- 1 **AZ4452** (black/black)
- 2 **AZ4453** (white/white)

LED 18W 1400lm 3000K
aluminium



aqua

AZzardo®



Kari

new

40


IP44



1 CHROME




2 BLACK



Kari 22 LED

- 1 AZ2065 (chrome)
new 2 AZ4257 (matt black)

LED 12W 400lm 3000K IP44
glass/metal



Kari 30 LED

- 1 AZ2066 (chrome)
new 2 AZ4258 (matt black)

LED 18W 700lm 3000K IP44
glass/metal



Lucie

41

new

IP44


new



1 BLACK




2 CHROME/WHITE



Lucie 25

- new 1 **AZ4146** (black)
2 **AZ1308** (chrome/white)

E27 3x Max 40W Only LED IP44
acryl/metal chrome



Lucie 43

- new 1 **AZ4147** (black)
2 **AZ1309** (chrome/white)

E27 3x Max 40W Only LED IP44
acryl/metal chrome



Noemie

new

42

IP44


new



1 BLACK




2 CHROME



Noemie 2

- new 1 **AZ4137** (black)
2 **AZ2555** (chrome)


GU10 2x Max 35W IP44
metal / frosted glass



Noemie 3 Round

AZ2556
(chrome)

GU10 Max 3x35W IP44
frosted glass




Noemie 4

AZ2557
(chrome)

GU10 Max 4x35W IP44
frosted glass





Noemie 1

- new 1** **AZ4136** (black)
2 **AZ1310** (chrome)

GU10 1x Max 35W IP44
metal / frosted glass



Noemie 3

- new 1** **AZ4138** (black)
2 **AZ1306** (chrome)

GU10 3x Max 35W IP44
metal / frosted glass

AZzardo®



**Slim
SQUARE**

new 44


IP44



1 BLACK




2 WHITE



Slim square 9 LED

- 1 **AZ2833** black (3000K)
- 2 **AZ2830** white (3000K)
- new 1 **AZ4375** black (4000K)
- new 2 **AZ4376** white (4000K)


LED 6W 500lm IP44 RA>90
aluminium / acryl



Slim square 15 LED

- 1 **AZ2836** black (3000K)
- 2 **AZ2837** white (3000K)
- new 1 **AZ4377** black (4000K)
- new 2 **AZ4378** white (4000K)

LED 12W 1000lm IP44 RA>90
aluminium / acryl



Slim square 22 LED

- new 1 **AZ4169** black (3000K)
- new 2 **AZ4170** white (3000K)
- new 1 **AZ4331** black (4000K)
- new 2 **AZ4332** white (4000K)

LED 24W 2000lm IP44 RA>90
aluminium / acryl



Slim ROUND

45

new

IP44



1 BLACK



2 WHITE



3 CHROME




Ø 8,5

Slim round 9 LED

- 1 **AZ2834** black (3000K)
- 2 **AZ2831** white (3000K)
- 3 **AZ2861** chrome (3000K)
- 1 **AZ2835** black (4000K)
- 2 **AZ2832** white (4000K)
- 3 **AZ2862** chrome (4000K)

LED 6W 500lm IP44 RA>90
aluminium / acryl




Ø 14,5

Slim round 15 LED

- 1 **AZ2840** black (3000K)
- 2 **AZ2839** white (3000K)
- 3 **AZ2838** chrome (3000K)
- 1 **AZ2843** black (4000K)
- 2 **AZ2832** white (4000K)
- 3 **AZ2841** chrome (4000K)

LED 12W 1000lm IP44 RA>90
aluminium / acryl




Ø 22,5

Slim round 22 LED

- new** 1 **AZ4163** black (3000K)
- new** 2 **AZ4165** white (3000K)
- new** 1 **AZ4164** black (4000K)
- new** 2 **AZ4166** white (4000K)

LED 24W 2000lm IP44 RA>90
aluminium / acryl



smart





Solvent CCT SMART

new

48



1 GREY




2 WHITE



3 BLACK




CCT = 3000÷6000K Dimmable Remote Control



Solvent S Top CCT SMART 45 + Remote Control LED

- 1 **AZ4004** (grey)
- 2 **AZ4003** (white)
- 3 **AZ4002** (black)

LED 32W 2700lm CCT
steel/acryl



Solvent S Top CCT SMART 60 + Remote Control LED

- 1 **AZ4007** (grey)
- 2 **AZ4006** (white)
- 3 **AZ4005** (black)


LED 42W 3300lm CCT
steel/acryl



Solvent CCT SMART

49


new



Solvent S Top CCT SMART 80 + Remote Control LED

- ① **AZ4010** (grey)
- ② **AZ4009** (white)
- ③ **AZ4008** (black)

LED 92W 4700lm CCT
steel/acryl



Solvent S Top CCT SMART 110 + Remote Control LED

- ① **AZ4013** (grey)
- ② **AZ4012** (white)
- ③ **AZ4011** (black)

LED 120W 7700lm CCT
steel/acryl





Solvent CCT SMART

new

50



1 GREY




2 WHITE



3 BLACK




CCT = 3000÷6000K Dimmable Remote Control



Solvent S Pendant CCT SMART 45 + Remote Control LED

- 1 **AZ3980** (grey)
- 2 **AZ3979** (white)
- 3 **AZ3978** (black)

LED 32W 2700lm CCT
steel/acryl



Solvent S Pendant CCT SMART 60 + Remote Control LED

- 1 **AZ3983** (grey)
- 2 **AZ3982** (white)
- 3 **AZ3981** (black)


LED 42W 3300lm CCT
steel/acryl



Solvent CCT SMART

51


new



Solvent S Pendant CCT SMART 80 + Remote Control LED

- ① **AZ3986** (grey)
- ② **AZ3985** (white)
- ③ **AZ3984** (black)

LED 92W 4700lm CCT
steel/acryl



Solvent S Pendant CCT SMART 110 + Remote Control LED

- ① **AZ3989** (grey)
- ② **AZ3988** (white)
- ③ **AZ3987** (black)

LED 120W 7700lm CCT
steel/acryl



Solvent CCT SMART

new

52



1 GREY



2 WHITE



3 BLACK




CCT = 3000÷6000K Dimmable Remote Control



**Solvent R Top CCT SMART 45 +
Remote Control** LED

- 1 **AZ3992** (grey)
- 2 **AZ3991** (white)
- 3 **AZ3990** (black)

LED 32W 2700lm CCT
steel/acryl



**Solvent R Top CCT SMART 60 +
Remote Control** LED

- 1 **AZ3995** (grey)
- 2 **AZ3994** (white)
- 3 **AZ3993** (black)


LED 42W 3300lm CCT
steel/acryl



Solvent CCT SMART

53


new



Solvent R Top CCT SMART 80 + Remote Control LED

- ① **AZ3998** (grey)
- ② **AZ3997** (white)
- ③ **AZ3996** (black)

LED 92W 4700lm CCT
steel/acryl



Solvent R Top CCT SMART 110 + Remote Control LED

- ① **AZ4001** (grey)
- ② **AZ4000** (white)
- ③ **AZ3999** (black)

LED 120W 7700lm CCT
steel/acryl





Solvent CCT SMART

new


54



1 GREY




2 WHITE



3 BLACK


CCT = 3000÷6000K Dimmable Remote Control



Solvent R Pendant CCT SMART 45 + Remote Control LED

- 1 **AZ3968** (grey)
- 2 **AZ3967** (white)
- 3 **AZ3966** (black)

LED 32W 2700lm CCT
steel/acryl



Solvent R Pendant CCT SMART 60 + Remote Control LED

- 1 **AZ3971** (grey)
- 2 **AZ3970** (white)
- 3 **AZ3969** (black)

LED 42W 3300lm CCT
steel/acryl






Solvent CCT SMART

55


new



Solvent R Pendant CCT SMART 80 + Remote Control LED

- ① **AZ3974** (grey)
- ② **AZ3973** (white)
- ③ **AZ3972** (black)

LED 92W 4700lm CCT
steel/acryl



Solvent R Pendant CCT SMART 110 + Remote Control LED

- ① **AZ3977** (grey)
- ② **AZ3976** (white)
- ③ **AZ3975** (black)

LED 120W 7700lm CCT
steel/acryl





Sovana CCT SMART

new

56



1 GREY




2 WHITE



3 BLACK




CCT = 3000÷6000K Dimmable Remote Control



Sovana Top 45 CCT SMART (LED)

- 1 **AZ3441** (grey)
- 2 **AZ3439** (white)
- 3 **AZ3440** (black)

LED 40W 2200lm CCT
aluminium/acryl



Sovana Top 55 CCT SMART (LED)

- 1 **AZ3550** (grey)
- 2 **AZ3548** (white)
- 3 **AZ3549** (black)

LED 50W 2750lm CCT
aluminium/acryl



Sovana CCT SMART

57

new




1 GREY



2 WHITE




3 BLACK



Sovana Pendant 45 CCT SMART LED

- 1 **AZ3444** (grey)
- 2 **AZ3442** (white)
- 3 **AZ3443** (black)

LED 40W 2200lm CCT
aluminium/acryl



Sovana Pendant 55 CCT SMART LED

- 1 **AZ3553** (grey)
- 2 **AZ3551** (white)
- 3 **AZ3552** (black)

LED 50W 2750lm CCT
aluminium/acryl





Cream SMART

new

58



1 BLACK



2 WHITE



CCT = 3000÷6000K Dimmable Remote Control



**Cream 40
Top SMART** LED

- 1 **AZ3533** (black)
- 2 **AZ3534** (white)


LED 24W 1500-1850lm CCT
aluminium/PC



**Cream 60
Top SMART** LED

- 1 **AZ3297** (black)
- 2 **AZ3298** (white)

LED 53W 2850lm CCT
aluminium/PC



**Cream 78
Top SMART** LED

- 1 **AZ3304** (black)
- 2 **AZ3305** (white)

LED 52W 4350-4700lm CCT
aluminium/PC



Cream SMART

59

new



5 |



Ø 100

Cream 100 Top SMART LED

- ❶ AZ3307 (black)
- ❷ AZ3308 (white)

LED 70W 6300-6400lm CCT
aluminium/PC

5 |



Ø 120

Cream 120 Top SMART LED

- ❶ AZ3535 (black)
- ❷ AZ3536 (white)

LED 83W 6300 - 6600lm CCT
aluminium/PC



Cream SMART

new

60




1 BLACK



2 WHITE



CCT = 3000÷6000K Dimmable Remote Control




**Cream 78
Pendant SMART**

LED

- 1 **AZ3386** (black)
- 2 **AZ3287** (white)

LED 52W 4350-4700lm CCT
aluminium/PC



**Cream 100
Pendant SMART**

LED

- 1 **AZ3289** (black)
- 2 **AZ3290** (white)


LED 70W 6300-6400lm CCT
aluminium/PC



Cream SMART

61

new



Cream 120 Pendant SMART LED

- ① **AZ3537** (black)
- ② **AZ3538** (white)

LED 83W 6300 - 6600lm CCT
aluminium/PC



Thin CCT SMART

new

62




1 BLACK



2 WHITE



CCT = 2600÷6000K Dimmable Remote Control



Thin Round CCT SMART LED

- 1 **AZ3432** (black)
- 2 **AZ3431** (white)

LED 50W 4000lm
aluminium/PC





Thin CCT SMART

63

new




CCT = 2600÷6000K Dimmable Remote Control



1 BLACK



2 WHITE



Thin Square CCT SMART LED

- 1 AZ3430 (black)
- 2 AZ3429 (white)

LED 50W 4000lm
aluminium/PC






Lenox CCT SMART

new

64



CCT = 2600÷6000K Dimmable Remote Control



Lenox Top 40 SMART + Remote Control RGB

AZ3145

(black/copper)

LED 24W 1720lm CCT RGB
aluminium/PC




Lenox CCT SMART

65

new



CCT = 2600÷6000K Dimmable Remote Control



Lenox Pendant 40 SMART+ Remote Control **RGB**

AZ3147

(black/copper)

LED 24W 1720lm CCT RGB
aluminium/PC

index outdoorline

AFI IP54	112
ALF IP65	114
ALIX IP65	74
APULIA IP54.	72
ARBAX IP54	98
ARIDA IP54	99
BOOMBOX IP44	134
CASOLA IP54	96
CASORIA IP54.	110
CASPER ROUND IP54	71
CASPER SQUARE IP54	70
CIVITA IP54	106
COSEL IP54	97
CREMONA IP54	102
EDVIN IP65	130
EDWARD IP65	130
ENOK IP54	108
FANO IP54	76
FANO SMART	78
FLOKI IP54	131
FRAME IP54.	128
GAGARIN IP44	79
GAMBINO IP54	100
GINNA IP54	107

GORAN	89
HAVANA IP44	132
IKA IP65.	80
JAKE IP54.	87
JOE IP54	92
LARS IP54.	104
LETICIA 2 LED IP54	101
MIKKEL IP54	118
NIKLAS IP44	116
NILS IP44	126
NILS IP65	120
OSVALD IP44	121
OVE WALL IP54	113
PAPIKO IP65	73
PEDER IP54	88
REZIA IP54	82
RIMINI IP54	86
RIMINI SQUARE IP54	84
ROLF IP44.	122
SORANO IP44	124
ULF IP44	90
VENETO IP54	95
VENTA IP54	94
ZITA XL IP54.	105

AZzardo®

OUTDOORLINE

www.azzardolighting.com




OUTDOOR LAMPS

OUTDOOR

lamps

- 70 CASPER SQUARE IP54
- 71 CASPER ROUND IP54
- 72 APULIA IP54
- 73 PAPIKO IP65
- 74 ALIX IP65
- 76 FANO IP54
- 78 FANO SMART
- 79 GAGARIN IP44
- 80 IKA IP65
- 82 REZIA IP54
- 84 RIMINI SQUARE IP54
- 86 RIMINI IP54
- 87 JAKE IP54
- 88 PEDER IP54
- 89 GORAN
- 90 ULF IP44
- 92 JOE IP54
- 94 VENTA IP54
- 95 VENETO IP54
- 96 CASOLA IP54
- 97 COSEL IP54
- 98 ARBAX IP54
- 99 ARIDA IP54
- 100 GAMBINO IP54
- 101 LETICIA 2 LED IP54
- 102 CREMONA IP54
- 104 LARS IP54
- 105 ZITA XL IP54
- 106 CIVITA IP54
- 107 GINNA IP54
- 108 ENOK IP54
- 110 CASORIA IP54
- 112 AFI IP54
- 113 OVE WALL IP54
- 114 ALF IP65
- 116 NIKLAS IP44
- 118 MIKKEL IP54
- 120 NILS IP65
- 121 OSVALD IP44
- 122 ROLF IP44
- 124 SORANO IP44
- 126 NILS IP44
- 128 FRAME IP54
- 130 EDVIN IP65
- 130 EDWARD IP65
- 131 FLOKI IP54
- 132 HAVANA IP44
- 134 BOOMBOX IP44



Outdoor lamps



CASPER SQUARE 3000K / 4000K

LED integrated

voltage: 230V

IP54

technical
specification

LED 15W 1300lm 3000K

LED 15W 1300lm 4000K

installation place

LED

COLOUR / NEW INDEX NO.

	3000K BLACK (BK)	AZ4496
	3000K DARK GREY (DGR)	AZ4498
	3000K WHITE (WH)	AZ4500
	4000K BLACK (BK)	AZ4497
	4000K DARK GREY (DGR)	AZ4499
	4000K WHITE (WH)	AZ4501

5,5

20

20



* DIMENSIONS IN MILLIMETERS (E)

AZzardo®



CASPER ROUND 3000K / 4000K

LED integrated

voltage: 230V

IP54

technical
specification



LED 15W 1300lm 3000K

LED 15W 1300lm 4000K


installation place

LED



COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ4490**
- 3000K DARK GREY (DGR) **AZ4492**
- 3000K WHITE (WH) **AZ4494**
- 4000K BLACK (BK) **AZ4491**
- 4000K DARK GREY (DGR) **AZ4493**
- 4000K WHITE (WH) **AZ4495**



Outdoor lamps



APULIA R

LED integrated

voltage: 230V

LED 10W 800lm 3000K

IP54



technical


specification

installation place

LED

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4333**
 DARK GREY (DGR) **AZ4335**
 WHITE (WH) **AZ4334**



APULIA S

LED integrated

voltage: 230V

LED 10W 800lm 3000K

IP54



technical



specification

installation place

LED

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4336**
 DARK GREY (DGR) **AZ4338**
 WHITE (WH) **AZ4337**






PAPIKO IP65

bulb not included

voltage: 230V	GU10 1x MAX 50W	
IP65	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4216**
- WHITE (WH) **AZ4217**



ALIX IP65

Outdoor lamps





ALIX IP65

bulb not included

voltage: 230V	GU10 1x Max 50W	
IP65	installation place	

COLOUR / NEW INDEX NO.

	BLACK (BK)	AZ4056
	GREY (GR)	AZ4057
	WHITE (WH)	AZ4055








FANO S 30

bulb not included

voltage: 230V	E27 2X MAX 18W	
IP54		
technical specification	installation place	

COLOUR / NEW INDEX NO.

BLACK (BK)	AZ4372
DARK GREY (DGR)	AZ4370
WHITE (WH)	AZ4374





FANO R 30


bulb not included

voltage: 230V	E27 2X MAX 18W	
IP54		
technical specification	installation place	

COLOUR / NEW INDEX NO.

BLACK (BK)	AZ4371
DARK GREY (DGR)	AZ4369
WHITE (WH)	AZ4373





DGR *


FANO SQUARE

LED integrated

voltage: 230V	E27 2X MAX 18W
IP54	
technical specification	installation place

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ2186**



22



DGR *

FANO R

LED integrated

voltage: 230V	E27 2X MAX 18W
IP54	
technical specification	installation place

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ2187**



Ø22



Ø22



Outdoor lamps



FANO S 30 SMART LED RGB

LED integrated

voltage: 230V

LED 24W 1720lm RGB

IP54


2600-6000K

technical
specification

installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4786**
- DARK GREY (DGR) **AZ4787**
- WHITE (WH) **AZ4788**



CCT = 2600÷6000K DIMMABLE REMOTE CONTROL



FANO R 30 SMART LED RGB

LED integrated

voltage: 230V

LED 24W 1720lm RGB

IP54


2600-6000K

technical
specification

installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4783**
- DARK GREY (DGR) **AZ4784**
- WHITE (WH) **AZ4785**



CCT = 2600÷6000K DIMMABLE REMOTE CONTROL



BK

DGR



WH



BK

DGR



WH






GAGARIN IP44

bulb not included 

voltage: 230V	E27 1x MAX 18 W	
IP44	installation place	


COLOUR / NEW INDEX NO.

 DARK GREY (DGR) **AZ4352**





new




IKA SQUARE IP65

bulb not included 

voltage: 230V	connect GU10 1x Max. 50W	
IP65	installation place	
	inlet opening	

COLOUR / NEW INDEX NO.

 WHITE (WH)	AZ2864
 BLACK (BK)	AZ4230
 DARK GREY (DGR)	AZ4231




new




DGR


new



BK



WH




IKA ROUND IP65

bulb not included

voltage: 230V	connect GU10 1x Max. 50W
IP65	installation place
	inlet opening

COLOUR / NEW INDEX NO.

WHITE (WH)	AZ2865
BLACK (BK)	AZ3017
DARK GREY (DGR)	AZ4232



REZIA IP54

Outdoor lamps





REZIA 1

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4343**
- DARK GRAY (DGR) **AZ4344**




REZIA 2

bulb not included

voltage: 230V	GU10 2x MAX 35W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.


- BLACK (BK) **AZ4345**
- DARK GRAY (DGR) **AZ4346**





RIMINI SQUARE IP54

Outdoor lamps




RIMINI 1 SQUARE

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ4311**
- WHITE (WH) **AZ4313**
- BLACK (BK) **AZ4267**



RIMINI 2 SQUARE

bulb not included

voltage: 230V	GU10 2x MAX 35W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ4312**
- WHITE (WH) **AZ4314**
- BLACK (BK) **AZ4268**





RIMINI IP54

Outdoor lamps



BK *


RIMINI 1

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ2176**
- WHITE (WH) **AZ2175**
- BLACK (BK) **AZ4265**



BK *


RIMINI 2

bulb not included

voltage: 230V	GU10 2x MAX 35W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ2178**
- WHITE (WH) **AZ2177**
- BLACK (BK) **AZ4266**



* - EXPLANATION SHORTCUT PAGE 2 (E)




JAKE WALL 2

bulb not included 

voltage: 230V	GU10 2x MAX 35W	
IP54	installation place	

COLOUR / NEW INDEX NO.

-  DARK GREY (DGR) **AZ3321**
-  WHITE (WH). **AZ3322**
-  BLACK (BK). **AZ4269**



PEDER IP54

Outdoor lamps





PEDER

bulb not included 

voltage: 230V	GU10 1x MAX 35W	
IP54	installation place	

COLOUR / NEW INDEX NO.

-  BLACK (BK) **AZ4514**
-  DARK GREY (DGR) **AZ4515**



BK

DGR

TILT 90°

* - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®




GORAN SENSOR

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP44	
	installation place

COLOUR / NEW INDEX NO.


- BLACK (BK) **AZ4695**
- DARK GRAY (DGR) **AZ4696**
- WHITE (WH) **AZ4697**



TILT 90°



MASTER SLAVE SYSTEM







BK

DGR

MASTER SLAVE SYSTEM






ULF 1 WALL SENSOR

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP44		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4454**
- DARK GREY (DGR) **AZ4455**




ULF 2 WALL

bulb not included

voltage: 230V	GU10 2x MAX 35W	
IP44		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4473**
- DARK GREY (DGR) **AZ4474**



JOE IP54

Outdoor lamps



DGR *


JOE TUBE

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

	DARK GREY (DGR)	AZ3313
	BLACK (BK)	AZ3314
	WHITE (WH)	AZ3315
	BRIGHT GREY (BGR)	AZ3316



WH *


JOE WALL 1

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

	DARK GREY (DGR)	AZ3317
	BLACK (BK)	AZ3318
	WHITE (WH)	AZ4315







JOE WALL 2

bulb not included

voltage: 230V	GU10 2x MAX 35W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ3319**
- BLACK (BK) **AZ3320**
- WHITE (WH) **AZ4316**




JOE SQUARE

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP54		
	installation place	



COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ3323**
- WHITE (WH) **AZ3324**
- BLACK (BK) **AZ4270**



VENTA IP54

Outdoor lamps




VENTA

bulb not included

voltage: 230V	E27 1x MAX 18 W	
IP54	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4350**
- DARK GREY (DGR) **AZ4351**



* - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®




VENETO


bulb not included

voltage: 230V	E27 1x MAX 18 W	
IP54	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4348**
- DARK GREY (DGR) **AZ4349**





CASOLA

LED integrated

voltage: 230V

LED 12W 950lm 3000K

IP54



technical


specification


installation place

LED

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4355**
- DARK GREY (DGR) **AZ4356**





COSEL

LED integrated 

voltage: 230V

IP54

technical
specification



LED 2x8W 1300lm 3000K

LED

installation place



COLOUR / NEW INDEX NO.

 BLACK (BK) **AZ4353**

 DARK GREY (DGR) **AZ4354**

4,7 

22,3 

7 

Outdoor lamps



ARBAX 1

LED integrated

voltage: 230V

LED 6W 500lm 3000K


IP54

technical
specification

installation place

LED

COLOUR / NEW INDEX NO.

 DARK GREY (DGR) **AZ4341**


ARBAX 2

LED integrated

voltage: 230V

LED 12W 1000lm 3000K


IP54

technical
specification

installation place

LED

COLOUR / NEW INDEX NO.

 DARK GREY (DGR) **AZ4342**





ARIDA

bulb not included ☒

voltage: 230V	E27 1x Max 18W
IP54	installation place ☐

COLOUR / NEW INDEX NO.


☒ DARK GREY (DGR) **AZ4347**



** NUMBERS IS NOT INCLUDED

**





GAMBINO 1 3000K / 4000K

LED integrated 

voltage: 230V

IP54

technical

specification



LED 2x3W 500lm 3000K


LED 2x3W 500lm 4000K

installation place


LED

COLOUR / NEW INDEX NO.



	3000K WHITE (WH)	AZ0950
	3000K BRIGHT GREY (BGR)	AZ0958
	3000K DARK GREY (DGR)	AZ0957
	3000K BLACK (BK)	AZ4148
	4000K BLACK (BK)	AZ4470
	4000K DARK GREY (DGR)	AZ4471
	4000K WHITE (WH)	AZ4472



TILT 90°



FOUR ADJUSTABLE LIGHT ANGLE





LETICIA 2 LED

LED integrated

voltage: 230V

IP54

technical
specification



LED 2x3W 400lm 3000K


LED

installation place




COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4469**
- DARK GREY (DGR) **AZ2189**
- WHITE (WH) **AZ2190**



TILT 90°



FOUR ADJUSTABLE LIGHT ANGLE







CREMONA S

LED integrated

voltage: 230V

LED 2x3W 350lm 3000K

IP54



technical


specification

installation place

LED

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ2180**
- WHITE (WH) **AZ2179**
- BLACK (BK) **AZ4339**



CREMONA M

LED integrated

voltage: 230V

LED 2x5W 500lm 3000K

IP54



technical


specification

installation place

LED

COLOUR / NEW INDEX NO.


- DARK GREY (DGR) **AZ2182**
- WHITE (WH) **AZ2181**
- BLACK (BK) **AZ4340**



DGR



WH



BK



DGR



WH



BK

Outdoor lamps

new



BK *

LARS ROUND WALL 3000K / 4000K

LED integrated

voltage: 230V

IP44

technical
specification

LED 13W 1000lm 3000K


LED 13W 1000lm 4000K

installation place


LED

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ4504**
- 4000K BLACK (BK) **AZ4505**



new



BK *

LARS SQUARE 3000K / 4000K

LED integrated

voltage: 230V

IP44

technical
specification

LED 13W 1000lm 3000K


LED 13W 1000lm 4000K

installation place

LED

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ4506**
- 4000K BLACK (BK) **AZ4507**





BK *

ZITA XL

LED integrated

voltage: 230V

LED 6W 450lm 3000K

IP54




technical
specification

installation place

LED

COLOUR / NEW INDEX NO.

	DARK GREY (DGR)	AZ2200
	BRIGHT GREY (BGR)	AZ2201
	BLACK (BK)	AZ4150
	WHITE (WH)	AZ4151



CIVITA IP54

Outdoor lamps



CIVITA

LED integrated

voltage: 230V

LED 12W 800lm 3000K

IP54



LED

technical
specification

installation place

COLOUR / NEW INDEX NO.

■ DARK GREY (DGR) **AZ4361**

CIVITA SENSOR

LED integrated

voltage: 230V

LED 12W 800lm 3000K

IP54




LED


technical
specification

installation place

COLOUR / NEW INDEX NO.

■ DARK GREY (DGR) **AZ4360**

MASTER SLAVE SYSTEM (OPTION)





GINNA 3

LED integrated

voltage: 230V

LED 6W 500lm 3000K

IP54





technical
specification

installation place

LED

COLOUR / NEW INDEX NO.

-  BLACK (BK) **AZ3484**
-  GOLD (GO) **AZ3485**
-  DARK GREY (DGR) **AZ4194**
-  WHITE (WH) **AZ4195**







ENOK ROUND WALL 3000K

LED integrated

voltage: 230V

LED 9W 700lm 3000K

IP54



technical



specification

installation place



COLOUR / NEW INDEX NO.

3000K DARK GREY (DGR) **AZ4460**



ENOK SQUARE WALL 3000K / 4000K

LED integrated

voltage: 230V

LED 9W 700lm 3000K

IP54



technical


specification

installation place





COLOUR / NEW INDEX NO.

3000K BLACK (BK) **AZ4461**
4000K BLACK (BK) **AZ4462**



2 IN 1

THERE ARE 2 TYPES OF FRONT COVER FOR THE LAMP INCLUDED.
THANKS TO MAGNETIC FIXING SYSTEM THEY CAN BE EASILY CHANGED OR REMOVED COMPLETELY.





CASORIA ROUND

LED integrated

voltage: 230V

LED 6W 450lm 3000K

IP54



technical



specification

installation place

LED

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ4365**
- BLACK (BK) **AZ4366**



BK

DGR



CASORIA SLIM

LED integrated

voltage: 230V

LED 6W 450lm 3000K

IP54



technical


specification

installation place

LED

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ4368**



CASORIA SQUARE

LED integrated

voltage: 230V

LED 6W 450lm 3000K

IP54



technical


specification

installation place

LED

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ4367**







AFI 3000K / 4000K

LED integrated 

voltage: 230V

LED 2W 150lm 3000K

IP54

LED 2W 150lm 4000K

technical

specification




installation place

LED



COLOUR / NEW INDEX NO.

-  3000K DARK GREY (DGR) **AZ4510**
-  3000K BLACK (BK) **AZ4512**
-  4000K DARK GREY (DGR) **AZ4511**
-  4000K BLACK (BK) **AZ4513**



* - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®



OVE WALL 3000K / 4000K

LED integrated

voltage: 230V

IP54

technical
specification



LED 2W 150lm 3000K

LED 2W 150lm 4000K

installation place

LED



COLOUR / NEW INDEX NO.

- 3000K DARK GREY (DGR) **AZ4508**
- 4000K DARK GREY (DGR) **AZ4509**





ALF ROUND 3000K

LED integrated

voltage: 230V

LED 3W 250lm 3000K

IP65



technical
specification

installation place

LED

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4463**
- DARK GREY (DGR) **AZ4464**



ALF SQUARE 3000K

LED integrated

voltage: 230V

LED 3W 250lm 3000K

IP65

technical
specification



installation place

LED

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4465**
- DARK GREY (DGR) **AZ4466**





NIKLAS IP44

Outdoor lamps




NIKLAS 2 WALL


bulb included	
voltage: 230V	E27 1x MAX 60W
IP44	
installation place	

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4488**



MASTER SLAVE SYSTEM (OPTION)






NIKLAS WALL

bulb not included 

voltage: 230V	E27 1x MAX 60W	
IP44	installation place	

COLOUR / NEW INDEX NO.

 BLACK (BK) **AZ4486**




NIKLAS WALL SENSOR

bulb not included 

voltage: 230Vs	E27 1x MAX 60 W	
IP44	installation place	

COLOUR / NEW INDEX NO.

 BLACK (BK) **AZ4487**



MIKKEL IP54

Outdoor lamps

new



BK *


MIKKEL WALL

bulb not included 

voltage: 230V	E27 1x MAX 15W	
IP65	installation place	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4484**



new



BK *


MIKKEL

bulb not included 

voltage: 230V	E27 1x MAX 15W	
IP54	installation place	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4485**





RASMUS IP65

Outdoor lamps

new



BK *


RASMUS WALL

bulb not included 

voltage: 230V	E27 1x MAX 15W	
IP65		
	installation place	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4482**



new



BK *


RASMUS

bulb not included 

voltage: 230V	E27 1x MAX 15W	
IP65		
	installation place	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4483**






OSVALD WALL

bulb not included 

voltage: 230V	E27 1x MAX 25W	
IP44	installation place	

COLOUR / NEW INDEX NO.

 BLACK (BK) **AZ4489**



ROLF IP44

Outdoor lamps

new




ROLF 1 WALL

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP44	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4475**
- DARK GREY (DGR) **AZ4476**
- WHITE (WH) **AZ4477**




ROLF 2 500

bulb not included

voltage: 230V	LED GU10 2x MAX 35W
IP44	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4456**
- DARK GREY (DGR) **AZ4457**




ROLF 2 900

bulb not included

voltage: 230V	LED GU10 2x MAX 35W
IP44	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4458**
- DARK GREY (DGR) **AZ4459**



* - EXPLANATION SHORTCUT PAGE 2 (E)



SORANO IP44

Outdoor lamps




SORANO 500

bulb not included

voltage: 230V	E27 1x MAX 40W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4444**
 DARK GREY (DGR) **AZ4358**




SORANO 700


bulb not included

voltage: 230V	E27 1x MAX 40W	
IP54		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4445**
 DARK GREY (DGR) **AZ4359**







SORANO WALL

bulb not included 	
voltage: 230V	E27 1x MAX 40W 
IP54	installation place 


COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4446**
- DARK GREY (DGR) **AZ4357**





MASTER SLAVE SYSTEM (OPTION)



* - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®

new



NILS WALL

bulb not included

voltage: 230V	E27 1x MAX 13W	
IP44		
	installation place	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4478**

new




NILS WALL SENSOR

bulb not included

voltage: 230V	E27 1x MAX 13W	
IP44		
	installation place	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4479**




NILS 500

bulb not included 

voltage: 230V	E27 1x MAX 13W	
IP44		
	installation place	

COLOUR / NEW INDEX NO.

 BLACK (BK) **AZ4480**




NILS 800

bulb not included 

voltage: 230V	E27 1x MAX 13W	
IP44		
	installation place	

COLOUR / NEW INDEX NO.

 BLACK (BK) **AZ4481**









FRAME WALL

LED integrated

voltage: 230V	LED 8W 800lm 3000K		
IP54	technical specification		
installation place			

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4308**
- DARK GREY (DGR) **AZ2132**
- BRIGHT GREY (BGR) **AZ2133**






FRAME SPIKE

LED integrated

voltage: 230V	LED 8W 800lm 3000K		
IP54	technical specification		
installation place			

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4307**
- DARK GREY (DGR) **AZ2128**
- BRIGHT GREY (BGR) **AZ2129**





FRAME 70

LED integrated

voltage: 230V	LED 8W 800lm 3000K		
IP54	technical specification		
installation place			

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4305**
- DARK GREY (DGR) **AZ2130**
- BRIGHT GREY (BGR) **AZ2131**



EDVIN / EDWARD IP65

Outdoor lamps

new




EDVIN

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP65	installation place	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4502**



TILT 90°

new




EDWARD

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP65	installation place	

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4503**



TILT 90°





FLOKI 3000K / 4000K

LED integrated

voltage: 230V

IP65

technical
specification



LED 6W 500lm 3000K


LED 6W 500lm 4000K

installation place

LED

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ4468**
- 4000K BLACK (BK) **AZ4467**



TILT 180°

HAVANA IP44

Outdoor lamps




HAVANA

bulb not included

voltage: 230V	E27 1x MAX 25W	
IP44	installation place	

COLOUR / NEW INDEX NO.


- ☒ BLACK (BK) **AZ4662**
☐ WHITE (WH) **AZ4663**



* - EXPLANATION SHORTCUT PAGE 2 (E)



waterproof switch button



Outdoor lamps



HIT! – Portable LED lamp with a built-in 10W Bluetooth speaker



Portable LED lamp with a built-in 10W Bluetooth speaker. Equipped with a practical carrying handle. Lamp consists of 9 LEDs with variable color and 6 LEDs with white light. It has 7 light colors in various modes of operation. Product is made of white plastic. Comes with a remote control as well as a battery and USB charging cable so that the lamp can be placed anywhere


due to the fact that it is not limited by access to mains supply. This is a wonderful decoration that can inspire to create an amazing arrangement in your garden. IP44 water resistance allows outdoor use.

Play music from your smartphone or tablet via bluetooth!



BOOMBOX MEDIUM RGBW + REMOTE CONTROL

Dimensions: 22x22x32cm
 Power: 10W speaker
 Battery: 2000mAh
 Color: RGBW
 Accessories: remote control included



BOOMBOX BUCKET RGBW + REMOTE CONTROL

Dimensions: 32x56cm
 Power: 5W speaker
 Battery: 2000mAh
 Color: RGBW
 Accessories: remote control included





WH *

BOOMBOX MEDIUM RGBW + REMOTE CONTROL

LED integrated

voltage: 230V

IP44

technical
specification



LED 10W 800lm RGBW DIMM USB

3000K

installation place



COLOUR / NEW INDEX NO.

☐ WHITE (WH). **AZ4664**



22



WH *

BOOMBOX BUCKET RGBW + REMOTE CONTROL

LED integrated

voltage: 230V

IP44

technical
specification



LED 5W 400lm RGBW DIMM USB

3000K

installation place



COLOUR / NEW INDEX NO.

☐ WHITE (WH). **AZ4665**



22



Ra (CRI) - Colour Rendering Index **EU standard – Ra $\geq$ 80**
Best colour rendering index, Ra (CRI) = 100

Ra (CRI) - wskaźnik oddawania barw **Standard UE – Ra $\geq$ 80**
Najlepszy wskaźnik oddawania barw, Ra (CRI) = 100

Ra (CRI)- Index podania farieb **Štandard EU – Ra $\geq$ 80**
Najlepší index podania farieb Ra(CRI)=100

Ra (CRI)- Index podání barev **Standard EU – Ra $\geq$ 80**
Nejlepší index podání barev Ra(CRI)=100



5 lat gwarancji na sterownik w lampie LED oraz moduł świecący (wraz z diodami).
Czas gwarancji jest liczony od dnia zakupu potwierdzonego paragonem lub fakturą.

A warranty of 5 years is given for the driver for LED lamps and light modules (with diodes).
The warranty is counted from the day of purchase, confirmed by a bill or an invoice.

5 év garancia érvényes a LED vezérlőre és a Led panelre egyaránt.
A garancia a vásárlás napján lép életbe, melyet számlával vagy nyugtával szükséges igazolni

Les 5 ans de garantie concernant le driver de LED et le module lumineux (avec les diodes). La durée de la garantie est dès le jour d'achat confirmé par un ticket de caisse ou une facture.

5 -ročná záruka sa vzťahuje na ovládač pre LED lampy, vrátane svetelného zdroja
Záručná doba sa počíta od dátumu zakúpenia tovaru.

5 letá záruka se vztahuje na ovládač pro LED lampy, včetně světelného zdroje.
Záruční doba se počítá od datumu zakoupení zboží.



We can paint the lamps in any RAL colour subject to an extra charge.

Contre un supplément, il est possible de commander la lampe dans une teinte choisie dans la palette RAL.

Za dopłatą, możliwość wybarwienia lampy z palety kolorów RAL.

Za doplatek je možné svítidlo barevně upravit dle vzorníku barev RAL.

Za doplatok je možné svietidlo farebne upraviť podľa vzorkovníka farieb RAL.

We reserve the rights to make changes in the product range, design and model.

Please note that, as a result of printing processes, actual colors may vary from those reproduced here.

Nous nous reservons le droit d'apporter des modifications dans le choix et le design des modèles.

Veuillez noter qu'en raison des techniques d'impression les teintes des produits peuvent légèrement varier par rapport à celles du catalogue.

Zastrzegamy sobie prawo do dokonania zmian ofertowych i konstrukcyjnych.

Z uwagi na proces druku przedstawione kolory mogą się różnić od rzeczywistych.

Fenntartjuk a jogunkat a termékskála, a dizájn és a modellek változtatására.

Kérem vegyék figyelembe, a nyomtatási folyamat eredményeképpen a termék valós színe esetleg kismértékben különbözhet a nyomtatott változattól.

Vyhrazujeme si právo k provádění nabídkových a konstrukčních změn.

Vzhledem k procesu tisku se mohou nabízené barvy lišit od reálných.

Vyhradujeme si právo na vykonávanie ponukových a konštrukčných zmien.

Vzhľadom k procesu tlače sa môžu ponúkané farby líšiť od reálnych.

WAZZARD
ACTION
ELECTION
COLLECT
DONOR
ACTION
ELECTION
COLLECT

AZzardo®

TECHNOline



New collection 2022

Azzardo



BULGARIA

VISTA_G LTD

tel.: +359 32 655 877
mobile: +359 885 388 003
e-mail: sales@iml.bg
• www.vista-g.com



CROATIA REP. OF BOSNIA AND HERZEGOVINA MONTENEGRO

REMBOL D.O.O.
KOPERNIKOVA 5; 10000 ZAGREB
tel.: +91 222 02 29
tel.: +91 520 12 54
e-mail: info@azzardo.com.hr
• www.azzardo.com.hr



CZECH REPUBLIC

AZZARDO LIGHTING S.R.O.
tel.: +421 41 565 22 56
e-mail: info@azzardo.sk
• www.azzardodesign.com



HUNGARY

ELTER LTD.
tel.: +36 74 510 348
e-mail: info@elter.hu
• www.elter.hu



ICELAND

PFAFF
tel.: +354 414 0400
fax: +354 414 0401
e-mail: pfaff@pfaff.is
• www.pfaff.com



ITALY

LEONARDO ANICETO
tel.: +39 3931212029
e-mail: aniceto.staff@gmail.com

ANGELO FOLLIERO
tel.: +39 336 605 301
e-mail: angelofolliero@libero.it



NETHERLANDS

HENNIE BUKKEMS
tel.: +31 6201 36811
e-mail: bukkemsagenturen@gmail.com



POLAND

TORINO HOLDING S.A.
tel.: +48 61 849 40 80
fax: +48 61 849 40 84
e-mail: biuro@lampy.it
• www.azzardolighting.com



PORTUGAL

DOMOLED
NÚCLEO EMPRESARIAL
DA ABRUNHEIRA ZONA
POENTE PAV.4, 2710-089 SINTRA
tel.: +351 219 111 201
tel.: +351 911 003 235
e-mail: geral@domoled.pt
• www.domoled.pt



ROMANIA

JACEK KREMPIŃSKI
tel.: +48 518 543 875
e-mail: jacekkrempinski@gmail.com



SLOVAKIA

AZZARDO LIGHTING S.R.O.
TEL.: +421 41 565 22 56
e-mail: info@azzardo.sk
• www.azzardodesign.com



UKRAINE

ELEKOMP
m. KYIV, provulok Lukianivsky 11B
fax: +38 063 263 30 64
tel.: +38 067 353 3757
e-mail: elekomp.project@gmail.com
• www.elekomp.com.ua

PROFORMA

KYIV, EKSKAVATORNA 24
tel.: +38 098 193 22 22
tel.: +38 097 083 81 53
e-mail: zakaz@proforma.kiev.ua
• www.proforma.kiev.ua



UNITED KINGDOM AND IRELAND

IAN DORMER
tel.: 07745 763251
e-mail: ian@eurolamps.uk


AUTHORISED POINT OF SALE
PF FURNITURE LTD
UNIT A PRESTWICH INDUSTRIAL ESTATE
COAL PIT LN
ATHERTON, M46 OFY
MANCHESTER
tel.: +44 073 839 768 12
tel.: +44 019 428 717 37
e-mail: sales@pffurniture.co.uk

AZzardo®

TRACKLINE

www.azzardolighting.com


NAMING OF BASIC ACCESSORIES FOR 1-LINE TRACK SYSTEM



1-LINE
TRACK

1 - LINE



track 1-Line



- 2 ACCESORIES FOR TRACK 1 LINE
- 6 EXO
- 7 LOLO
- 8 KIRKE
- 9 JERRY


TRACK 1-LINE

Accessories for Track 1 Line



Tracks (1m, 1,5m, 2m, 3m)

☒	TRACK 1M (BLACK)	.AZ4729
☐	TRACK 1M (WHITE)	.AZ4728
☒	TRACK 1,5M (BLACK)	.AZ4731
☐	TRACK 1,5M (WHITE)	.AZ4730
☒	TRACK 2M (BLACK)	.AZ4733
☐	TRACK 2M (WHITE)	.AZ4732
☒	TRACK 3M (BLACK)	.AZ4735
☐	TRACK 3M (WHITE)	.AZ4734




Straight Connector

☒	STRAIGHT CONNECTOR (BLACK)	.AZ4737
☐	STRAIGHT CONNECTOR (WHITE)	.AZ4736



Available options for installation place (surface and pendend mounted)



Track Set (1m, 1,5m, 2m, 3m)

with THE END POWER + END CAP (All included)

- | | | |
|-------------------------------------|----------------------------|---------------|
| ☒ | SET 1M (BLACK) | AZ4723 |
| ☐ | SET 1M (WHITE) | AZ4722 |
| ☒ | SET 1,5M (BLACK) | AZ4725 |
| ☐ | SET 1,5M (WHITE) | AZ4724 |
| ☒ | SET 2M (BLACK) | AZ4727 |
| ☐ | SET 2M (WHITE) | AZ4726 |



End Power

- | | | |
|-------------------------------------|-----------------------------|---------------|
| ☒ | END POWER (BLACK) | AZ4743 |
| ☐ | END POWER (WHITE) | AZ4742 |



TRACK 1-LINE

Accessories for Track 1 Line



L Connector

- ☒ L CONNECTOR (BLACK) **AZ4739**
- ☐ L CONNECTOR (WHITE) **AZ4738**



T Connector

- ☒ T CONNECTOR (BLACK) **AZ4741**
- ☐ T CONNECTOR (WHITE) **AZ4740**



End Cap

- ☒ END CAP (BLACK) **AZ4745**
- ☐ END CAP (WHITE) **AZ4744**



Track 1Line Pendant Accessory 1.5m

- ☒ TRACK 1LINE PENDANT ACCESSORY 1.5M (BLACK) **AZ4747**
- ☐ TRACK 1LINE PENDANT ACCESSORY 1.5M (WHITE) **AZ4746**





Ceiling plate + wire

- CEILING PLATE + WIRE (BLACK)AZ4780
- CEILING PLATE + WIRE (WHITE)AZ4782



Electric

- ELECTRIC (BLACK)AZ4749
- ELECTRIC (WHITE)AZ4748





BK *

EXO TRACK 1 LINE GU10

bulb not included 


voltage: 230V

GU10 1x Max 35W


IP20

installation: Track 1 Line 

COLOUR / NEW INDEX NO.

 BLACK (BK) **AZ4660** WHITE (WH) **AZ4661**TILT 90° ROTATION 350° 

WH



BK



WH *



WH

BK


LOLO TRACK 1 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max. 50W	
IP20		
	installation: Track 1 Line	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4654**
- WHITE (WH) **AZ4655**



KIRKE TRACK 10W CCT



Track 1 Line



KIRKE TRACK 1 LINE 10W CCT

LED integrated

voltage: 230V

IP20

technical

specification



LED 10W 800lm

3000K | 4000K | 6000K CCT

installation: Track 1 Line


beam angle: 40°

LED

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4656**

□ WHITE (WH) **AZ4657**



* - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®



WH *



WH



BK


JERRY TRACK 1 LINE

bulb not included 


voltage: 230V	ES111 1x Max 16W	
IP20		
technical specification	installation place: Track 1 Line	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4666**
- WHITE (WH) **AZ4667**




NAMING OF BASIC ACCESSORIES FOR TRACK 3-LINE SYSTEM



3 - LINE

track 3-Line




- 12 ACCESSORIES FOR TRACK 3 LINE
- 18 EIGER
- 19 MEGARA
- 20 LOLO
- 21 GULIA
- 22 SANTOS
- 24 KIRKE
- 25 GALILEO
- 26 LUMI
- 27 LUMI
- 28 SKYE
- 29 COSTA
- 30 MIKKA
- 31 MONA
- 32 LINNEA

TRACK 3-LINE


Accessories for Track 3 Line

Example of the connection between track



TRACKS (1m, 1,5m, 2m, 3m)


	TRACK 1m (BLACK)	AZ2973
	TRACK 1m (WHITE)	AZ2974
	TRACK 1,5m (BLACK)	AZ3000
	TRACK 1,5m (WHITE)	AZ2999
	TRACK 2m (BLACK)	AZ2975
	TRACK 2m (WHITE)	AZ2976
	TRACK 3m (BLACK)	AZ4272
	TRACK 3m (WHITE)	AZ4271




Track Set (1m, 1,5m, 2m, 3m)

with THE END POWER + END CAP (All included)

	TRACK SET 1m (BLACK)	AZ2987
	TRACK SET 1m (WHITE)	AZ2991
	TRACK SET 1,5m (BLACK)	AZ3001
	TRACK SET 1,5m (WHITE)	AZ3002
	TRACK SET 2m (BLACK)	AZ2992
	TRACK SET 2m (WHITE)	AZ2988




Available options for installation place – surface-mounted, flush-mounted and suspended



TRACKS GIPS (1m, 2m, 3m)

- | | | |
|-------------------------------------|---------------------------------|---------------|
| ☒ | TRACK GIPS 1m (BLACK) | AZ4790 |
| ☐ | TRACK GIPS 1m (WHITE) | AZ4789 |
| ☒ | TRACK GIPS 2m (BLACK) | AZ4292 |
| ☐ | TRACK GIPS 2m (WHITE) | AZ4291 |
| ☒ | TRACK GIPS 3m (BLACK) | AZ4294 |
| ☐ | TRACK GIPS 3m (WHITE) | AZ4293 |



MINI SIMPLE CONNECTION

- | | | |
|-------------------------------------|--|---------------|
| ☒ | MINI SIMPLE CONNECTION (BLACK) | AZ2981 |
| ☐ | MINI SIMPLE CONNECTION (WHITE) | AZ2982 |



TRACK 3-LINE

Accessories for Track 3 Line



End Power (Left, Right)

- ☒ END POWER RIGHT (BLACK) **AZ4116**
- ☐ END POWER RIGHT (WHITE) **AZ4117**
- ☒ END POWER LEFT (BLACK) **AZ4284**
- ☐ END POWER LEFT (WHITE) **AZ4283**




Power

- ☒ POWER (BLACK) **AZ4274**
- ☐ POWER (WHITE) **AZ4273**



L Connector (Left, Right)

- ☒ L CONNECTOR RIGHT (BLACK) **AZ2983**
- ☐ L CONNECTOR RIGHT (WHITE) **AZ2984**
- ☒ L CONNECTOR LEFT (BLACK) **AZ2985**
- ☐ L CONNECTOR LEFT (WHITE) **AZ2986**



T Connector (Left, Right)

- ☒ T CONNECTOR LEFT (BLACK) **AZ4276**
- ☐ T CONNECTOR LEFT (WHITE) **AZ4275**
- ☒ T CONNECTOR RIGHT (BLACK) **AZ4278**
- ☐ T CONNECTOR RIGHT (WHITE) **AZ4277**






End Power Gips (Left, Right)

- ☒ END POWER GIPS RIGHT (BLACK) **AZ4304**
- ☐ END POWER GIPS RIGHT (WHITE) **AZ4303**
- ☒ END POWER GIPS LEFT (BLACK) **AZ4310**
- ☐ END POWER GIPS LEFT (WHITE) **AZ4309**



Power Gips

- ☒ POWER GIPS (BLACK) **AZ4296**
- ☐ POWER GIPS (WHITE) **AZ4295**




L Connector Gips (only Right)

- ☒ L CONNECTOR GIPS RIGHT (BLACK) **AZ4298**
- ☐ L CONNECTOR GIPS RIGHT (WHITE) **AZ4297**



T Connector Gips (only Right)

- ☒ T CONNECTOR GIPS RIGHT (BLACK) **AZ4300**
- ☐ T CONNECTOR GIPS RIGHT (WHITE) **AZ4299**




TRACK 3-LINE

Accessories for Track 3 Line



X Connector

- ☒ X CONNECTOR (BLACK) **AZ4280**
- ☐ X CONNECTOR (WHITE) **AZ4279**



Power Adjustable Connector

- ☒ POWER ADJUSTABLE CONNECTOR (BLACK) **AZ4286**
- ☐ POWER ADJUSTABLE CONNECTOR (WHITE) **AZ4285**



Track 3Line Pendant Accessory 1.5m


- ☒ TRACK 3LINE PENDANT ACCESSORY 1.5M (BLACK) **AZ4797**
- ☐ TRACK 3LINE PENDANT ACCESSORY 1.5M (WHITE) **AZ4796**



Ceiling Plate + Wire


- ☒ CEILING PLATE + WIRE (BLACK) **AZ4780**
- ☐ CEILING PLATE + WIRE (WHITE) **AZ4782**





X Connector Gips

- ☒ X CONNECTOR GIPS (BLACK) **AZ4302**
- ☐ X CONNECTOR GIPS (WHITE) **AZ4301**




Flexible Connector

- ☒ FLEXIBLE CONNECTOR (BLACK) **AZ4282**
- ☐ FLEXIBLE CONNECTOR (WHITE) **AZ4281**



End Cap

- ☒ END CAP (BLACK) **AZ4288**
- ☐ END CAP (WHITE) **AZ4287**



EIGER TRACK

Track 3 Line



BK *

EIGER TRACK 3 LINE GU10

bulb not included

voltage: 230V

GU10 1x Max. 50W


IP20

installation: Track 3 Line

beam angle: 60°



WH




BK/GO



BK

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4205**
- BLACK / GOLD (BK/GO) **AZ4206**
- WHITE (WH) **AZ4204**






MEGARA TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 2x Max. 50W	
IP20	installation: Track 3 Line	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4443**
- WHITE (WH) **AZ4442**



LOLO TRACK

Track 3 Line



BK *


LOLO TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max. 50W	
IP20	installation: Track 3 Line	

COLOUR / NEW INDEX NO.

- ☒ BLACK (BK) **AZ4577**
☐ WHITE (WH) **AZ4578**



WH



BK





GO *


GULIA TRACK TRACK 3-LINE GU10

bulb not included 

voltage: 230V	LED GU10 1x Max. 50W 
IP20	
	installation place: Track 3 Line 


COLOUR / NEW INDEX NO.

-  BLACK (BK) **AZ4710**
-  WHITE (WH) **AZ4709**
-  GOLD (GO) **AZ4711**



TILT 90°

ROTATION 360°



SANTOS TRACK

Track 3 Line



BK *


SANTOS TRACK 3 LINE GU10

bulb not included

voltage: 48V	GU10 1x Max. 50W
IP20	
technical specification	installation: Track 3 Line

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4203**
- WHITE (WH) **AZ4202**



BK / BK

WH / WH



* - EXPLANATION SHORTCUT PAGE 2 (E)



BK / BK *

SANTOS TRACK 3 LINE 12W 3000K

LED integrated

voltage: 230V

IP20

technical
specification



LED 12W 950lm 3000K


LED

installation place: Track 3 Line

beam angle: 60°

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) **AZ4183**
- WHITE / WHITE (WH / WH) **AZ4184**
- BLACK / GOLD (BK / GO) **AZ2924**
- WHITE / GOLD (WH / GO) **AZ2925**



BK / BK

WH / WH

BK/GO

WH/GO



Track 3 Line



KIRKE TRACK 3 LINE 10W CCT

LED integrated

voltage: 230V

IP20

technical

specification



LED 10W 800lm


3000K | 4000K | 5500K CCT

installation: Track 3 Line

beam angle: 40°

LED

COLOUR / NEW INDEX NO.

☒ BLACK (BK) **AZ4658**
☐ WHITE (WH) **AZ4659**




WH *

GALILEO TRACK 3000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 15W 1200lm 3000K

LED

installation place: Track 3 Line


beam angle: 12°÷ 35°



COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4066**

☒ BLACK (BK) **AZ4067**



12° 35°



ADJUSTABLE BEAM ANGLE

TILT 90°

ROTATION 360°



WH



BK



ADJUSTABLE BEAM ANGLE



12°

35°

Track 3 Line



LUMI TRACK 3 LINE 3000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 5W 500lm 3000K


LED

installation: Track 3 Line

adjustable beam angle: 19°÷ 70°



COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4558**
☒ BLACK (BK) **AZ4557**


ADJUSTABLE BEAM ANGLE

TILT 90°

ROTATION 350°



LUMI FLEX TRACK 3 LINE 3000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 5W 500lm 3000K


LED

installation: Track 3 Line

adjustable beam angle: 19°÷ 70°



COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4560**
☒ BLACK (BK) **AZ4559**


ADJUSTABLE BEAM ANGLE

ROTATION 360°



WH




BK



WH



BK





Track 3 Line



WH *

SKYE TRACK 3 LINE 3000K

LED integrated 

voltage: 48V

LED 12W 1300lm 3000K

IP20



technical


installation place: Track 3 Line

specification

beam angle: 60°

LED

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4519**
☒ BLACK (BK) **AZ4520**


WH

BK





BK *



WH

BK

COSTA TRACK 3 LINE 12W 3000K / 4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 12W 1100lm 3000K

LED 12W 1100lm 4000K

installation place: Track 3 Line


beam angle: 22°

LED



COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4550**
- ☐ 3000K BLACK (BK) **AZ4549**
- ☐ 4000K WHITE (WH) **AZ4552**
- ☐ 4000K BLACK (BK) **AZ4551**



TILT 90°

ROTATION 350°



Track 3 Line



BK *

MIKKA TRACK 3 LINE 3000K

LED integrated

voltage: 48V

IP20

technical

specification




LED 24W 1700lm 3000K

LED

installation: Track 3 Line

beam angle: 120°

COLOUR / NEW INDEX NO.

 BLACK (BK) **AZ4516**


* - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®



BK *

MONA TRACK 12W 3000K / 4000K

LED integrated

voltage: 230V

IP20

technical
specification



LED 12W 1000lm 3000K

LED 12W 1000lm 4000K

installation: Track 3 Line


beam angle: 120°

LED



COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4541**
- ☒ 3000K BLACK (BK) **AZ4542**
- ☐ 4000K WHITE (WH) **AZ4544**
- ☒ 4000K BLACK (BK) **AZ4543**



TILT 80°

ROTATION 350°



WH *

MONA TRACK 18W 3000K

LED integrated

voltage: 230V

IP20

technical
specification



LED 18W 1500lm 3000K

installation: Track 3 Line


beam angle: 120°

LED



COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ4548**
- ☒ BLACK (BK) **AZ4547**



TILT 80°

ROTATION 350°



WH



WH



BK



BK



Track 3 Line



LINNEA 29 TRACK 12W CCT

LED integrated

voltage: 48V

IP20

technical

specification



LED 12W 700lm



3000K | 4000K | 5000K CCT

installation: Track 3 Line

beam angle: 120°

LED

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4564**
☒ BLACK (BK) **AZ4563**


LINNEA 86 TRACK 3 LINE 36W CCT

LED integrated

voltage: 230V

IP20

technical

specification



LED 36W 2000lm


3000K | 4000K | 5000K CCT

installation: Track 3 Line

beam angle: 120°

LED

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4568**
☒ BLACK (BK) **AZ4567**


* - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®



LINNEA 57 TRACK 3 LINE 24W CCT

LED integrated

voltage: 48V

IP20

technical

specification



LED 24W 1400lm



3000K | 4000K | 5000K CCT

installation: Track 3 Line

beam angle: 120°

LED


COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4566**
☒ BLACK (BK) **AZ4565**


SWITCH 3000/4000/5000K




NAMING OF BASIC ACCESSORIES FOR TRACK MAGNETIC SYSTEM



MAGNETIC TRACK

MAGNETIC

track Magnetic



36 ACCESSORIES FOR TRACK MAGNETIC

42 SAGA

44 SAGA CORNER

46 KIRA

48 NIKKI

49 NIKO

50 ALDO

51 SKYE PENDANT

52 ELIN

53 ELSA


54 MAYA

55 KORI

TRACK MAGNETIC

Accessories for Track Magnetic

Example of the connection between track




01 Insert the MECHANICAL CONNECTOR (B) into the TRACK (A).

02 Tighten the screw between A and B.


03 Slide and fasten TRACK (C) to the MECHANICAL CONNECTOR (B).

04 Put STRAIGHT CONNECTOR (D) between the two connected tracks (A+C).



Track Magnetic 27 (1m, 1,5m, 2m, 3m) WITH END CAP 2X (ALL INCLUDED)


■	TRACK 27 1M (BLACK)	AZ4713
□	TRACK 27 1M (WHITE)	AZ4712
■	TRACK 27 1,5M (BLACK)	AZ4715
□	TRACK 27 1,5M (WHITE)	AZ4714
■	TRACK 27 2M (BLACK)	AZ4717
□	TRACK 27 2M (WHITE)	AZ4716
■	TRACK 27 3M (BLACK)	AZ4719
□	TRACK 27 3M (WHITE)	AZ4718



Track Magnetic 52 (1m, 1,5m, 2m, 3m) WITH END CAP 2X (ALL INCLUDED)

■	TRACK 52 1M (BLACK)	AZ4638
□	TRACK 52 1M (WHITE)	AZ4639
■	TRACK 52 1,5M (BLACK)	AZ4640
□	TRACK 52 1,5M (WHITE)	AZ4641
■	TRACK 52 2M (BLACK)	AZ4642
□	TRACK 52 2M (WHITE)	AZ4643
■	TRACK 52 3M (BLACK)	AZ4644
□	TRACK 52 3M (WHITE)	AZ4645

Available options for installation place – surface-mounted, flush-mounted and suspended



Track Magnetic 52 Gips (1m, 1,5m, 2m) WITH END CAP 2X (ALL INCLUDED)

- | | | |
|-------------------------------------|----------------------------|--------|
| ☒ | TRACK 52 GIPS 1M (BLACK) | AZ4646 |
| ☐ | TRACK 52 GIPS 1M (WHITE) | AZ4647 |
| ☒ | TRACK 52 GIPS 1,5M (BLACK) | AZ4648 |
| ☐ | TRACK 52 GIPS 1,5M (WHITE) | AZ4649 |
| ☒ | TRACK 52 GIPS 2M (BLACK) | AZ4650 |
| ☐ | TRACK 52 GIPS 2M (WHITE) | AZ4651 |



Power Supply Covert (60W; 100W; 200W)

- | | | |
|-------------------------------------|---------------------------|--------|
| ☒ | POWER SUPPLY 60W (BLACK) | AZ4669 |
| ☐ | POWER SUPPLY 60W (WHITE) | AZ4670 |
| ☒ | POWER SUPPLY 100W (BLACK) | AZ4671 |
| ☐ | POWER SUPPLY 100W (WHITE) | AZ4672 |
| ☒ | POWER SUPPLY 200W (BLACK) | AZ4673 |
| ☐ | POWER SUPPLY 200W (WHITE) | AZ4674 |

TRACK MAGNETIC

Accessories for Track Magnetic



Track Magnetic Inner Corner 90° + Flex

SURFACE INNER CORNER 90°

+ POWER CONNECTOR FLEXIBLE

- ☒ INNER CORNER 90° + FLEX (BLACK) **AZ4683**
- ☐ INNER CORNER 90° + FLEX (WHITE) **AZ4684**



Track Magnetic Inner Corner 90° + Flex Gips

SURFACE INNER CORNER 90°

+ POWER CONNECTOR FLEXIBLE

- ☒ INNER CORNER 90° + FLEX GIPS (BLACK) **AZ4685**
- ☐ INNER CORNER 90° + FLEX GIPS (WHITE) **AZ4686**




Track Magnetic 27 L Connector

- ☒ MAGNETIC 27 L CONNECTOR (BLACK) **AZ4721**
- ☐ MAGNETIC 27 L CONNECTOR (WHITE) **AZ4720**



Track Magnetic Flex Connector Electric

- ☒ FLEX CONNECTOR ELECTRIC (BLACK) **AZ4687**
- ☐ FLEX CONNECTOR ELECTRIC (WHITE) **AZ4688**





Track Magnetic Straight Connector

- ☒ STRAGHT CONNECTOR (BLACK) **AZ4677**
- ☐ STRAGHT CONNECTOR (WHITE) **AZ4678**



Track Magnetic Driver Meanwell

100W / 200W 48V

Outer TRACK MAGNETIC 100W / 200W 48V

- DRIVER MEANWELL (100W) **AZ4691**
- DRIVER MEANWELL (200W) **AZ4692**



Track Magnetic Corner90 + Flex

POWER CONNECTOR FLEXIBLE

- ☒ CORNER90 + FLEX (BLACK) **AZ4679**
- ☐ CORNER90 + FLEX (WHITE) **AZ4680**



Track Magnetic Corner90 + Flex Gips

POWER CONNECTOR FLEXIBLE

- ☒ TRIMLESS (BLACK) **AZ4681**
- ☐ TRIMLESS (WHITE) **AZ4682**

TRACK MAGNETIC

Accessories for Track Magnetic



Track Magnetic Suspension Kit 2m

- ☒ TRACK MAGNETIC SUSPENSION KIT 2M (BLACK) **AZ4693**
- ☐ TRACK MAGNETIC SUSPENSION KIT 2M (WHITE) **AZ4694**



Track Magnetic Power Supply Case

- ☒ POWER SUPPLY CASE (BLACK) **AZ4675**
- ☐ POWER SUPPLY CASE (WHITE) **AZ4676**




Track Magnetic Mechanical Connector

- ☒ MECHANICAL CONNECTOR (BLACK) **AZ4689**
- ☐ MECHANICAL CONNECTOR (WHITE) **AZ4690**



Track Magnetic Cover 1m

- ☒ COVER 1M (BLACK) **AZ4652**
- ☐ COVER 1M (WHITE) **AZ4653**





Ceiling Plate + Wire

- CEILING PLATE + WIRE (BLACK) **AZ4780**
- CEILING PLATE + WIRE (WHITE) **AZ4782**





BK *

SAGA TRACK MAGNETIC 12W MILKY120

3000K / 4000K

LED integrated 

voltage: 48V

IP20

technical

specification



LED 12W 550lm 3000K

LED 12W 600lm 4000K

installation: Track Magnetic – 52 or 27


beam angle: 120°

LED



COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4604**
- ☐ 3000K BLACK (BK) **AZ4603**
- ☐ 4000K WHITE (WH) **AZ4606**
- ☐ 4000K BLACK (BK) **AZ4605**



22



BK *

SAGA TRACK MAGNETIC 24W MILKY120

3000K / 4000K

LED integrated 

voltage: 48V

IP20

technical

specification



LED 24W 1100lm 3000K

LED 24W 1200lm 4000K

installation: Track Magnetic – 52 or 27


beam angle: 120°

LED



COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4608**
- ☐ 3000K BLACK (BK) **AZ4607**
- ☐ 4000K WHITE (WH) **AZ4610**
- ☐ 4000K BLACK (BK) **AZ4609**



22



BK *

SAGA TRACK MAGNETIC 36W MILKY120

3000K / 4000K

LED integrated 

voltage: 48V

IP20

technical

specification



LED 36W 1800lm 3000K

installation: Track Magnetic – 52 or 27


beam angle: 120°

LED



COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ4612**
- ☐ BLACK (BK) **AZ4611**




25



WH

BK





SAGA TRACK MAGNETIC CORNER A 24W MILKY120 3000K / 4000K

LED integrated 

voltage: 48V

IP20

technical

specification



LED 24W 1200lm 3000K

LED 24W 1300lm 4000K

installation: Track Magnetic – 52 or 27


beam angle: 120°

LED



COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4614**
- ☐ 3000K BLACK (BK) **AZ4613**
- ☐ 4000K WHITE (WH) **AZ4616**
- ☐ 4000K BLACK (BK) **AZ4615**



SAGA TRACK MAGNETIC CORNER B 24W MILKY120 3000K / 4000K

LED integrated 

voltage: 48V

IP20

technical

specification



LED 24W 1200lm 3000K

LED 24W 1300lm 4000K

installation: Track Magnetic – 52 or 27


beam angle: 120°

LED



COLOUR / NEW INDEX NO.


- ☐ 3000K WHITE (WH) **AZ4618**
- ☐ 3000K BLACK (BK) **AZ4617**
- ☐ 4000K WHITE (WH) **AZ4620**
- ☐ 4000K BLACK (BK) **AZ4619**





Track type – 52 mm





KIRA TRACK MAGNETIC 12W POINTS60

3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 12W 750lm 3000K

LED 12W 800lm 4000k


installation place:

beam angle: 60°

LED

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4596**
- ☒ 3000K BLACK (BK) **AZ4595**
- ☐ 4000K WHITE (WH) **AZ4598**
- ☒ 4000K BLACK (BK) **AZ4597**



KIRA TRACK MAGNETIC 24W POINTS60

3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 24W 1300lm 3000K

LED 24W 1400lm 4000K


installation place:

beam angle: 60°

LED

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4600**
- ☒ 3000K BLACK (BK) **AZ4599**
- ☐ 4000K WHITE (WH) **AZ4602**
- ☒ 4000K BLACK (BK) **AZ4601**





GO/BK *

NIKKI TRACK MAGNETIC 3W 3000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 3W 350lm 3000K


LED

installation: Track Magnetic – 52 or 27

beam angle: 40°

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) **AZ4589**
- GOLD / BLACK (GO/BK) **AZ4591**
- WHITE / BLACK (WH/BK) **AZ4590**



BK/BK *

NIKKI 2 TRACK MAGNETIC 3W 3000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 2x3W 350lm 3000K


LED

installation: Track Magnetic – 52 or 27

beam angle: 40°

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) **AZ4592**
- GOLD / BLACK (GO/BK) **AZ4594**
- WHITE / BLACK (WH/BK) **AZ4593**



* - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®





NIKO TRACK MAGNETIC 7W 3000K / 4000K
LED integrated

voltage: 48V	LED 7W 550lm 3000K	
IP20	LED 7W 600lm 4000K	
technical specification		installation: Track Magnetic – 52 or 27
		beam angle: 30°

COLOUR / NEW INDEX NO.

- 4000K GOLD / BLACK (GO/BK) . . . **AZ4583**
- 3000K BLACK / BLACK (BK/BK) . . . **AZ4579**
- 3000K WHITE / BLACK (WH/BK) . . . **AZ4580**
- 4000K BLACK / BLACK (BK/BK) . . . **AZ4581**
- 4000K WHITE / BLACK (WH/BK) . . . **AZ4582**




NIKO 2 TRACK MAGNETIC 7W 3000K / 4000K
LED integrated


voltage: 48V	LED 2x7W 550lm 3000K	
IP20	LED 2x7W 600lm 4000K	
technical specification		installation: Track Magnetic – 52 or 27
		beam angle: 30°

COLOUR / NEW INDEX NO.

- 3000K GOLD / BLACK (GO/BK) . . . **AZ4588**
- 3000K BLACK / BLACK (BK/BK) . . . **AZ4584**
- 3000K WHITE / BLACK (WH/BK) . . . **AZ4585**
- 4000K BLACK / BLACK (BK/BK) . . . **AZ4586**
- 4000K WHITE / BLACK (WH/BK) . . . **AZ4587**



Track Magnetic



BK *

ALDO TRACK MAGNETIC 12W MILKY120

3000K

LED integrated

voltage: 48V

IP20

technical

specification




LED 12W 900lm 3000K

LED

installation: Track Magnetic – 52 or 27

beam angle: 120°

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4626**
☒ BLACK (BK) **AZ4625**
ROTATION POSSIBLE WITH
TRACK MAGNETIC27 ONLY

TILT 90°

ROTATION 360°



WH

BK

WH

BK



WH *

ALDO TRACK MAGNETIC 12W POINTS60

3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 12W 1300lm 3000K


LED 12W 1300lm 4000K

LED

installation: Track Magnetic – 52 or 27

beam angle: 60°

COLOUR / NEW INDEX NO.

☐ 3000K WHITE (WH) **AZ4622**
☒ 3000K BLACK (BK) **AZ4621**
☐ 4000K WHITE (WH) **AZ4624**
☒ 4000K BLACK (BK) **AZ4623**
ROTATION POSSIBLE WITH
TRACK MAGNETIC27 ONLY

TILT 90°

ROTATION 350°

* - EXPLANATION SHORTCUT PAGE 2 (E)



SKYE TRACK MAGNETIC PENDANT 12W 3000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 12W 1200lm 3000K


LED

installation: Track Magnetic – 52 or 27

beam angle: 60°


COLOUR / NEW INDEX NO.

WHITE (WH) **AZ4637**

BLACK (BK) **AZ4636**


TILT 60°





ELIN TRACK MAGNETIC 7W 3000K / 4000K

LED integrated 

voltage: 48V

IP20

technical

specification



LED 7W 850lm 3000K

LED 7W 850lm 4000K

installation: Track Magnetic – 52 or 27

beam angle: 190°

LED




COLOUR / NEW INDEX NO.

3000K BLACK (BK) **AZ4630**

3000K GOLD (GO). **AZ4632**

4000K BLACK (BK) **AZ4631**





ELSA TRACK MAGNETIC 7W 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 7W 700lm 3000K

LED 7W 700lm 4000K


installation Track Magnetic – 52 or 27

beam angle: 190°

LED

COLOUR / NEW INDEX NO.

-  3000K BLACK (BK) **AZ4633**
-  3000K GOLD (GO) **AZ4635**
-  4000K BLACK (BK) **AZ4634**





BK *

MAYA TRACK MAGNETIC 3W 3000K

LED integrated 

voltage: 48V

LED 3W 250lm 3000K

IP20



LED


technical

installation Track Magnetic – 52 or 27

specification

beam angle: 190°

COLOUR / NEW INDEX NO.

 BLACK (BK) **AZ4629**




GO *

KORI TRACK MAGNETIC 5W 3000K

LED integrated

voltage: 48V

LED 5W 500lm 3000K

IP20



LED

technical

installation: Track Magnetic – 52 or 27



specification

beam angle: 40°

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4627**

GOLD (GO) **AZ4628**



GO

BK





SETS FOR TRACK MAGNETIC

SETS FOR

Track Magnetic



- 58** 1 M SET FOR TRACK MAGNETIC
- 60** 1,5 M SET FOR TRACK MAGNETIC
- 61** 2 M SET FOR TRACK MAGNETIC
- 65** 3 M SET FOR TRACK MAGNETIC

TRACK MAGNETIC SET 1 M



Sets for Track Magnetic



52M1031BK-AZ4798

track magnetic 1m, 3000K, black



52M1031WH-AZ4799

track magnetic 1m, 3000K, white

TRACK MAGNETIC SET 1M 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 26W 1120lm 3000K

LED 26W 1815lm 4000K

installation: Track Magnetic

pendant with AZ4828 or AZ4829

LED

COLOUR / NEW INDEX NO.

	3000K BLACK (BK)	AZ4798	(52M1031BK)
	3000K WHITE (BK)	AZ4799	(52M1031WH)
	4000K BLACK (BK)	AZ4800	(52M1041BK)
	4000K WHITE (BK)	AZ4801	(52M1041WH)


Set specification:

AZ4798 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4603

AZ4799 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4604

AZ4800 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4605

AZ4801 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4606



* Ceiling Plate + Wire

** Track Magnetic Suspension Kit 2m





52M1032BK-AZ4802
track magnetic 1m, 3000K, black



52M1032WH-AZ4803
track magnetic 1m, 3000K, white

TRACK MAGNETIC SET 1M 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 26W 2022m 3000K

LED 26W 1930lm 4000K

installation: Track Magnetic

pendant with AZ4828 or AZ4829


LED

COLOUR / NEW INDEX NO.

	3000K BLACK (BK)	AZ4802	(52M1032BK)
	3000K WHITE (BK)	AZ4803	(52M1032WH)
	4000K BLACK (BK)	AZ4804	(52M1042BK)
	4000K WHITE (BK)	AZ4805	(52M1042WH)

* Ceiling Plate + Wire

** Track Magnetic Suspension Kit 2m



Set specification:

AZ4802 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4584

AZ4803 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4585

AZ4804 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4586

AZ4805 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4587



TRACK MAGNETIC SET 1,5 M



Sets for Track Magnetic



52M1531BK-AZ4806
track magnetic 1,5 m, 3000K, black



52M1531BK/GO-AZ4807
track magnetic 1,5 m, 3000K, black/gold

TRACK MAGNETIC SET 1,5M

3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 41W 2905lm 3000K

LED 41W 2910lm 4000K

installation: Track Magnetic

pendant with AZ4828 or AZ4829


LED

COLOUR / NEW INDEX NO.

	3000K BLACK (BK)	AZ4806	(52M1531BK)
	3000K WHITE (BK)	AZ4807	(52M1531BK/GO)
	4000K BLACK (BK)	AZ4808	(52M1531WH/GO)
	4000K WHITE (BK)	AZ4809	(52M1541BK)



52M1531WH/GO-AZ4808
track magnetic 1,5 m, 3000K, white/gold



- * Ceiling Plate + Wire
- ** Track Magnetic Suspension Kit 2m

Set specification:

AZ4806 = AZ4640 + AZ4669 + AZ4652 + AZ4607+2x AZ4630
 AZ4807 = AZ4640 + AZ4669 + AZ4652 + AZ4607+2x AZ4632
 AZ4808 = AZ4641 + AZ4670 + AZ4653 + AZ4607+2x AZ4632
 AZ4809 = AZ4640 + AZ4671 + AZ4652 + AZ4607+2x AZ4631



ELIN TRACK MAGNETIC 7W 3000K GOLD



52M2031BK-AZ4810
track magnetic 2m, 3000K, black



52M2031WH-AZ4811
track magnetic 2m, 3000K, white

TRACK MAGNETIC SET 2M 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 51W 3131lm 3000K

LED 53W 3041lm 4000K


installation: Track Magnetic

pendant with AZ4828 or AZ4829



COLOUR / NEW INDEX NO.

3000K BLACK (BK)	AZ4810	(52M2031BK)
3000K WHITE (BK)	AZ4811	(52M2031WH)
4000K BLACK (BK)	AZ4812	(52M2041BK)
4000K WHITE (BK)	AZ4813	(52M2041WH)



- * Ceiling Plate + Wire
- ** Track Magnetic Suspension Kit 2m

Set specification:

AZ4810 = AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4584

AZ4811 = AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4585

AZ4812 = AZ4642 + AZ4671 + AZ4652 + AZ4609+2x AZ4586

AZ4813 = AZ4643 + AZ4672 + AZ4653 + AZ4610+2x AZ4587



NIKO 2 TRACK MAGNETIC 2x7W 3000K WH/BK



NIKO 2 TRACK MAGNETIC 2x7W 3000K BK/BK

TRACK MAGNETIC SET 2 M



Track Magnetic



52M2032BK-AZ4814

track magnetic 2m, 3000K, black



52M2032WH-AZ4815

track magnetic 2m, 3000K, white

TRACK MAGNETIC SET 2M 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 69W 3533lm 3000K

LED 69W 3609lm 4000K

installation: Track Magnetic

pendant with AZ4828 or AZ4829

LED

COLOUR / NEW INDEX NO.

	3000K BLACK (BK)	AZ4814	(52M2032BK)
	3000K WHITE (BK)	AZ4815	(52M2032WH)
	4000K BLACK (BK)	AZ4816	(52M2042BK)
	4000K WHITE (BK)	AZ4817	(52M2042WH)

Set specification:

AZ4814 =

AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4579 + 2xAZ4595

AZ4815 =


AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4580 + 2xAZ4596

AZ4816 =

AZ4642 + AZ4671 + AZ4652 + AZ4609+2x AZ4581+ 2xAZ4597

AZ4817 =

AZ4643 + AZ4672 + AZ4653 + AZ4610+2x AZ4582+ 2xAZ4598



- * Ceiling Plate + Wire
- ** Track Magnetic Suspension Kit 2m





52M2034BK-AZ4820
track magnetic 2m, 3000K, black



52M2034WH-AZ4821
track magnetic 2m, 3000K, white

TRACK MAGNETIC SET 2M 3000K

LED integrated

voltage: 48V

IP20

technical
specification



LED 51W 3131lm 3000K

LED

installation: Track Magnetic

pendant with AZ4828 or AZ4829

COLOUR / NEW INDEX NO.

	3000K BLACK (BK)	AZ4820	(52M2034BK)
	3000K WHITE (BK)	AZ4821	(52M2034WH)


Set specification:

AZ4820 =

AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4589+ AZ4592

AZ4821 =

AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4590 + AZ4593



- * Ceiling Plate + Wire
- ** Track Magnetic Suspension Kit 2m



TRACK MAGNETIC SET 2 M



Sets for Track Magnetic



52M2033BK/GO-AZ4818

track magnetic 2m, 3000K, black/gold



52M2033WH/GO-AZ4819

track magnetic 2m, 3000K, white/gold

TRACK MAGNETIC SET 2M 3000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 53W 3540lm 3000K

LED

installation: Track Magnetic

pendant with AZ4828 or AZ4829


COLOUR / NEW INDEX NO.

	3000K BLACK (BK)	AZ4818	(52M2033BK/GO)
	3000K WHITE (BK)	AZ4819	(52M2033WH/GO)

Set specification:

AZ4818 = AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4588

AZ4819 = AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4588



* Ceiling Plate + Wire

** Track Magnetic Suspension Kit 2m





52M1031BK-AZ4798
track magnetic 3m, 3000K, black



52M3031WH-AZ4823
track magnetic 3m, 3000K, white

TRACK MAGNETIC SET 3M 3000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 156W 8722lm 3000K

LED

installation: Track Magnetic

pendant with AZ4828 or AZ4829

COLOUR / NEW INDEX NO.

	3000K BLACK (BK)	AZ4820	(52M2034BK)
	3000K WHITE (BK)	AZ4821	(52M2034WH)

Set specification:

AZ4822 =


AZ4644 + AZ4673 + AZ4652 + 2x AZ4604 + 2x AZ4611 + 4x AZ4621

AZ4823 =

AZ4645 + AZ4674 + AZ4653 + 2x AZ4605 + 2x AZ4612 + 4x AZ4622



ALDO TRACK MAGNETIC 12W POINTS60 3000K BK



- * Ceiling Plate + Wire
- ** Track Magnetic Suspension Kit 2m



ALDO TRACK MAGNETIC 12W POINTS60 3000K WH

TRACK MAGNETIC SET 3 M



Sets for Track Magnetic



52M3032BK-AZ4824

track magnetic 3m, 3000K, black



52M3032WH-AZ4825

track magnetic 3m, 3000K, white

TRACK MAGNETIC SET 3M 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 145W 7332lm 3000K

LED 120W 6316lm 4000K

installation: Track Magnetic

pendant with AZ4828 or AZ4829

LED

COLOUR / NEW INDEX NO.

	3000K BLACK (BK)	AZ4824	(52M3032BK)
	3000K WHITE (BK)	AZ4825	(52M3032WH)
	4000K BLACK (BK)	AZ4826	(52M3042BK)
	4000K WHITE (BK)	AZ4827	(52M3042WH)

Set specification:

AZ4824 =

AZ4644 + AZ4673 + AZ4652 + AZ4603 + 2x AZ4611 + 2x AZ4579 + AZ4584

AZ4825 =

AZ4645 + AZ4674 + AZ4653 + AZ4604 + 2x AZ4612 + 2x AZ4580 + AZ4585

AZ4826 =

AZ4644 + AZ4673 + AZ4652 + AZ4605 + 2x AZ4609 + 2x AZ4581 + AZ4586

AZ4827 =

AZ4645 + AZ4674 + AZ4653 + AZ4606 + 2x AZ4610 + 2x AZ4582 + AZ4587



NIKO 2 TRACK MAGNETIC 7W 3000K WH/BK




NIKO TRACK MAGNETIC 7W 3000K WH/BK



NIKO TRACK MAGNETIC 7W 3000K BK/BK



NIKO 2 TRACK MAGNETIC 7W 3000K BK/BK



- * Ceiling Plate + Wire
- ** Track Magnetic Suspension Kit 2m



index technoline

COSTA	72	LORENZA	110
ROTONDO.	73	LORENZO	111
BRANT	74	ESTER SQUARE	112
MANE	75	ESTER ROUND	114
MANE	76	AIDA ROUND	118
FRIDA	78	AIDA SQUARE	119
NIKEA.	80	MALTA R	120
MONA 12W	82	GALATA	124
MONA 18W	83	KASTORIA.	125
MONA SPOT 12W	84	LAMIR R.	126
MONA SPOT 18W	85	LAMIR S.	127
SANTOS.	86	OKA.	128
ECO ALEX 230V.	87	PABLO IP54	129
GALILEO 1 PENDANT	88	CARLO	130
EIGER IP54	90	EDITTA	131
ECO ALIX	91	MILET.	132
PAOLA 230V.	92	TITO IP54	133
TORONTO.	94	MINORKA	134
TORONTO 1 SPOT.	95	REMI	136
LINNEA PENDANT.	96	ITAKA	137
OJOS	98	VEGA	140
MAKALU	100	VERA	141
SKYE	102	LUMI	142
SKYE PENDANT.	103	LUMI FLEX	143
MONZA S CCT	104	VELIA ROUND	144
MONZA R CCT	106	VELIA SQUARE	145

AZzardo®

TECHNOLINE


www.azzardolighting.com



EXPOSED DOWNLIGHTS

EXPOSED

downlights



- 72 COSTA
- 73 ROTONDO
- 74 BRANT
- 75 MANE
- 76 MANE
- 78 FRIDA
- 80 NIKEA
- 82 MONA 12W
- 83 MONA 18W
- 84 MONA SPOT 12W
- 85 MONA SPOT 18W
- 86 SANTOS
- 87 ECO ALEX 230V
- 88 GALILEO 1 PENDANT
- 90 EIGER IP54
- 91 ECO ALIX
- 92 PAOLA 230V
- 94 TORONTO
- 95 TORONTO 1 SPOT
- 96 LINNEA PENDANT
- 98 OJOS
- 100 MAKALU
- 102 SKYE
- 103 SKYE PENDANT
- 104 MONZA S CCT
- 106 MONZA R CCT

Exposed downlights




COSTA 3000K / 4000K

LED integrated

voltage: 230V	LED 12W 1000lm 3000K		
IP20	LED 12W 1100lm 4000K		
technical	installation place		
specification	beam angle: 22°		

COLOUR / NEW INDEX NO.

	3000K WHITE (WH)	AZ2856
	3000K BLACK (BK)	AZ2857
	4000K WHITE (WH)	AZ4554
	4000K BLACK (BK)	AZ4553



TILT 90° ROTATION 350°




COSTA SPOT

LED integrated

voltage: 230V	LED 12W 1020lm 3000K		
IP20			
technical	installation place		
specification	beam angle: 22°		

COLOUR / NEW INDEX NO.

	WHITE/WHITE (WH/WH)	AZ2705
	BLACK/BLACK (BK/BK)	AZ2706



TILT 90° ROTATION 350°






ROTONDO

bulb not included

voltage: 230V	GU10 1x Max 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ4207**
- ☒ BLACK (BK) **AZ4208**
- ☐ BRONZE (BZ) **AZ4209**



TILT 45° ROTATION 350°



BRANT

Exposed downlights




BRANT

bulb not included

voltage: 230V	connect GU10 1x Max 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2819**
- WHITE (WH) **AZ2818**
- BLACK / CHROME (BK / CH) **AZ2929**



TILT 40°




BRANT 2

bulb not included

voltage: 230V	connect GU10 2x Max 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2821**
- WHITE (WH) **AZ2820**
- BLACK / CHROME (BK / CH) **AZ2930**



TILT 90°





MANE 10W 3000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 10W 850lm 3000K RA>90

LED

installation place

beam angle: 23°




COLOUR / NEW INDEX NO.

BLACK (BK) **AZ2844**

WHITE (WH) **AZ2845**

GOLD (GO) **AZ2846**



MANE 10W 4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 10W 800lm 4000K

LED

installation place

beam angle: 23°




COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4322**

WHITE (WH) **AZ4324**

GOLD (GO) **AZ4323**



Exposed downlights



MANE 20W

LED integrated

voltage: 230V

LED 20W 1600lm 3000K

IP20



LED

technical

installation place


specification

beam angle: 23°



COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4153**
- WHITE (WH) **AZ4152**
- GOLD (GO) **AZ4154**



MANE 20W DIMM

LED integrated

voltage: 230V

LED 20W DIMM 1600lm 3000K

IP20



LED

technical

installation place


specification


beam angle: 23°



COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4325**
- WHITE (WH) **AZ4327**
- GOLD (GO) **AZ4326**






MANE 30W

LED integrated	
voltage: 230V	LED 30W 2400lm 3000K
IP20	
technical	installation place
specification	beam angle: 23°

COLOUR / NEW INDEX NO.

	BLACK (BK)	AZ4156
	WHITE (WH)	AZ4155
	GOLD (GO)	AZ4157





MANE 30W DIMM

LED integrated	
voltage: 230V	LED 30W DIMM 2400lm 3000K
IP20	
technical	installation place
specification	beam angle: 23°

COLOUR / NEW INDEX NO.

	BLACK (BK)	AZ4328
	WHITE (WH)	AZ4330
	GOLD (GO)	AZ4329



Exposed downlights



BK *

FRIDA 7W 3000K / 4000K

LED integrated

voltage: 230V

IP54

technical
specification

LED 7W 500lm 3000K

LED 7W 550lm 4000K

LED

installation place inlet opening 7-8cm

beam angle: 24°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4525**
- ☒ 3000K BLACK (BK) **AZ4523**
- ☐ 4000K WHITE (WH) **AZ4526**
- ☒ 4000K BLACK (BK) **AZ4524**



Ø 8,5

TILT 90°

ROTATION 350°



WH *

FRIDA 12W 3000K / 4000K

LED integrated

voltage: 230V

IP54

technical
specification

LED 12W 1100lm 3000K

LED 12W 1100lm 4000K

LED

installation place inlet opening 7-8cm

beam angle: 24°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4529**
- ☒ 3000K BLACK (BK) **AZ4527**
- ☐ 4000K WHITE (WH) **AZ4530**
- ☒ 4000K BLACK (BK) **AZ4528**



Ø 10

TILT 90°

ROTATION 350°



BK

BK

WH

WH






NIKEA 1 GU10

bulb not included

voltage: 230V	GU10 1x Max 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ4430**
- WHITE (WH) **AZ4431**
- BLACK (BK) **AZ4432**



TILT 45° ROTATION 350°




NIKEA 2 GU10

bulb not included

voltage: 230V	GU10 2x Max 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ4433**
- WHITE (WH) **AZ4434**
- BLACK (BK) **AZ4435**



TILT 45° ROTATION 350°






NIKEA 1 ES111

bulb not included

voltage: 230V	ES111 1x Max 16W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- ☒ WHITE / BLACK (WH / BK) **AZ4436**
- ☐ WHITE (WH). **AZ4437**
- ☒ BLACK (BK). **AZ4438**




NIKEA 2 ES111

bulb not included

voltage: 230V	ES111 2x Max 16W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- ☒ WHITE / BLACK (WH / BK) **AZ4439**
- ☐ WHITE (WH). **AZ4440**
- ☒ BLACK (BK). **AZ4441**



MONA 12W

Exposed downlights



MONA 12W 3000K / 4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 12W 1000lm 3000/4000K


LED

installation place

beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4538**
- ☒ 3000K BLACK (BK) **AZ4537**
- ☐ 4000K WHITE (WH) **AZ4540**
- ☒ 4000K BLACK (BK) **AZ4539**





MONA 18W 3000K

LED integrated

voltage: 230V

LED 18W 1500lm 3000K

IP20



LED

technical

installation place


specification

beam angle: 120°

COLOUR / NEW INDEX NO.

☐ 3000K WHITE (WH) **AZ4546**

☒ 3000K BLACK (BK) **AZ4545**



TILT 90°

ROTATION 350°



MONA SPOT 12W



Exposed downlights



MONA SPOT 12W 3000K / 4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 12W 800lm 3000K

LED 12W 1000lm 4000K

LED

installation place inlet opening 7,5cm

beam angle: 120°

COLOUR / NEW INDEX NO.

☐ 3000K WHITE (WH) **AZ4532**

☒ 3000K BLACK (BK) **AZ4531**

☐ 4000K WHITE (WH) **AZ4534**

☒ 4000K BLACK (BK) **AZ4533**

45° MAX/5



7-7,5

TILT 90°

ROTATION 350°





MONA SPOT 18W 3000K

LED integrated

voltage: 230V

LED 18W 1300lm 3000K

IP20




LED

technical
specification

installation place ☐ inlet opening 9,5cm
beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4536**
- ☒ 3000K BLACK (BK) **AZ4535**



Exposed downlights



SANTOS 3000K

LED integrated

voltage: 230V

LED 12W 800lm 3000K

IP20




technical

specification

installation place

beam angle: 37°

COLOUR / NEW INDEX NO.

 WHITE / GOLD (WH/GO) **AZ2417** BLACK / GOLD (BK/GO) **AZ2416** WHITE / WHITE (WH/WH) **AZ4182** BLACK / BLACK (BK/BK) **AZ4181**

TILT 90°

ROTATION 350°



SANTOS GU10

bulb not included

voltage: 230V

GU10 1x Max 50W

IP20

installation place


COLOUR / NEW INDEX NO.

 BLACK (BK) **AZ4201** WHITE (WH) **AZ4200**

TILT 90°

ROTATION 360°







ECO ALEX V.2

bulb not included

voltage: 230V	ES111 1 x MAX 16W	
IP20		
	installation place	


COLOUR / NEW INDEX NO.

- ☐ WHITE (WH)AZ4318
- ☒ BLACK (BK)AZ4317



GALILEO 1 PENDANT

Exposed downlights



GALILEO 1 PENDANT 3000K

LED integrated

voltage: 230V

LED 15W 750lm 3000K

IP20

technical

specification



installation place

adjustable beam angle: 12°÷ 35°

LED



COLOUR / NEW INDEX NO.

WHITE (WH) **AZ4068**

BLACK (BK) **AZ4069**



12° 35°

ADJUSTABLE BEAM ANGLE



GALILEO 1 PENDANT

Exposed downlights

89



EIGER IP54

Exposed downlights



EIGER IP54

bulb not included

voltage: 230V	GU10 1x MAX 50W	
IP54	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4260**
- BLACK / GOLD (BK/GO) **AZ4261**
- WHITE (WH) **AZ4259**



RECOMMENDED FOR DROPPED CEILING



* - EXPLANATION SHORTCUT PAGE 2 (E)




ECO ALIX V2.

bulb not included 

voltage: 230V	ES111 1x Max. 16W	
IP20	installation place	

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ4320**
- ☒ BLACK (BK) **AZ4319**



PAOLA 230V

Exposed downlights




PAOLA 1 230V

bulb not included


voltage: 230V	connect 1x ES111 Max 16W or	
IP20	ADAP111 + GU10 Max 50W	
	installation place	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4128**
- BLACK (BK) **AZ4130**



TILT 40° ROTATION 350°




PAOLA 2 230V

bulb not included

voltage: 230V	connect 2x ES111 Max 16W or	
IP20	ADAP111 + GU10 Max 50W	
	installation place	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4132**
- BLACK (BK) **AZ4134**



TILT 40° ROTATION 350°

* - EXPLANATION SHORTCUT PAGE 2 (E)

PAOLA 230V

Exposed downlights

93



Exposed downlights

new



BK *

TORONTO 1 3000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 10W 700lm 3000K

LED

installation place

beam angle: 60°

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4070**
☒ BLACK (BK) **AZ4064**


20,5

TILT 90°

ROTATION 360°



WH



BK

new



WH *

TORONTO 2 3000K

LED integrated

voltage: 230V

IP20

technical

specification




LED 2x10W 1000lm 3000K

LED

installation place

beam angle: 60°

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4072**
☒ BLACK (BK) **AZ4065**



30

TILT 90°

ROTATION 350°



WH



BK





TORONTO 1 SPOT 3000K

LED integrated

voltage: 230V

IP20

technical
specification



LED 15W 700lm 3000K

LED


installation place inlet opening 16,2cm

beam angle: 60°

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ4071**

BLACK (BK) **AZ4063**



LINNEA PENDANT



Exposed downlights



LINNEA 112 PENDANT CCT

LED integrated

voltage: 230V

LED 48W 2700lm

IP20

3000K/4000K/5500K

technical

installation place

specification


beam angle: 120°

LED

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ4570**

BLACK (BK) **AZ4569**



LINNEA 140 PENDANT CCT

LED integrated

voltage: 230V

LED 54W 3100lm

IP20

3000K/4000K/5500K

technical

installation place

specification


beam angle: 120°

LED

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ4572**

BLACK (BK) **AZ4571**





Exposed downlights



OJOS 1

LED integrated

voltage: 230V

LED 9W 700lm 3000K

IP20



LED

technical

installation place




specification

beam angle: 24°



COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4196**
☒ BLACK (BK) **AZ4197**


TILT 90°

ROTATION 350°



OJOS 2

LED integrated

voltage: 230V

LED 12W 950lm 3000K

IP20



LED

technical

installation place




specification

beam angle: 24°



COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4198**
☒ BLACK (BK) **AZ4199**


TILT 90°

ROTATION 350°





MAKALU

Exposed downlights




MAKALU 1

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4210**
- WHITE (WH) **AZ4211**




MAKALU 2

bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4212**
- WHITE (WH) **AZ4213**




MAKALU 3

bulb not included

voltage: 230V	connect GU10 3x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4214**
- WHITE (WH) **AZ4215**



* - EXPLANATION SHORTCUT PAGE 2 (E)



Exposed downlights



SKYE 3000K

LED integrated

voltage: 230V

LED 12W 950lm 3000K

IP20



technical

installation place

specification

beam angle: 60°

LED

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ4517**

BLACK (BK) **AZ4518**



TILT 40°

ROTATION 360°





BK *

SKYE PENDANT 3000K

LED integrated

voltage: 230V

LED 12W 950lm 3000K

IP20



LED

technical


installation place

specification

beam angle: 60°


COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ4522**
- ☒ BLACK (BK) **AZ4521**




TILT 40°

ROTATION 360°



WH



BK



MONZA S CCT



Exposed downlights

new



WH *

MONZA S 22 CCT + REMOTE CONTROL

LED integrated

voltage: 230V

LED 20W 1400lm CCT

IP20



technical


installation place

specification

beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4770**
- WHITE (WH) **AZ4769**
- CHAMPAGNE (CHA) **AZ4768**



new



CHA *

MONZA S 30 CCT + REMOTE CONTROL

LED integrated

voltage: 230V

LED 30W 2100lm CCT

IP20



technical



installation place

specification

beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4773**
- WHITE (WH) **AZ4772**
- CHAMPAGNE (CHA) **AZ4771**



BK *

MONZA S 40 CCT + REMOTE CONTROL

LED integrated

voltage: 230V

LED 50W 3500lm CCT

IP20



technical


installation place

specification

beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4776**
- WHITE (WH) **AZ4775**
- CHAMPAGNE (CHA) **AZ4774**



new



BK

new



WH

new



CHA



* - EXPLANATION SHORTCUT PAGE 2 (E)



MONZA R CCT



Exposed downlights



MONZA R 22 CCT + REMOTE CONTROL

LED integrated

voltage: 230V	LED 20W 1400lm CCT		
IP20			
technical	installation place		
specification	beam angle: 110°		

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4758**
- WHITE (WH) **AZ4757**
- CHAMPAGNE (CHA) **AZ4756**




MONZA R 30 CCT + REMOTE CONTROL

LED integrated

voltage: 230V	LED 30W 2100lm CCT		
IP20			
technical	installation place		
specification	beam angle: 110°		

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4761**
- WHITE (WH) **AZ4760**
- CHAMPAGNE (CHA) **AZ4759**




MONZA R 40 CCT + REMOTE CONTROL

LED integrated

voltage: 230V	LED 50W 3500lm CCT		
IP20			
technical	installation place		
specification	beam angle: 110°		

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4764**
- WHITE (WH) **AZ4763**
- CHAMPAGNE (CHA) **AZ4762**




MONZA R 50 CCT + REMOTE CONTROL

LED integrated

voltage: 230V	LED 80W 5500lm CCT		
IP20			
technical	installation place		
specification	beam angle: 110°		

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4767**
- WHITE (WH) **AZ4766**
- CHAMPAGNE (CHA) **AZ4765**



* - EXPLANATION SHORTCUT PAGE 2 (E)



MONZA PENDANT ACCESORIES**

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ3453**
- ☐ BLACK (BK) **AZ3454**
- ☐ CHAMPAGNE (CHA) **AZ4830**



** - ONLY FOR SIZE 30CM, 40CM, 50CM, 60CM



EXCLUSIVE DOWNLIGHTS

EXCLUSIVE

downlights



- 110 LORENZA
- 111 LORENZO
- 112 ESTER SQUARE
- 114 ESTER ROUND

LORENZA

Exclusive downlights




LORENZA

bulb not included 	
voltage: 230V	connect GU10 1x Max 50W 
IP20	
	installation place 
	inlet opening  Ø 7,0cm


COLOUR / NEW INDEX NO.

- ☐ WHITE MATT (WH) **AZ1476**
- ☒ CHROME (CH) **AZ1475**
- ☐ BLACK (BK) **AZ4174**



* - EXPLANATION SHORTCUT PAGE 2 (E)






LORENZO

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening 7,0cm

COLOUR / NEW INDEX NO.

	WHITE MATT (WH)	AZ1496
	CHROME (CH).	AZ1617
	BLACK (BK)	AZ4173



ESTER SQUARE

Exclusive downlights





ESTER SQUARE 1

bulb not included 	
voltage: 230V	connect GU10 1x Max 50W 
IP20	
	installation place 
	inlet opening  5,8 x 5,8cm

COLOUR / NEW INDEX NO.

-  CHROME (CH) **AZ4410**
-  GOLD (GO) **AZ4412**
-  BLACK (BK) **AZ4411**





ESTER SQUARE 2

bulb not included 	
voltage: 230V	connect GU10 1x Max 50W 
IP20	
	installation place 
	inlet opening  5,8 x 5,8cm

COLOUR / NEW INDEX NO.

-  CHROME (CH) **AZ4413**
-  GOLD (GO) **AZ4415**
-  BLACK (BK) **AZ4414**




* - EXPLANATION SHORTCUT PAGE 2 (E)



ESTER ROUND

Exclusive downlights




ESTER ROUND 1

bulb not included	
voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 6,5cm

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ1449**
- GOLD (GO) **AZ1450**
- BLACK (BK) **AZ4175**




ESTER ROUND 2

bulb not included	
voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 6,5cm


COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ1451**
- GOLD (GO) **AZ2467**
- BLACK (BK) **AZ4176**




* - EXPLANATION SHORTCUT PAGE 2 (E)






DOWNLIGHTS

DOWNlights



- 118 AIDA ROUND
- 119 AIDA SQUARE
- 120 MALTA R
- 124 GALATA IP44
- 125 KASTORIA IP44
- 126 LAMIR R IP44
- 127 LAMIR S IP44
- 128 OKA
- 129 PABLO IP54
- 130 CARLO
- 131 EDITTA
- 132 MILET
- 133 TITO IP54
- 134 MINORKA
- 136 REMI
- 137 ITAKA



BK *

AIDA ROUND 9W 3000K

LED integrated

voltage: 230V

IP20

technical
specification

LED 9W 700lm 3000K

LED

installation place inlet opening 9,5cm

beam angle: 120°

COLOUR / NEW INDEX NO.

 WHITE (WH) **AZ4218** BLACK (BK) **AZ4220**

Ø 10,2



WH *

AIDA ROUND 16W 3000K

LED integrated

voltage: 230V

IP20

technical
specification

LED 16W 1300lm 3000K

LED


installation place inlet opening 13,5cm

beam angle: 120°

COLOUR / NEW INDEX NO.

 WHITE (WH) **AZ4222** BLACK (BK) **AZ4224**

Ø 14,5



BK

BK

WH

WH



AIDA SQUARE 9W 3000K

LED integrated

voltage: 230V

LED 9W 700lm 3000K

IP20






LED

technical
specification

installation place inlet opening 9,1x9,1cm
beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ4226**
- ☒ BLACK (BK) **AZ4227**



AIDA SQUARE 16W 3000K

LED integrated

voltage: 230V

LED 16W 1300lm 3000K

IP20




LED

technical
specification

installation place inlet opening 13x13cm
beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ4228**
- ☒ BLACK (BK) **AZ4229**



MALTA R



Downlights



MALTA R 18 3000K / 4000K

LED integrated

voltage: 230V	LED 12W 1100lm 3000K	
IP20	LED 12W 1100lm 4000K	
technical	installation place	
specification	beam angle: 115°	

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4233**
- ☒ 3000K BLACK (BK) **AZ4235**
- ☐ 4000K WHITE (WH) **AZ4234**
- ☒ 4000K BLACK (BK) **AZ4236**



MALTA R 23 3000K / 4000K

LED integrated

voltage: 230V	LED 18W 1600lm 3000K	
IP20	LED 18W 1600lm 4000K	
technical	installation place	
specification	beam angle: 115°	

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4237**
- ☒ 3000K BLACK (BK) **AZ4239**
- ☐ 4000K WHITE (WH) **AZ4238**
- ☒ 4000K BLACK (BK) **AZ4240**




MALTA R 30 3000K / 4000K

LED integrated

voltage: 230V	LED 24W 2200lm 3000K	
IP20	LED 24W 2200lm 4000K	
technical	installation place	
specification	beam angle: 115°	

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4241**
- ☒ 3000K BLACK (BK) **AZ4243**
- ☐ 4000K WHITE (WH) **AZ4242**
- ☒ 4000K BLACK (BK) **AZ4244**



* - EXPLANATION SHORTCUT PAGE 2 (E)



MALTA R



Downlights



MALTA R 40 3000K / 4000K

LED integrated

voltage: 230V	LED 32W 2700lm 3000K		
IP20	LED 32W 2700lm 4000K		
technical	installation place		
specification	beam angle: 115°		

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4245**
- ☐ 3000K BLACK (BK) **AZ4247**
- ☐ 4000K WHITE (WH) **AZ4246**
- ☐ 4000K BLACK (BK) **AZ4248**





MALTA R 50 3000K / 4000K

LED integrated

voltage: 230V	LED 42W 3400lm 3000K		
IP20	LED 42W 3200lm 3000K		
technical	installation place		
specification	beam angle: 115°		

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4249**
- ☐ 3000K BLACK (BK) **AZ4251**
- ☐ 4000K WHITE (WH) **AZ4250**
- ☐ 4000K BLACK (BK) **AZ4252**




MALTA R 60 3000K / 4000K

LED integrated

voltage: 230V	LED 48W 4100lm 3000K		
IP20	LED 48W 4400lm 4000K		
technical	installation place		
specification	beam angle: 115°		

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4253**
- ☐ 3000K BLACK (BK) **AZ4255**
- ☐ 4000K WHITE (WH) **AZ4254**
- ☐ 4000K BLACK (BK) **AZ4256**



* - EXPLANATION SHORTCUT PAGE 2 (E)






GALATA R IP44 3000K / 4000K

LED integrated

voltage: 230V	LED 9W 700lm 3000K	LED
IP44	LED 9W 700lm 4000K	
technical	installation place inlet opening 6,8cm	
specification	beam angle: 120°	

COLOUR / NEW INDEX NO.

- | | | |
|-------------------------------------|----------------------------|---------------|
| ☐ | 3000K WHITE (WH) | AZ4380 |
| ☒ | 3000K BLACK (BK) | AZ4379 |
| ☐ | 4000K WHITE (WH) | AZ4382 |
| ☒ | 4000K BLACK (BK) | AZ4381 |



* - EXPLANATION SHORTCUT PAGE 2 (E)



KASTORIA IP44

LED integrated 

voltage: 230V

IP44

technical
specification



LED 7W 550lm 3000K


LED

installation place  inlet opening  3,9cm

beam angle: 120° 

COLOUR / NEW INDEX NO.

-  CHROME (CH) **AZ4391**
-  BLACK (BK) **AZ4389**
-  GOLD (GO) **AZ4390**



Downlights



LAMIR R 9 IP44 3000K / 4000K

LED integrated

voltage: 230V

IP44

technical

specification



LED 9W 700lm 3000K

LED 9W 700lm 4000K

installation place

inlet opening 7cm

beam angle: 120°



COLOUR / NEW INDEX NO.

☐ 3000K WHITE (WH) **AZ4384**☐ 4000K WHITE (WH) **AZ4383**

LAMIR R 12 IP44 3000K / 4000K

LED integrated

voltage: 230V

IP44

technical

specification



LED 16W 1300lm 3000K

LED 16W 1300lm 4000K


installation place

inlet opening 10cm

beam angle: 120°



COLOUR / NEW INDEX NO.

☐ 3000K WHITE (WH) **AZ4385**☐ 4000K WHITE (WH) **AZ4386**

LAMIR R 17 DIMM IP44 3000K / 4000K

LED integrated

voltage: 230V

IP44

technical

specification



LED 22W DIMM 1800lm 3000K

LED 22W DIMM 1800lm 4000K


installation place

inlet opening 15cm

beam angle: 120°



COLOUR / NEW INDEX NO.

☐ 3000K WHITE (WH) **AZ4387**☐ 4000K WHITE (WH) **AZ4392**



LAMIR S 17 DIMM IP44 3000K / 4000K

LED integrated

voltage: 230V

IP44

technical

specification



LED 22W DIMM 1800lm 3000K DIMM

LED 22W DIMM 1800lm 4000K DIMM

LED


installation place inlet opening 15x15cm


beam angle: 120°

COLOUR / NEW INDEX NO.

☐ 3000K WHITE (WH) **AZ4388**

☐ 4000K WHITE (WH) **AZ4393**





WH *

OKA AL 3000K / 4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 3W 3000K RA>90 250lm


LED 3W 4000K RA>90 260lm

installation place

beam angle: 66° inlet opening Ø 3cm

LED

COLOUR / NEW INDEX NO.

☐ WHITE 3000K (WH) **AZ2232**☐ WHITE 4000K (WH) **AZ2233**

AC *

OKA AC 3000K / 4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 3W 3000K RA>90 250lm


LED 3W 4000K RA>90 260lm

installation place

beam angle: 66° inlet opening Ø 3cm

LED


COLOUR / NEW INDEX NO.

☐ ACRYLIC 3000K (AC) **AZ2234**☐ ACRYLIC 4000K (AC) **AZ2235**☐ BLACK 3000K (BK) **AZ4171**☐ BLACK 4000K (BK) **AZ4172**

ACR

BK





ALU *



PABLO

bulb not included

voltage: 230V	GU10 1x 50W only LED	
IP54		
	installation place	
	inlet opening	6cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ1015**
- WHITE (WH) **AZ0817**
- BLACK 4000K (AC) **AZ4140**



CARLO

Downlights






CARLO

bulb not included

voltage: 230V	GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	Ø 7,7cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0804**
- WHITE (WH) **AZ0805**
- BLACK (BK) **AZ4141**



* - EXPLANATION SHORTCUT PAGE 2 (E)





EDITTA

bulb not included

voltage: 230V	GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	Ø 7,7cm


COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0806**
- WHITE (WH) **AZ0807**
- BLACK (BK) **AZ4144**



MILET

Downlights




MILET

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place
	inlet opening 7,2cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4075**
- BLACK (BK) **AZ4076**



* - EXPLANATION SHORTCUT PAGE 2 (E)


**TITO**

bulb not included

voltage: 230V	GU10 1x 40W only LED
IP54	
	installation place
	inlet opening 6cm

COLOUR / NEW INDEX NO.

	ALUMINIUM (ALU)	AZ0814
	WHITE (WH)	AZ0815
	BLACK (BK)	AZ4139







MINORKA

bulb not included

voltage: 230V	GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	9cm

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ1362**
- BLACK / GOLD (BK/GO) **AZ2802**
- WHITE / WHITE (WH/WH) **AZ2801**
- BLACK / BLACK (BK/BK) **AZ4142**



* - EXPLANATION SHORTCUT PAGE 2 (E)



REMI

Downlights




REMI

bulb not included

voltage: 230V	GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	9cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ1363**
- BLACK (BK) **AZ4143**



* - EXPLANATION SHORTCUT PAGE 2 (E)



ITAKA

bulb not included

voltage: 230V	GU10 1x Max 50W	
IP20		
	installation place	
	inlet opening	7,5cm

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ4073**
☒ BLACK (BK) **AZ4074**






INDOOR WALL LAMPS

INDOOR

wall lamps



- 140 VEGA
- 141 VERA
- 142 LUMI
- 143 LUMI FLEX
- 144 VELIA ROUND
- 145 VELIA SQUARE

VEGA

Indoor wall lamps



WH *




VEGA

bulb not included 

voltage: 230V	connect G9 1x Max. 40W 
IP20	
	installation place 

COLOUR / NEW INDEX NO.

-  BLACK / GOLD (BK / GO) **AZ1709**
-  WHITE (WH). **AZ1708**
-  CHROME (CH). **AZ1758**
-  ANODISED GOLD (AGO). **AZ1746**
-  BLACK / BLACK (BK / BK) **AZ4145**



* - EXPLANATION SHORTCUT PAGE 2 (E)



BK *



WH

BK

VERA

LED integrated

voltage: 230V

IP20

technical

specification



LED 6W+3W 510lm+255lm 3000K

LED

installation place


beam angle: 20°



COLOUR / NEW INDEX NO.

WHITE (WH) **AZ4417**

BLACK (BK) **AZ3201**



TILT 180°

ROTATION 360°

switch

usb socket





LUMI

LED integrated

voltage: 230V

LED 5W 500lm 3000K

IP20

technical

specification




installation place

adjustable beam angle: 19°÷ 70°

LED

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ4556**
☒ BLACK (BK) **AZ4555**


19° 70°



ADJUSTABLE BEAM ANGLE

TILT 90°

ROTATION 350°



BK



WH





LUMI FLEX

LED integrated

voltage: 230V

LED 5W 500lm 3000K

IP20



LED

technical

installation place


specification

adjustable beam angle: 19°÷ 70°

COLOUR / NEW INDEX NO.

☐ WHITE FINISH SHINING(WH) **AZ4562**

☒ BLACK FINISH SHINING (BK) **AZ4561**



19° 70°



ADJUSTABLE BEAM ANGLE


FLEXIBLE TILT

FLEXIBLE ROTATION



VELIA ROUND

Indoor wall lamps




VELIA ROUND 2


bulb not included 

voltage: 230V	GU10 2x Max 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

-  WHITE (WH) **AZ4398**
-  BLACK (BK) **AZ4399**
-  BRASS (BS) **AZ4397**






VELIA SQUARE 2

bulb not included 

voltage: 230V	GU10 2x Max 50W	
IP20	installation place	

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ4403**
- ☒ BLACK (BK) **AZ4401**
- ☐ BRASS (BS) **AZ4402**





Ra (CRI) - Colour Rendering Index **EU standard – Ra $\geq$ 80**
Best colour rendering index, Ra (CRI) = 100

Ra (CRI) - wskaźnik oddawania barw **Standard UE – Ra $\geq$ 80**
Najlepszy wskaźnik oddawania barw, Ra (CRI) = 100

Ra (CRI)- Index podania farieb **Štandard EU – Ra $\geq$ 80**
Najlepší index podania farieb Ra(CRI)=100

Ra (CRI)- Index podání barev **Standard EU – Ra $\geq$ 80**
Nejlepší index podání barev Ra(CRI)=100



5 lat gwarancji na sterownik w lampie LED oraz moduł świecący (wraz z diodami).
Czas gwarancji jest liczony od dnia zakupu potwierdzonego paragonem lub fakturą.

A warranty of 5 years is given for the driver for LED lamps and light modules (with diodes).
The warranty is counted from the day of purchase, confirmed by a bill or an invoice.

5 év garancia érvényes a LED vezérlőre és a Led panelre egyaránt.
A garancia a vásárlás napján lép életbe, melyet számlával vagy nyugtával szükséges igazolni

Les 5 ans de garantie concernant le driver de LED et le module lumineux (avec les diodes). La durée de la garantie est dès le jour d'achat confirmé par un ticket de caisse ou une facture.

5 -ročná záruka sa vzťahuje na ovládač pre LED lampy, vrátane svetelného zdroja
Záručná doba sa počíta od dátumu zakúpenia tovaru.

5 letá záruka se vztahuje na ovládač pro LED lampy, včetně světelného zdroje.
Záruční doba se počítá od datumu zakoupení zboží.



We can paint the lamps in any RAL colour subject to an extra charge.

Contre un supplément, il est possible de commander la lampe dans une teinte choisie dans la palette RAL.

Za dopłatą, możliwość wybarwienia lampy z palety kolorów RAL.

Za doplatek je možné svítidlo barevně upravit dle vzorníku barev RAL.

Za doplatok je možné svetidlo farebne upraviť podľa vzorkovníka farieb RAL.

We reserve the rights to make changes in the product range, design and model.

Please note that, as a result of printing processes, actual colors may vary from those reproduced here.

Nous nous reservons le droit d'apporter des modifications dans le choix et le design des modèles.

Veuillez noter qu'en raison des techniques d'impression les teintes des produits peuvent légèrement varier par rapport à celles du catalogue.

Zastrzegamy sobie prawo do dokonania zmian ofertowych i konstrukcyjnych.

Z uwagi na proces druku przedstawione kolory mogą się różnić od rzeczywistych.

Fenntartjuk a jogunkat a termékskála, a dizájn és a modellek változtatására.

Kérem vegyék figyelembe, a nyomtatási folyamat eredményeképpen a termék valós színe esetleg kismértékben különbözhet a nyomtatott változattól.

Vyhrazujeme si právo k provádění nabídkových a konstrukčních změn.

Vzhledem k procesu tisku se mohou nabízené barvy lišit od reálných.

Vyhradujeme si právo na vykonávanie ponukových a konštrukčných zmien.

Vzhľadom k procesu tlače sa môžu ponúkané farby líšiť od reálnych.