

AZzardo®



New collection **2025**

SUMMER

pictorial
list



Agora 27



Alexandria 31




Altun 32



Apus 21



Babil 38



Disc 15



Durante 45




Eagle 33



Eclipse 1



Exo Line 39



Fada 20



Frame 60 47




Frame wall 48



Krypton 5



Liman 37




Moon 6



Morten 46



Nazar 29




Orion 24




Pandora 577



Pandino 43



Pelle 17




Portofino 7



Pronto 41



Ripple 36



Saturn 4




Serenity 26



Spark 13



Sparking 12




Zigzag 9



new collection
SUMMER 2025

ECLIPSE WALL






Eclipse Wall 14W 3000K
AZ6668



Eclipse Wall 10W 3000K
AZ6667

Eclipse Wall 10W 3000K
Code/Color AZ6667 beige/stone
Material travertine/aluminium
Light source 1 x LED INTEGRATED, 10W, 232lm
Kelvins 3000K

Eclipse Wall 14W 3000K
Code/Color AZ6668 beige/stone
Material travertine/aluminium
Light source 1 x LED INTEGRATED, 14W, 291lm
Kelvins 3000K





SATURN WALL




Saturn 72 Wall 3000K
AZ6663




Saturn 52 Wall 3000K
AZ6662

Saturn 52 Wall 3000K
Code/Color AZ6662
Light source 1 x LED INTEGRATED, 20W, 148lm
Material aluminium/stone
Kelvins 3000K



Saturn 72 Wall 3000K
Code/Color AZ6663
Light source 1 x LED INTEGRATED, 29W, 276lm
Material aluminium/stone
Kelvins 3000K



KRYPTON TOP & PENDANT 3-STEP CCT




Krypton Top 60 3-STEP CCT
AZ6665




Krypton Pendant 60 3-STEP CCT
AZ6664


Krypton Top 60 CCT
Code/Color ● AZ6665 black
Finish matt
Material aluminium/stone
Light source 1 x LED INTEGRATED, 37W, 1200lm
CCT 2900-6000K



Krypton Pendant 60 CCT
Code/Color ● AZ6664 black
Finish matt
Material aluminium/stone
Light source 1 x LED INTEGRATED, 37W, 1200lm
CCT 2900-6000K




MOONS 3-STEP CCT WALL




Moons 3-STEP CCT Wall
AZ6666

Moons 3-STEP CCT Wall
Code/Color ● AZ6666 black
Finish matt
Material aluminium/stone
Light source 1 x LED INTEGRATED, 30W, 193lm
CCT 2800/4000/5490K




PORTOFINO




Portofino 80 3-STEP DIMM
AZ6661

Portofino 80 3-STEP DIMM
Code/Color **AZ6661** white
Finish matt
Material aluminium
Light source 1 x LED INTEGRATED, 39W
Type of control 3-STEP DIMMER



3-Step dimming system



Oriol Llahona, Barcelona

He studied Industrial Design at Elisava Universitat Pompeu Fabra Barcelona, Universität Essen, University Southampton and Graduated in 1999 and Postgraduated in 2004. Internship at Franc FernándezArquitecte where he learned to extract the essence and the soul of things. His works have been shown at Milan, Frankfurt and Tokyo..

This is a lamp with extremely simple design but harmonious and beautiful lines. Soft light and good environmental lighting effect.
The design of three sizes enables her to adapt to all kinds of spaces from home to engineering, and can bring a sense of harmonious personality to the space.



„Design thinking can be applied to any product or service. Based in our experience, we focus on next areas to provide meaningful designs.”


Oriol Llahona

ZIGZAG 3-STEP DIMM




Zigzag go
AZ6528

Zigzag GO	
Code/Color	● AZ6528 brass
Finish	brushed
Material	aluminium
Light source	1 x LED INTEGRATED, 43W
Kelvins	2900K
Lumens	459lm
Type of control	3-STEP DIMMER



3-Step dimming system





SPARKING PENDANT 120 CCT DIMM + REMOTE CONTROL



Sparking Pendant 120 CCT DIMM CH + REMOTE CONTROL CHROME
AZ6566




Remote Control



Sparking Pendant 120 CCT DIMM CH + REMOTE CONTROL GOLD
AZ6567

Sparking Pendant 120 CCT DIMM GO + REMOTE CONTROL

Code/Color	● AZ6567 gold
	● AZ6566 chrome
Finish	shiny
Material	aluminium
Light source	2 x LED INTEGRATED, 70W
Kelvins	2900 – 3900K
Lumens	4195lm
Type of control	REMOTE CONTROL



SPARK WAVES PENDANT CCT DIMM + REMOTE CONTROL




Spark Waves Pendant 120 CCT DIMM GO + REMOTE CONTROL CHROME
AZ6562



Remote Control

Spark Waves Pendant 120 CCT DIMM + REMOTE CONTROL


Code/Color	● AZ6562 chrome ● AZ6563 gold
Finish	shiny
Material	aluminium
Light source	2 x LED INTEGRATED, 68W
Kelvins	3000-4000K
Lumens	6542lm
Type of control	REMOTE CONTROL




Spark Waves Pendant 120 CCT DIMM GO + REMOTE CONTROL GOLD
AZ6563

Spark Waves Pendant 150 CCT DIMM + REMOTE CONTROL

Code/Color	● AZ6564 chrome ● AZ6565 gold
Finish	shiny
Material	aluminium
Light source	2 x LED INTEGRATED, 97W
Kelvins	3000 - 4000K
Lumens	10526lm
Type of control	REMOTE CONTROL




DISC




Disc Pendant 35
AZ6578


Disc Pendant 35
Code/Color ● AZ6578 black
Finish matt
Material aluminium
Light source 1 x LED INTEGRATED, 12W
Kelvins 3000K
Type of control TRIAC DIMMER



PELLE 3-STEP DIMM




Pelle 3-STEP DIMM BLACK
AZ5756




Pelle 3-STEP DIMM GOLD
AZ5757

Pelle 3-STEP DIMM
Code/Color AZ5756 black
 AZ5757 gold
Finish matte
Material aluminium
Light source 2 x LED INTEGRATED, 32W
Kelvins 3000K
Lumens 2400lm




3-Step dimming system






FADA



Fada 120 bk
AZ6533

Fada 120 BK
Code/Color ● AZ6533 black
Finish matt
Material aluminium
Light source 8 x LED INTEGRATED, 34W, 76lm
Kelvins 3000K




APUS



Apus 80 bk
AZ6532

Apus 80 BK
Code/Color ● AZ6532 black
Finish matt
Material aluminium/PVC
Light source 10 x LED INTEGRATED, 42W, 3174lm
Kelvins 3000K







ORION



Orion bk
AZ6535

Orion BK
Code/Color ● AZ6535 black
Finish matt
Material aluminium
Light source 3 x LED INTEGRATED, 30W, 1500lm
Kelvins 3000K





SERENITY




Serenity 12 BK
AZ6534



Adjustable shade position

Serenity 12 BK
Code/Color ● AZ6534 black
Finish matt
Material aluminium/glass
Light source 12 x LED INTEGRATED, 84W
Kelvins 3000K



AGORA PENDANT



Agora Pendant WHITE
AZ6641



Agora Pendant BEIGE
AZ6644





Agora Pendant PINK
AZ6645



Agora Pendant BLUE
AZ6642

- Agora Pendant
- | | |
|--------------|--|
| Code/Color | ○ AZ6641 white
● AZ6644 beige
● AZ6645 pink
● AZ6642 blue |
| Finish | fabric/matt |
| Material | fabric/aluminium |
| Light source | 1 x E27, max. power 60W only LED |



NAZAR

3-STEP Dimming SYSTEM



Nazar Pendant 5 3-STEP DIMM
AZ6531




Nazar Wall 20
AZ6529




Nazar Wall 30
AZ6530


Nazar Pendant 5
Code/Color ● AZ6531 amber
Finish shiny
Material glass
Light source 10 x LED INTEGRATED, 52W
Kelvins 3000K
Lumens 1189lm
Type of control TRIAC DIMMER




Nazar Wall 20
Code/Color ● AZ6529 amber
Finish shiny
Material glass
Light source 1 x LED INTEGRATED, 11W
Kelvins 3100K
Lumens 158lm



Nazar Wall 30
Code/Color ● AZ6530 amber
Finish shiny
Material glass
Light source 1 x LED INTEGRATED, 11W
Kelvins 3100K
Lumens 120lm



3-Step dimming system only in Nazar Pendant 5



ALEXANDRIA WALL




Alexandria Wall Gold
AZ6559



Alexandria Wall Black
AZ6558

Alexandria Wall
Code/Color ● AZ6558 black/matt
 ● AZ6559 gold/satin
Material aluminium
Light source 1 x LED INTEGRATED, 8W, 357lm
Kelvins 3000K



ALTUN WALL




Altun Wall GOLD
AZ6560



Altun Wall BRONZE
AZ6561

Altun Wall
Code/Color ● AZ6561 bronze
 ● AZ6560 gold
Finish satin
Material aluminium
Light source 1 x LED INTEGRATED, 3W, 206lm
Kelvins 3000K



EAGLE WALL



Eagle Wall BK
AZ6575




Eagle Wall BROWN
AZ6576



Eagle Wall BEIGE
AZ6577



Eagle Wall
Code/Color ● AZ6575 black
● AZ6576 brown
● AZ6577 beige
Finish matt
Material felt
Light source 1 x LED INTEGRATED, 6W, 18lm
Kelvins 3000K





RIPPLE




Ripple Wall 40 BEIGE
AZ6579




Ripple Wall 50 AUBURN
AZ6582

Ripple wall 40
Code/Color ● AZ6579 beige
● AZ6580 auburn
Finish matt
Material aluminium
Light source 1 x LED INTEGRATED, 6W, 108lm
Kelvins 3000K



Ripple Wall 50
Code/Color ● AZ6581 beige
● AZ6582 auburn
Finish matt
Material aluminium
Light source 1 x LED INTEGRATED, 6W, 108lm
Kelvins 3000K



LIMAN CCT



Liman 6W CCT BLACK
AZ6548





Liman 6W CCT GOLD
AZ6549



CCT SWITCH
3000K / 4000K

- Liman 6W CCT
- | | |
|-----------------|--|
| Code/Color | ● AZ6548 black/matt
● AZ6549 gold/satin |
| Material | aluminium |
| Light source | 1 x LED INTEGRATED, 6W, 723lm |
| Kelvins | 3000 / 4000K |
| Type of control | CCT SWITCH |

- Liman 10W CCT
- | | |
|-----------------|--|
| Code/Color | ● AZ6550 black/matt
● AZ6551 gold/satin |
| Material | aluminium |
| Light source | 1 x LED INTEGRATED, 10W, 1095lm |
| Kelvins | 3000 / 4000K |
| Type of control | CCT SWITCH |



BABIL CCT SWITCH



Babil 10W CCT SWITCH GOLD
AZ6552





Babil 10W CCT SWITCH COFFEE
AZ6553



Babil 10W CCT SWITCH WHITE
AZ6554

- Babil 10W CCT SWITCH
- | | |
|-----------------|---|
| Code/Color | ● AZ6552 gold/satin
● AZ6553 bronze/satin
● AZ6554 white/matt |
| Material | aluminium |
| Light source | 1 x LED INTEGRATED, 10W, 879lm |
| Kelvins | 3000 / 4000K |
| Type of control | CCT SWITCH |

- Babil 15W CCT SWITCH
- | | |
|-----------------|---|
| Code/Color | ● AZ6555 gold/satin
● AZ6556 bronze/satin
● AZ6557 white/matt |
| Finish | satin |
| Material | aluminium |
| Light source | 1 x LED INTEGRATED, 15W, 1297lm |
| Kelvins | 3000 / 4000K |
| Type of control | CCT SWITCH |



EXO LINE



Exo 3 Line 70 BLACK
AZ6650





Exo 3 Line 120 WHITE
AZ6654




Exo 3 Line 200 BEIGE
AZ6658

Exo 3 Line 70
Code/Color ● AZ6650 black
 ○ AZ6651 white
 ● AZ6652 beige
Finish matt
Material aluminium
Light source 3 x GU10, max. 3x50W only LED

Exo 4 Line 120
Code/Color ● AZ6653 black
 ○ AZ6654 white
 ● AZ6655 beige
Finish matt
Material aluminium
Light source 4 x GU10, max. 4x50W only LED



Exo 6 Line 200
Code/Color ● AZ6656 black
 ○ AZ6657 white
 ● AZ6658 beige
Finish matt
Material aluminium
Light source 6 x GU10, max. 6x50W only LED



PRONTO WALL IP44





Pronto Wall 60 IP44 CHROME
AZ6568



Pronto Wall 90 IP44 BLACK
AZ6571

Pronto Wall 60 IP44
Code/Color ● AZ6568 chrome/shiny
● AZ6569 black/matt
Material aluminium
Light source 1 x LED INTEGRATED, 14W, 1060lm
Kelvins 3000 / 4000
Type of control CCT SWITCH

Pronto Wall 90 IP44
Code/Color ● AZ6570 chrome/shiny
● AZ6571 black/matt
Material aluminium
Light source 1 x LED INTEGRATED, 21W, 1640lm
Kelvins 3000 / 4000 / 6000K
Type of control CCT SWITCH



PANDORA WALL IP44



Pandora Wall IP44 CHROME
AZ6572



Pandora Wall IP44 GOLD
AZ6574




Pandora Wall IP44 BLACK
AZ6573



CCT SWITCH
3000K / 4000K / 5700K


Pandora Wall IP44
Code/Color ● AZ6572 chrome/shiny
● AZ6573 black/matt
● AZ6574 gold/shiny
Material Aluminium
Light source 1 x LED INTEGRATED, 11W, 690lm
Kelvins 3000 / 4000
Type of control CCT SWITCH



PANDINO CCT SWITCH 3-STEP DIMM IP44



Pandino 30 CCT SWITCH 3-STEP DIMM IP44 WHITE
AZ6583




CCT SWITCH
2800K / 4000K / 6500K



Pandino 40 CCT SWITCH 3-STEP DIMM IP44 BLACK
AZ6586


Pandino 30 CCT SWITCH 3-STEP DIMM IP44

Code/Color	○ AZ6583 white ● AZ6584 black
Finish	matt
Material	PVC
Light source	1 x LED INTEGRATED, 23W, 1518lm
Kelvins	2800 / 4000 / 6000K
Type of control	CCT SWITCH



Pandino 40 CCT SWITCH 3-STEP DIMM IP44

Code/Color	○ AZ6585 white ● AZ6586 black
Finish	matt
Material	PVC
Light source	1 x LED INTEGRATED, 21W, 2600lm
Kelvins	2800 / 4000 / 6000K
Type of control	CCT SWITCH



PANDINO CCT SWITCH SENSOR IP44



Pandino 23 CCT SWITCH SENSOR IP44 WHITE
AZ6587



SENSOR
time 15-90s
range 2-8m




Pandino 30 CCT SWITCH SENSOR IP44 BLACK
AZ6590



Pandino 40 CCT SWITCH SENSOR IP44 WHITE
AZ6591

Pandino 23 CCT SWITCH SENSOR IP44

Code/Color	○ AZ6587 white ● AZ6588 black
Finish	matt
Material	PVC
Light source	1 x LED INTEGRATED, 18W
Kelvins	2800 / 4000 / 6000K
Type of control	CCT SWITCH



Pandino 30 CCT SWITCH SENSOR IP44

Code/Color	○ AZ6589 white ● AZ6590 black
Finish	matt
Material	PVC
Light source	1 x LED INTEGRATED, 24W
Kelvins	2800 / 4000 / 6000K
Type of control	CCT SWITCH

Pandino 40 CCT SWITCH SENSOR IP44

Code/Color	○ AZ6591 white ● AZ6592 black
Finish	matt
Material	PVC
Light source	1 x LED INTEGRATED, 32W, 2630lm
Kelvins	2800 / 4000 / 6000K
Type of control	CCT SWITCH

DURANTE IP54 CCT




Durante IP54 CCT
AZ6537



Durante IP54 SENSOR CCT
AZ6536

Durante IP54 CCT
Code/Color ● AZ6537 black
Finish matt
Material aluminium/PVC
Light source 1 x LED INTEGRATED, 21W
Kelvins 2800 / 4000 / 6000K
Type of control CCT SWITCH

Durante IP54 SENSOR CCT
Code/Color ● AZ6536 black
Finish matt
Material aluminium/PVC
Light source 1 x LED INTEGRATED, 21W
Kelvins 2800 / 4000 / 6000K
Type of control SENSOR: DISTANCE: 0,5 - 10 m. | HEIGHT: 2-2,5 m. | ANGLES: 150° + 90° | TIME: 30 s.-3 min. | DUSK SENSITIVITY



MORTEN WALL




Morten wall 3000K dark grey
AZ6637



Morten wall 3000K white
AZ6639

Morten wall 3000K
Code/Color ○ AZ6639 white
● AZ6637 dark grey
Finish matt
Material aluminium/PVC
Light source 1 x LED INTEGRATED, 10W
Kelvins 3000K
IP IP54

Morten wall 4000K
Code/Color ○ AZ6640 white
● AZ6638 dark grey
Finish matt
Material aluminium/PVC
Light source 1 x LED INTEGRATED, 10W
Kelvins 4000K
IP IP54




FRAME 60



Frame 60 3000K CORTEN
AZ6631

Frame 60 3000K
Code/Color ● AZ6631 corten
● AZ6629 dark grey
Finish matt
Material aluminium/PVC
Light source 1 x LED INTEGRATED, 12W
Kelvins 3000K
IP IP65

Frame 60 4000K
Code/Color ● AZ6632 corten
● AZ6630 dark grey
Finish matt
Material aluminium/PVC
Light source 1 x LED INTEGRATED, 12W
Kelvins 4000K
IP IP65



Frame 60 3000K DARK GREY
AZ6629




FRAME WALL



Frame wall 3000K DARK GREY
AZ6633

Frame wall 3000K
Code/Color ● AZ6635 corten
● AZ6633 dark grey
Finish matt
Material aluminium/PVC
Light source 1 x LED INTEGRATED, 12W
Kelvins 3000K
IP IP65

Frame wall 4000K
Code/Color ● AZ6636 corten
● AZ6634 dark grey
Finish matt
Material aluminium/PVC
Light source 1 x LED INTEGRATED, 12W
Kelvins 4000K
IP IP65



Frame wall 3000K CORTEN
AZ6635



RESERVATIONS

We reserve the rights to make changes in the product range, design and model.
Please note that, as a result of printing processes, actual colors may vary from those reproduced here.

Nous nous reservons le droit d'apporter des modifications dans le choix et le design des modeles.

Veillez noter qu'en raison des techniques d'impression les teintes des produits peuvent legerement varier par rapport a celles du catalogue.

Zastrzegamy sobie prawo do dokonania zmian ofertowych i konstrukcyjnych.
Z uwagi na proces druku przedstawione kolory mogą się różnić od rzeczywistych.

Fenntartjuk a jogunkat a termékskála, a dizájn és a modellek változtatására.
Kérem vegyék figyelembe, a nyomtatási folyamat eredményeképpen a termék valós színe esetleg kismértékben különbözhet a nyomtatott változattól.

Vyhrazujeme si právo k provádění nabídkových a konstrukčních změn.
Vzhledem k procesu tisku se mohou nabízené barvy lišit od reálných.

Vyhradzujeme si právo na vykonávanie ponukových a konštrukčných zmien.
Vzhľadom k procesu tlače sa môžu ponúkané farby líšiť od reálnych.

TECHNOLOGICAL

changes and limitations

We can paint the lamps in any RAL colour subject to an extra charge.

Contre un supplément, il est possible de commander la lampe dans une teinte choisie dans la palette RAL.

Za dopłatą, możliwość wybarwienia lampy z palety kolorów RAL.

Za doplatek je možné svítidlo barevně upravit dle vzorníku barev RAL.

Za doplatok je možné svietidlo farebne upraviť podľa vzorkovníka farieb RAL.

5 lat gwarancji na sterownik w lampie LED oraz moduł świecący (wraz z diodami).
Czas gwarancji jest liczony od dnia zakupu potwierdzonego paragonem lub fakturą.

A warranty of 5 years is given for the driver for LED lamps and light modules (with diodes).

The warranty is counted from the day of purchase, confirmed by a bill or an invoice.
5 év garancia érvényes a LED vezérlőre és a Led panelre egyaránt.
A garancia a vásárlás napján lép életbe, melyet számlával vagy nyugtával szükséges igazolni

Les 5 ans de garantie concernant le driver de LED et le module lumineux (avec les diodes). La durée de la garantie est dès le jour d'achat confirmé par un ticket de caisse ou une facture.

5 -ročná záruka sa vzťahuje na ovládač pre LED lampy, vrátane svetelného zdroja
Záručná doba sa počíta od dátumu zakúpenia tovaru.

5 letá záruka se vztahuje na ovládač pro LED lampy, včetně světelného zdroje.
Záruční doba se počítá od dátumu zakoupení zboží.

Ra (CRI) - Colour Rendering Index EU standard – Ra ≥ 80
Best colour rendering index, Ra (CRI) = 100

Ra (CRI) - wskaźnik oddawania barw Standard UE – Ra ≥ 80
Najlepszy wskaźnik oddawania barw, Ra (CRI) = 100

Ra (CRI)- Index podania farieb Štandard EU – Ra ≥ 80
Najlepší index podania farieb Ra(CRI)=100

Ra (CRI)- Index podání barev Standard EU – Ra ≥ 80
Nejlepší index podání barev Ra(CRI)=100