AZzardo®

TECHNOline



collection 2022

AZzardo

BULGARIA
VISTA_G LTD
tel.: +359 32 655 877
mobile: +359 885 388 003
e-mail: sales@iml.bg
• www.vista-g.com

CROATIA
REP. OF BOSNIA AND HERZEGOVINA
MONTENEGRO
REMBOL D.O.O.
KOPERNIKOVA 5; 10000 ZAGREB
tel.: +91 222 02 29
tel.: +91 520 12 54
e-mail: info@azzardo.com.hr
• www.azzardo.com.hr

CZECH REPUBLIC
AZZARDO LIGHTING S.R.O.
tel.: +421 41 565 22 56
e-mail: info@azzardo.sk
• www.azzardodesign.com

HUNGARY
ELTER LTD.
tel.: +36 74 510 348
e-mail: info@elter.hu
• www.elter.hu

ICELAND
PFAFF
tel.: +354 414 0400
fax +354 414 0401
e-mail: pfaff@pfaff.is
• www: pfaff.com

ITALY
LEONARDO ANICETO
tel.: +39 3931212029
e-mail: aniceto.staff@gmail.com

NETHERLANDS
HENNIE BUKKEMS
tel.: +31 6201 36811
e-mail: bukkemsagenturen@gmail.com

POLAND
AZZARDO SP. Z O.O.
tel.: +48 61 849 40 80
fax +48 61 849 40 84
e-mail: office@azzardolighting.com
• www.azzardolighting.com

PORTUGAL
DOMOLED
NÚCLEO EMPRESARIAL
DA ABRUNHEIRA ZONA
POENTE PAV.4, 2710-089 SINTRA
tel.: +351 219 111 201
tel.: +351 911 003 235
e-mail: geral@domoled.pt
• www.domoled.pt

ROMANIA
JACEK KREMPIŃSKI
tel.: +48 518 543 875
e-mail: jacekkrempinski@gmail.com

SLOVAKIA
AZZARDO LIGHTING S.R.O.
TEL.: +421 41 565 22 56
e-mail: info@azzardo.sk
• www.azzardodesign.com

UKRAINE
ELEKOMP
82107 LVIV REGION,
M.DROHOBYCZ VUL. GRUSHEWSKOGO 58
fax +38 0324 438328
tel.: +38 067 353 3757
tel.: +38 097 860 6839
e-mail: elekomp@ukr.net
• www.elekomp.com.ua

PROFORMA
KYIV, EKSKAVATORNA 24
tel.: +38 098 193 22 22
tel.: +38 097 083 81 53
e-mail: zakaz@proforma.kiev.ua
• www.proforma.kiev.ua

UNITED KINGDOM AND IRELAND
IAN DORMER
tel.: 07745 763251
e-mail: ian@eurolamps.uk

AUTHORISED POINT OF SALE
PF FURNITURE LTD
UNIT A PRESTWICH INDUSTRIAL ESTATE
COAL PIT LN
ATHERTON, M46 OFY
MANCHESTER
tel: +44 073 839 768 12
tel: +44 019 428 717 37
e-mail: sales@pffurniture.co.uk

AZzardo®

TRACKLINE

www.azzardolighting.com

ALPHABETICAL
PICTORIAL LIST

TRACKLine **1**
TECHNOLine **89**
OUTDOORLine **345**



ACCESORIES FOR TRACK 1-LINE **2**



ACCESORIES FOR TRACK 3-LINE **12**



ACCESORIES FOR TRACK MAGNETIC **48**


ADAMO **218**



ADAMO DIAMOND **220**


ADAMO RING **219**


AFI IP54 **394**



AGAPE IP54 **412**


AIDA ROUND **236**


AIDA SQUARE **237**


ALDO TRACK **70**


ALEX **163**


ALF IP65 **396**


ALIX **162**


ALIX 230V **165**


ALIX IP65 **356**


ANCONA **328**


ANCONA WOOD **329**


ANGUS **335**


APULIA IP54 **354**


ARBAX IP54 **376**


ARCHO **332**


ARIDA IP54 **377**


ARO **92**


AVON **320**


BIAGIO **223**


BILL **123**


BLAS **308**


BLUETOOTH GATEWAY + REMOTE SMART **55**


BOOMBOX IP44 **418**



BORIS **112**



BOSTON **122**


BOSTON 10W ROUND **255**


BRANT **102**


BRANT IP44 **103**


BRANT SQUARE **104**


BRANT SQUARE IP44 **105**


BROSS **96**


BROSS ARM **98**


BROSS ARM TRACK 3-LINE **40**


CARLO **272**


CARO ROUND **278**


CARO SQUARE **279**


CASOLA IP54 **374**


CASORIA IP54 **392**


CASPER ROUND IP54 **353**


CASPER SQUARE IP54 **352**


CESAR **268**


CIVITA IP54 **384**


CLETO **217**


CLOE **213**


CLOVER **321**


COLLODI 48 CCT **194**


CORTONA **198**


COSEL IP54 **375**


COSTA **100**


COSTA ARM **101**


COSTA ARM TRACK 3-LINE **30**


COSTA SPOT **256**


COSTA TRACK 3-LINE **31**


CREMONA IP54 **380**


DARIO **113**


DIADO **142**


ECO ALEX 230V **167**

ECO ALIX **166**

ECO ALIX NEW 230V **164**


EDITTA **273**


EDVARD IP65 **414**


EDVIN IP65 **414**


EIGER IP54 **93**


EIGER TRACK 3-LINE **20**


ELEGANT BULB **233**


ELIN TRACK **72**


ELOY **106**


ELSA TRACK **73**


EMILIO IP54 **264**


ENOK IP54 **390**


EREBUS ANGLE **134**


EREBUS BASE **134**


EREBUS PENDANT **134**


EREBUS TRACK 3-LINE **38**


EREBUS TUBE **38**


ERIKA **289**


ESTER ROUND **226**


ESTER SQUARE **228**


EVA **214**


EXO **136**


EXO TRACK 1-LINE **6**


EXO TRACK 3-LINE **41**


EZIO IP54 **265**


FALCO 12 **190**



FANO IP54 **350**


FANO SMART **349**


FARO **339**


FELIX **311**


FILL ROUND **248**


FILL SQUARE **249**


FLAVIO **138**


FLOKI IP54 **415**


FONS IP65 **386**


FRAME IP54 **410**


FRIDA **252**


GAGARIN IP44 **388**


GALATA IP44 **238**


GALENA **140**


GALILEO 1 PENDANT **204**

GALILEO TRACK 3-LINE **27**

GAMBINO **314**


GAMBINO IP54 **378**


GELO **287**


GINNA IP54 **385**


GINNO **334**


GORAN **369**


GULIA TRACK 3-LINE **23**


HAVANA IP44 **416**


HERA GIPS ROUND **299**


HERA GIPS SQUARE **298**


HUGO **108**


HUGO DOWNLIGHT **270**


HUGO R **108**


HYDE IP54 **348**


IBIZA **280**


IKA IP65 **267**


IKA IP65 **361**


ITAKA **285**


IVO **274**


IVO SQUARE **275**


JAKE WALL 2 IP54 **367**


JANE TRACK 3-LINE **33**


JERRY 12V **168**


JERRY 230V **169**


JERRY TRACK 1-LINE **9**


JERRY TRACK 3-LINE **32**


JOE IP54 **358**


JUNONA **192**


KASTORIA IP44 **239**


KERRY SMART CCT **60**


KIRA TRACK MANGETIC **66**


KIRA TRACK MANGETIC SMART CCT **61**


KIRKE TRACK 1-LINE **8**


KIRKE TRACK CCT 3-LINE **26**


KORI TRACK **75**


LAMBDA **309**


LAMIR **240**


LAMIR DIMM + REMOTE CONTROL **241**


LARS IP54 **382**


LATONA **323**


LENS **125**

LENS TRACK 3-LINE **42**

LEON **141**


LEON TRACK 3-LINE **45**


LETICIA **316**


LETICIA 2 **317**


LETICIA 2 LED **318**


LETICIA 2 LED IP54 **379**



LINA **257**


LINNEA PENDANT **206**


LINNEA TRACK CCT 3-LINE **36**


LINO **132**


LINZ **260**


LIVIO 2 IP54 **387**


LOLO TRACK 1-LINE **7**


LOLO TRACK 3-LINE **22**


LORENZA **224**


LORENZO **225**


LUCIANO **222**


LUMI **340**


LUMI FLEX **341**


LUMI FLEX TRACK **28**


LUMI TRACK 3-LINE **28**


LUNA 15W **258**


LUNA 7W **259**


MAKALU **128**


MAKITA CCT SMART **56**


MALTA R **174**


MANE 10W **119**


MANE 20W / 30W **120**


MARIKA **232**


MARS **312**


MATEO **172**


MATERA IP54 **413**


MAX 12V / MAX 230V **170**


MAYA TRACK **74**


MEGARA TRACK 3-LINE **21**


MIKKA TRACK 3-LINE **34**


MIKKEL IP54 **400**


MILET **284**


MINI BROSS **94**


MINI ELOY **95**


MINI ROUND **114**

MINI SQUARE **115**

MINORKA **282**


MIRA **212**


MOMO **173**


MONA 12W **146**


MONA 18W **147**


MONA SPOT 12W **250**


MONA SPOT 18W **251**


MONA TRACK 3-LINE **35**


MONTANA **319**


MONZA II R **180**


MONZA II S **184**


MONZA R **178**


MONZA R CCT **186**


MONZA R PENDANT **179**


MONZA S **182**


MONZA S CCT **188**


NANO **118**


NEMO **288**


NEOS **116**


NIKEA **154**


NIKKI TRACK **68**



NIKLAS IP44 **398**



NIKO TRACK **69**


NILS IP44 **408**


NINO **117**


NOGAT **343**


NOVA **296**


NOVA GIPS **297**


OJOS **150**


OKA **247**


OSCAR IP44 **262**


OSVALD IP44 **403**


OVE WALL IP54 **395**


OZ **303**


PABLO IP54 **266**



PACO **276**


PAOLA 230V **156**


PAPIKO IP65 **355**


PAULO 12V **158**


PAULO 230V **159**


PEDER IP54 **368**

PIENZA DIMM **191**

PIO **277**


PIRAMIDE **216**


QUADRO 50 CCT LED **196**


RAFFAEL **153**


RAGGIO **305**


RAMONA **336**


RASMUS IP65 **402**



RAUL **324**


REMI **281**


REMO **110**


REMO 1 DOWNLIGHT **269**


REMO R **110**


REZIA IP54 **362**


RIMINI IP54 **366**


RIMINI SQUARE IP54 **364**



ROLF IP44 **404**


ROTONDO **124**


SAGA TRACK **62**


SAGA TRACK CORNER **64**


SAGA TRACK SMART **58**


SANE **304**


SANTOS **130**


SANTOS EXPOSED **144**


SANTOS SQUARE **131**


SANTOS SQUARE TRACK 3-LINE **43**


SANTOS TRACK 3-LINE **24**


SARONA IP54 **389**


SAVIO **286**


SCATOLA **325**


SCORPIO **143**


SIENA **145**


SIMON **210**


SIRO **290**


SISTO **291**


SKYE **148**


SKYE PENDANT **149**


SKYE TRACK 3-LINE **44**


SKYE TRACK PENDANT **71**


SLIM ROUND **244**


SLIM SQUARE **242**


SONA CCT LED **197**

SONYA SMART CCT **59**

SORANO IP44 **406**


SOVANA PENDANT CCT LED **202**



SOVANA TOP CCT LED **200**


STAN **292**


TAZ **302**


TITO IP54 **263**


TIVOLI TRACK 3-LINE **39**



TONIO IP54 **360**


TORCH **330**


TORONTO **152**


TORONTO 15W SPOT **254**



TORRES **293**



TRACK MAGNETIC SET 1 M **78**



TRACK MAGNETIC SET 1,5 M **80**



TRACK MAGNETIC SET 2 M **81**



TRACK MAGNETIC SET 3 M **85**


ULF IP44 **370**


UNA **261**


VASKO **133**


VEGA **331**


VEKTOR ROUND **230**



VEKTOR SQUARE **231**


VELIA ROUND **306**


VELIA SQUARE **307**


VENETO IP54 **373**


VENTA IP54 **372**


VENUS **313**



VERA **338**


VERDI **294**


VERONICA **342**


VIALETTO **327**


VIDAL **326**


VIGO **322**


VISION **139**


ZITA XL IP54 **383**

OLD & NEW
codes list

A
Adamo Midst (black) AZ1480 NC1825-M-BK 218
Adamo Midst (chrome) AZ1481 NC1825-M-CH 218
Adamo Midst Diamond (black) AZ2731 220
Adamo Midst Diamond (chrome) AZ2734 220
Adamo Midst Diamond (gold) AZ2740 220
Adamo Midst Diamond (white) AZ2738 220
Adamo Midst (gold) AZ1482 NC1825-M-GO 218
Adamo Midst (matt black) AZ2562 218
Adamo Midst (white) AZ1483 NC1825-M-W 218
Adamo Ring (black) AZ1484 NC1827-BK-CH 219
Adamo Ring (chrome) AZ1485 NC1827-CH R 219
Adamo Ring (gold) AZ1486 NC1827-GO R 219
Adamo Ring (matt black) AZ2567 219
Adamo Ring (white) AZ1487 NC1827-WH R 219
ADAPTER PAR-16 ADAP111 AZ1117 429
Afi 3000K (black) AZ4512 394
Afi 3000K (dark grey) AZ4510 394
Afi 4000K (black) AZ4513 394
Afi 4000K (dark grey) AZ4511 394
Aida Round 9W 3000K (black) AZ4220 236
Aida Round 9W 3000K (white) AZ4218 236
Aida Round 16W 3000K (black) AZ4224 236
Aida Round 16W 3000K (white) AZ4222 236
Aida Square 9W 3000K (black) AZ4227 237
Aida Square 9W 3000K (white) AZ4226 237
Aida Square 16W 3000K (black) AZ4229 237
Aida Square 16W 3000K (white) AZ4228 237
Aldo Track Magnetic 12W Milky120 3000K (black) AZ4625 70
Aldo Track Magnetic 12W Milky120 3000K (white) AZ4626 70
Aldo Track Magnetic 12W Points60 3000K (black) AZ4621 70
Aldo Track Magnetic 12W Points60 3000K (white) AZ4622 70
Aldo Track Magnetic 12W Points60 4000K (black) AZ4623 70
Aldo Track Magnetic 12W Points60 4000K (white) AZ4624 70
Alex (black) AZ1358 GM4112-BK 163
Alex (white) AZ1359 GM4112-WH 163
Alf Round 3000K (black) AZ4663 396
Alf Round 3000K (dark grey) AZ4664 396
Alf Square 3000K (black) AZ4665 396
Alf Square 3000K (black) AZ4666 396
Alix 230V (black) AZ3540 165
Alix 230V (white) AZ3541 165
Alix (black) AZ1357 GM4110-BK 162
Alix IP65 (black) AZ4056 356
Alix IP65 (grey) AZ4057 356
Alix IP65 (white) AZ4055 356
Alix (white) AZ1356 GM4110-WH 162
Ancona L (black) AZ2852 328
Ancona L (white) AZ2853 328
Ancona M (black) AZ2194 GW-8663M-BK 328
Ancona M (white) AZ2193 GW-8664M-WH 328
Ancona S (black) AZ2191 GW-8663S-BK 328
Ancona S (white) AZ2192 GW-8664S-WH 328
Ancona Wood M AZ2715 329
Ancona Wood S AZ2714 329
Angus (chrome) AZ2445 SN-6409-CH 335
Angus (white) AZ2446 SN-6408-WH 335
Apulia R (black) AZ4333 354
Apulia R (dark grey) AZ4335 354
Apulia R (white) AZ4334 354
Apulia S (black) AZ4336 354
Apulia S (dark grey) AZ4338 354
Apulia S (white) AZ4337 354
Arbax 1 (dark grey) AZ4341 376
Arbax 2 (dark grey) AZ4342 376
Archo 2A (chrome) AZ0326 AX6068-18W-CH 332
Archo 2B (chrome) AZ0327 AX6068-36W-CH 332
Archo 2C (chrome) AZ0328 AX6068-55W-CH 333
Archo A (aluminium) AZ0199 AX6068-18W-ALU 332
Archo C (aluminium) AZ0201 AX6068-55W-ALU 333
Arida (dark grey) AZ4347 377
Aro (black) AZ2558 GM4111-BK 92
Aro (chrome) AZ1360 GM4111-CH 92
Aro (white) AZ2559 GM4111-WH 92
Avon (black) AZ2196 GW-6100-BK 320
Avon (gold) AZ2197 GW-6100-GO 320
Avon (white) AZ2195 GW-6100-WH 320
B
Biagio (chrome) AZ1492 NC571-CH 223
Biagio (gold) AZ1493 NC571-GO 223
Bill 10W (black) AZ3376 123
Bill 10W (white) AZ3375 123
Blas (black) AZ3069 308
Bluetooth Gateway Smart AZ4856 55
Boombox Bucket RGBW + Remote Control (white) AZ4665 419
Boombox Medium RGBW + Remote Control (white) AZ4664 419
Boris (aluminium) AZ1053 GM4108-ALU 112
Boris (black) AZ1110 GM4108-BK 112
Boris (white) AZ1054 GM4108-WH 112
Boston 1 Round (black) AZ3471 255
Boston 1 Round (white) AZ3470 255
Boston Double (black) AZ3545 103
Boston Double (white) AZ3544 103
Boston Single (black) AZ3543 103
Boston Single (white) AZ3542 103
Brant 2 (black) AZ2821 102
Brant 2 (black/chrome) AZ2930 102
Brant 2 Square (black) AZ2827 104
Brant 2 Square IP44 (black) AZ2879 105
Brant 2 Square IP44 (white) AZ2823 105
Brant 2 Square (white) AZ2826 104
Brant 2 (white) AZ2820 102
Brant (black) AZ2819 102
Brant (black/chrome) AZ2929 102
Brant Square (black) AZ2825 104
Brant Square IP44 (black) AZ2878 105
Brant Square IP44 (white) AZ2822 105
Brant Square (white) AZ2824 104
Brant (white) AZ2818 102
Bross 1 (aluminium) AZ0780 GM4100-ALU 96
Bross 1 (black/aluminium) AZ0779 GM4100-BK 96
Bross 1 (black/black) AZ2135 GM4100-BK-BK 96
Bross 1 (black/gold) AZ2955 96
Bross 1 (bright grey) AZ1437 GM4100-BGR 96
Bross 1 (chrome) AZ0857 GM4100-CH 96
Bross 1 (white/aluminium) AZ0781 GM4100-WH-ALU 96

OLD&NEW CODES LIST

Bross 1 (white) . . . AZ0858. . . GM4100-WH . . . **96**
Bross 1 (white/black) . . . AZ1436. . . GM4100-WH-BK . . . **96**
Bross 2 (aluminium) . . . AZ0783. . . GM4200-ALU. . . **96**
Bross 2 (black/aluminium) . . . AZ0782. . . GM4200-BK-ALU. . . **96**
Bross 2 (black/black) . . . AZ2136. . . GM4200-BK-BK. . . **96**
Bross 2 (black/gold) . . . AZ2956. . . **96**
Bross 2 (bright grey) . . . AZ1787. . . GM4200-BGR . . . **96**
Bross 2 (chrome) . . . AZ0941. . . GM4200-CH . . . **96**
Bross 2 (white/aluminium) . . . AZ0784. . . GM4200-WH-ALU. . . **96**
Bross 2 (white) . . . AZ0859. . . GM4200-WH . . . **96**
Bross 2 (white/black) . . . AZ1753. . . GM4200-WH-BK. . . **96**
Bross Arm 2 (black). . . AZ3503. . . **98**
Bross Arm 2 (white) . . . AZ3502. . . **98**
Bross Arm (black) . . . AZ3499. . . **98**
Bross Arm Track (black) . . . AZ3501. . . **40**
Bross Arm Track (white) . . . AZ3500. . . **40**
Bross Arm (white). . . AZ3498. . . **98**
C Carlo (aluminium) . . . AZ0804 . . . **272**
Carlo (black) . . . AZ4141 . . . **272**
Carlo (white). . . AZ0805. . . **272**
Caro 2 Square (aluminium) . . . AZ2438. . . SN-6812S-ALU. . . **279**
Caro 2 Square (black) . . . AZ2437. . . SN-6812S-BK . . . **279**
Caro 2 Square (white). . . AZ2436. . . SN-6812S-WH . . . **279**
Caro 3 Square (aluminium) . . . AZ2441. . . SN-6813S-ALU . . . **279**
Caro 3 Square (black) . . . AZ2440. . . SN-6813S-BK . . . **279**
Caro 3 Square (white). . . AZ2439. . . SN-6813S-WH . . . **279**
Caro 4 Square (aluminium) . . . AZ2444. . . SN-6814S-ALU . . . **279**
Caro 4 Square (black) . . . AZ2443. . . SN-6814S-BK . . . **279**
Caro 4 Square (white). . . AZ2442. . . SN-6814S-WH . . . **279**
Caro Round (aluminium). . . AZ2432. . . SN-6810R-ALU. . . **278**
Caro Round (black). . . AZ2431. . . SN-6810R-BK. . . **278**
Caro Round (white) . . . AZ2430. . . SN-6810R-WH . . . **278**
Caro Square (aluminium) . . . AZ2435. . . SN-6811S-ALU . . . **279**
Caro Square (black) . . . AZ2434. . . SN-6811S-BK . . . **279**
Caro Square (white) . . . AZ2433. . . SN-6811S-WH . . . **279**
Casola (black) . . . AZ4355. . . **374**
Casola (dark grey). . . AZ4356. . . **374**
Casoria Round (black). . . AZ4366. . . **392**
Casoria Round (dark grey) . . . AZ4365. . . **392**
Casoria Slim (dark grey) . . . AZ4368. . . **392**
Casoria Square (dark grey) . . . AZ4367. . . **392**
Casper Round 3000K (black). . . AZ4490. . . **353**
Casper Round 3000K (dark grey). . . AZ4492. . . **353**
Casper Round 3000K (white). . . AZ4494. . . **353**
Casper Round 4000K (black). . . AZ4491. . . **353**
Casper Round 4000K (dark grey). . . AZ4493. . . **353**
Casper Round 4000K (white) . . . AZ4495. . . **353**
Casper Square 3000K (black) . . . AZ4496. . . **352**
Casper Square 3000K (dark grey) . . . AZ4498. . . **352**
Casper Square 3000K (white) . . . AZ4500. . . **352**
Casper Square 4000K (black) . . . AZ4497. . . **352**
Casper Square 4000K (dark grey) . . . AZ4499. . . **352**
Casper Square 4000K (white) . . . AZ4501. . . **352**
Ceiling plate + wire (black) . . . AZ4743. . . **5**
Ceiling Plate + Wire (black). . . AZ4780. . . **53**
Ceiling plate + wire (white) . . . AZ4742. . . **5**
Ceiling Plate + Wire (white). . . AZ4782. . . **53**
Ceiling Plate 3-Line + Wire (black) . . . AZ480. . . **16**
Ceiling Plate 3-Line + Wire (white) . . . AZ4782. . . **16**
Cesar (chrome). . . AZ1152. . . GM2113-CH. . . **268**
Civita (dark grey) . . . AZ4361. . . **384**
Civita Sensor (dark grey). . . AZ4360. . . **384**
Cleto (chrome) . . . AZ1621. . . NC2004R-B-CH. . . **217**
Cleto (gold). . . AZ1622. . . NC2004R-B-GO. . . **217**
Cloe (chrome). . . AZ1466. . . NC1738-M-CH. . . **213**
Clover Oval (black) . . . AZ2997. . . - . . . **321**
Clover Oval (white). . . AZ2998. . . - . . . **321**
Clover Square (black) . . . AZ2198. . . GW-6809-BK . . . **321**
Clover Square (white). . . AZ2199. . . GW-6809-WH . . . **321**
Collodi 48 CCT (beige) . . . AZ2716. . . **194**
Collodi 48 CCT (grey). . . AZ2717. . . **194**
Cortona 41 3000K (black) . . . AZ2737. . . **198**
Cortona 41 3000K (grey). . . AZ2735. . . **198**
Cortona 41 3000K (white). . . AZ2732. . . **198**
Cortona 41 4000K (black) . . . AZ2736. . . **198**
Cortona 41 4000K (grey). . . AZ2733. . . **198**
Cortona 41 4000K (white). . . AZ2730. . . **198**
Cortona 55 3000K (black) . . . AZ2745. . . **198**
Cortona 55 3000K (grey). . . AZ2743. . . **198**
Cortona 55 3000K (white). . . AZ2741. . . **198**
Cortona 55 4000K (black) . . . AZ2744. . . **198**
Cortona 55 4000K (grey) . . . AZ2742. . . **198**
Cortona 55 4000K (white). . . AZ2739. . . **198**
Cosel (black) . . . AZ4353. . . **375**
Cosel (dark grey). . . AZ4354. . . **375**
Costa 3000K (black) . . . AZ2857. . . **100**
Costa 4000K (black) . . . AZ4553. . . **100**
Costa 4000K (white) . . . AZ4554. . . **100**
Costa Arm (black/black) . . . AZ2702. . . **101**
Costa Arm Track (black/black) . . . AZ3486. . . **30**
Costa Arm Track (white/white). . . AZ3487. . . **30**
Costa Arm (white/white) . . . AZ2703. . . **101**
Costa Spot (black/black). . . AZ2706. . . **100**
Costa Spot (black/black). . . AZ2706. . . **256**
Costa Spot (white/white) . . . AZ2705. . . **100**
Costa Spot (white/white) . . . AZ2705. . . **256**
Costa Track 3 Line 12W 3000K (black) . . . AZ4549. . . **31**
Costa Track 3 Line 12W 3000K (white) . . . AZ4550. . . **31**
Costa Track 3 Line 12W 4000K (black) . . . AZ4551 . . . **31**
Costa Track 3 Line 12W 4000K (white) . . . AZ4552. . . **31**
Costa (white) . . . AZ2856. . . **100**
Cremona M (black) . . . AZ 4340 . . . **381**
Cremona M (dark grey). . . AZ2182. . . **381**
Cremona M (white). . . AZ2181. . . **381**
Cremona S (black). . . AZ 4339 . . . **381**
Cremona S (dark grey) . . . AZ2180. . . **381**
Cremona S (white) . . . AZ2179. . . **381**
D Dario (aluminium) . . . AZ1055. . . GM4109-ALU . . . **113**
Dario (black) . . . AZ1111. . . GM4109-BK . . . **113**
Dario (white). . . AZ1056. . . GM4109-WH . . . **113**
Diado (chrome). . . AZ1453. . . LC1329-CH. . . **142**
Diado (white) . . . AZ1454. . . LC1329-WH . . . **142**
E E14 12W . . . AZ3055. . . **427**
E14 12W . . . AZ3056. . . **428**

E14 AZZARDO LAMPA LED E14 5W BALL WH. AZ4017 427
E14 AZZARDO LAMPA LED E14 5W BALL WH. AZ4018 427
E14 AZZARDO LAMPA LED E14 5W CANDLE WH . . AZ4016 427
E27 8W LL127081. . . . . AZ1638. 426
E27 10W LL127101. . . . . AZ1639. 426
E27 12W LL127121 . . . . . AZ1640. 427
E27 15W LL127151. . . . . AZ1081. 427
E27 AZZARDO LAMPA LED E27 8,5W BALL WH. . . . AZ4020. 426
E27 AZZARDO LAMPA LED E27 8W BALL AM. AZ4021. 426
E27 AZZARDO LAMPA LED E27 8W BALL WH AZ4019 426
E27 AZZARDO LAMPA LED E27 8W BALL WH AZ4022. 426
Eco Alex v.2 (black) AZ4317. 167
Eco Alex v.2 (white). AZ4318. 167
Eco Alix New 230V (antique) AZ3496. 164
Eco Alix New 230V (black) AZ3493. 164
Eco Alix New 230V (black/chrome) AZ3494. 164
Eco Alix New 230V (chrome) AZ3495. 164
Eco Alix New 230V (white) AZ3492. 164
Eco Alix v2. (black) AZ4319. 166
Eco Alix v2. (white) AZ4320 166
Editta (aluminium). AZ0806. 273
Editta (black). AZ4144. 273
Editta (white) AZ0807. 273
Edvard (black). AZ4503. 414
Edvin (black) AZ4502. 414
Eiger IP54 (black) AZ4260. 93
Eiger IP54 (black/gold) AZ4261. 93
Eiger IP54 (white). AZ4259. 93
Eiger Track 3 Line GU10 (black) AZ4205. 20
Eiger Track 3 Line GU10 (black/gold) AZ4206. 20
Eiger Track 3 Line GU10 (white) AZ4204. 20
Electric 1-Line (black). AZ4749 5
Electric 1-Line (white). AZ4748. 5
Elegant bulb 3000K (chrome) . . . . . AZ2227. . . LL110076-CH. 233
Elegant bulb 4000K (chrome) . . . . . AZ2226. . . LL210076-CH. 233
Elin Track Magnetic 7W 3000K (black) . . . AZ4630. 72
Elin Track Magnetic 7W 3000K (gold) AZ4632. 72
Elin Track Magnetic 7W 4000K (black) . . . AZ4631. 72
Eloy 1 (aluminium) . . . . . AZ0991. . . GM4106-ALU 106
Eloy 1 (black/aluminium). . . . . AZ0930. . . GM4106-BK-ALU . . . 106
Eloy 1 (black/black). . . . . AZ2137. . . GM4106-BK-BK 106
Eloy 1 (chrome). . . . . AZ0873. . . GM4106-CH. 106
Eloy 1 (white/aluminium) . . . . . AZ0872. . . GM4106-WH-ALU . . 106
Eloy 1 (white) . . . . . AZ0929. . . GM4106-WH 106
Eloy 1 (white/black) . . . . . AZ1439. . . GM4106-WH-BK . . . 106
Eloy 2 (aluminium) . . . . . AZ1352. . . GM4204-ALU. 106
Eloy 2 (black/aluminium). . . . . AZ1355. . . GM4204-BK-ALU. . . 106
Eloy 2 (black/black). . . . . AZ2138. . . GM4204-BK-BK. . . . 106
Eloy 2 (white/aluminium) . . . . . AZ1354. . . GM4204-WH-ALU. . 106
Eloy 2 (white) . . . . . AZ1353. . . GM4204-WH 106
Elsa Track Magnetic 7W 3000K (black) . . . AZ4633. 73
Elsa Track Magnetic 7W 3000K (gold). . . . AZ4635. 73
Elsa Track Magnetic 7W 4000K (black) . . . AZ4634. 73
Emilio (aluminium) . . . . . AZ0810. . . GM2104-ALU 264
Emilio (black) . . . . . AZ0809. . . GM2104-BK 264
Emilio (chrome). . . . . AZ0808 . . GM2104-CH. 264
Emilio (white) . . . . . AZ0871. . . GM2104-WH 264
End Cap 1-Line (black) AZ4745. 4
End Cap 1-Line (white) AZ4744. 4
End Cap 3-Line (black) AZ4288. 17
End Cap 3-Line (white). AZ4287. 17
End Power 1-Line (black) AZ4743. 3
End Power 1-Line (white) AZ4742. 3
End Power Gips Left 3-Line (black). AZ4284. 15
End Power Gips Left 3-Line (white) AZ4283. 15
End Power Gips Right 3-Line (black). AZ4116. 15
End Power Gips Right 3-Line (white) AZ4117. 15
End Power Left 3-Line (black). AZ4284. 14
End Power Left 3-Line (white) AZ4283. 14
End Power Right 3-Line (black). AZ4116. 14
End Power Right 3-Line (white) AZ4117. 14
Enok Round Wall 3000K (dark grey) AZ4460. 391
Enok Square Wall 3000K (black) AZ4461. 391
Enok Square Wall 4000K (black) AZ4462. 391
Erebus Angle (black). AZ3395. 134
Erebus Angle (white). AZ3394. 134
Erebus Base (alu) AZ3389. 134
Erebus Pendant (black). AZ3393. 134
Erebus Pendant (white) AZ3392. 134
Erebus Track (black) AZ3391. 38
Erebus Track (white). AZ3390. 38
Erebus Tube 14 (black) AZ3384. 38
Erebus Tube 14 (gold). AZ3385. 38
Erebus Tube 14 (white). AZ3383. 38
Erebus Tube 21 (black) AZ3387. 38
Erebus Tube 21 (gold). AZ3388. 38
Erebus Tube 21 (white). AZ3386. 38
Erika (chrome) AZ2777. 289
Erika (gold) AZ2776. 289
ES111 15W BLACK LL110151 DIMMABLE – 3000K . AZ1499 429
ES111 15W BLACK LL210151 DIMMABLE – 4000K . AZ1876 429
ES111 15W White LL110152 DIMMABLE – 3000K . . AZ1500. 429
ES111 15W White LL210152 DIMMABLE – 4000K . . AZ1877. 429
ES111 NEW chrome 12W 230V LL110121 no DIMM – 3000K AZ2362. 431
ES111 NEW chrome 12W 230V LL110122 DIMMABLE – 3000K AZ2364 431
ES111 NEW chrome 12W 230V LL210121 no DIMM – 4000K AZ2363. 431
ES111 NEW chrome 12W 230V LL210122 DIMMABLE – 4000K AZ2365. 431
ES111 NEW chrome 15W 230V LL110154 DIMMABLE. . AZ1785 430
Ester Round 1 (black) AZ4175. 226
Ester Round 1 (chrome) AZ1449. 226
Ester Round 1 (gold). AZ1450. 226
Ester Round 2 (black) AZ4176. 226
Ester Round 2 (chrome) AZ1451. 226
Ester Round 2 (gold). AZ2467. 226
Ester square 1 (black) AZ4411. 228
Ester square 1 (black) AZ4411. 228
Ester square 1 (chrome) AZ4410. 228
Ester square 1 (chrome) AZ4410. 228
Ester square 1 (gold). AZ4412. 228
Ester square 1 (gold). AZ4412. 228
Ester square 2 (black) AZ4414. 228
Ester square 2 (black) AZ4414. 228
Ester square 2 (chrome) AZ4413. 228
Ester square 2 (chrome) AZ4413. 228

OLD&NEW CODES LIST

Ester square 2 (gold)	AZ4415		228
Ester square 2 (gold)	AZ4415		228
Eva Round (chrome)	AZ1458	NC1519R-CH	214
Eva Round (gold)	AZ1459	NC1519R-GO	214
Eva Square (chrome)	AZ1460	NC1519SQ-CH	214
EXO 1 (black)	AZ3193		136
EXO 1 (white)	AZ3194		136
EXO 2 (black)	AZ3195		136
EXO 2 (white)	AZ3196		136
EXO 3 (black)	AZ3197		137
EXO 3 (white)	AZ3198		137
EXO TRACK (black)	AZ3199		41
EXO TRACK (black)	AZ4660		6
EXO TRACK (white)	AZ3200		41
EXO TRACK (white)	AZ4661		6
Ezio (aluminium)	AZ0811	GM2105-ALU	265
Ezio (black)	AZ0812	GM2105-BK	265
Ezio (chrome)	AZ1051	GM2105-CH	265
Ezio (white)	AZ0813	GM2105-WH	265
F Falco 12 3000K (black)	AZ2782		190
Falco 12 3000K (white)	AZ2780		190
Falco 12 4000K (black)	AZ2783		190
Falco 12 4000K (white)	AZ2781		190
Fano R 30 Smart LED RGB (black)	AZ4783		349
Fano R 30 Smart LED RGB (dark grey)	AZ4784		349
Fano R 30 Smart LED RGB (white)	AZ4785		349
Fano R (black)	AZ4371		350
Fano R (dark grey)	AZ2187	MAX-1316R-DGR	351
Fano R (dark grey)	AZ4369		350
Fano R (white)	AZ4373		350
Fano S 30 SMART LED RGB (black)	AZ4786		349
Fano S 30 SMART LED RGB (dark grey)	AZ4787		349
Fano S 30 SMART LED RGB (white)	AZ4788		349
Fano Square (black)	AZ4372		350
Fano Square (dark grey)	AZ2186	MAX-1316S-DGR	351
Fano Square (dark grey)	AZ4370		350
Fano Square (white)	AZ4374		350
Faro (black)	AZ3204		339
Faro (chrome)	AZ2424	SN-6326-CH	339
Faro (satin nickel)	AZ2552	SN-6409-SN	339
Felix L (white)	AZ2427	SN-1036L-WH	311
Felix M (white)	AZ2426	SN-1036M-WH	311
Felix S (gold)	AZ2425	SN-1036S-GO	311
Felix S (white)	AZ2456	SN-1036S-WH	311
Fill R 5W 3000K (black)	AZ3381		248
Fill R 5W 4000K (black)	AZ3382		248
Fill Square 5W 3000K (black)	AZ3379		249
Fill Square 5W 3000K (white)	AZ3377		249
Fill Square 5W 4000K (black)	AZ3380		249
Fill Square 5W 4000K (white)	AZ3378		249
Flavio 2 (white/black)	AZ0792	GM4202-WH-BK	138
Flavio (white/black)	AZ0791	GM4102-WH-BK	138
Flexible Connector 3-Line (black)	AZ4282		17
Flexible Connector 3-Line (white)	AZ4281		17
Floki 3000K (black)	AZ4468		415
Floki 4000K (black)	AZ4467		415
Frame 70 (black)	AZ4305		411
Frame 70 (bright grey)	AZ2131	A-700-BGR	411
Frame 70 (dark grey)	AZ2130	A-700-DGR	411
Frame spike (black)	AZ4307		411
Frame spike (bright grey)	AZ2129	A-414-BGR	411
Frame spike (dark grey)	AZ2128	A-414-DGR	411
Frame wall (black)	AZ4308		411
Frame wall (bright grey)	AZ2133	A-415-BGR	411
Frame wall (dark grey)	AZ2132	A-415-DGR	411
Frida 7W 3000K (black)	AZ4523		252
Frida 7W 3000K (white)	AZ4525		252
Frida 7W 4000K (black)	AZ4524		252
Frida 7W 4000K (white)	AZ4526		252
Frida 12W 3000K (black)	AZ4527		252
Frida 12W 3000K (white)	AZ4529		252
Frida 12W 4000K (black)	AZ4528		252
Frida 12W 4000K (white)	AZ4530		252
G G4 1,6W LL10416 no DIMM – 3000K	AZ2324		433
G9 2,5W LL109251	AZ1377		432
G9 2W LL109021	AZ1376		431
G9 3,5W	AZ3051		432
G9 3,5W	AZ3052		432
G9 4W LL109041	AZ1097		432
G9 6W LL109061	AZ1378		432
G9 8W LL109081	AZ1891		432
Gagarin (dark grey)	AZ4352		388
Galata R IP44 3000K (black)	AZ4379		238
Galata R IP44 3000K (white)	AZ4380		238
Galata R IP44 4000K (black)	AZ4381		238
Galata R IP44 4000K (white)	AZ4382		238
Galena (white)	AZ1457	LC1486-11W-W-WH	140
Galileo 1 pendant 3000K (black)	AZ4069		204
Galileo 1 pendant 3000K (white)	AZ4068		204
Galileo Track 3 Line 15W (black)	AZ4067		27
Galileo Track 3 Line 15W (white)	AZ4066		27
Gambino 1 3000K (black)	AZ4148		378
Gambino 1 3000K (bright grey)	AZ0958		378
Gambino 1 3000K (dark grey)	AZ0957		378
Gambino 1 3000K (white)	AZ0950		378
Gambino 1 4000K (black)	AZ4470		378
Gambino 1 4000K (dark grey)	AZ4471		378
Gambino 1 4000K (white)	AZ4472		378
Gambino 1 (bright grey)	AZ0958	LC8005-BGR	314
Gambino 1 (dark grey)	AZ0957	LC8005-DGR	314
Gambino 1 (white)	AZ0950	LC8005-WH	314
Gambino 2 4000K (white)	AZ1882		378
Gambino 2 (white)	AZ1882	LC8005-2-WH	315
Gelo (white frost)	AZ3539		287
Ginna 3 (black)	AZ3484		385
Ginna 3 (dark grey)	AZ4194		385
Ginna 3 (gold)	AZ3485		385
Ginna 3 (white)	AZ4195		385
Ginno 1 (aluminium)	AZ0764	GM1100-ALU	334
Ginno 1 (white/aluminium)	AZ0761	GM1100-WH-ALU	334
Ginno 2 (aluminium)	AZ0765	GM1200-ALU	334
Ginno 2 (white/aluminium)	AZ0762	GM1200-WH-ALU	334
Ginno 3 (aluminium)	AZ0766	GM1300-ALU	334
Ginno 3 (white/aluminium)	AZ0763	GM1300-WH-ALU	334

Goran Sensor (black) AZ4695 369
Goran Sensor (dark grey) AZ4696 369
Goran Sensor (white) AZ4697 369
GU10 4W LL110042 . . . . . AZ2502 428
GU10 7W CHROME ELEGANT LED LL110076 3000K . . AZ2227 428
GU10 7W CHROME ELEGANT LED LL210076 . . . . . AZ2226 429
GU10 7W LL210071 RA>90 DIMMABLE 4000K AZ2165 428
GU10 AZZARDO LAMPA LED GU10 7W AZ4023 428
GU10 AZZARDO LAMPA LED GU10 7W AZ4024 428
Gulia Track (black) AZ4710 23
Gulia Track (gold) AZ4711 23
Gulia Track (white) AZ4709 23
H Havana (black) AZ4662 416
Havana (white) AZ4663 416
Hera Gips Round M (white) AZ3465 299
Hera Gips Round S (white) AZ3464 299
Hera Gips Square M (white) AZ3467 298
Hera Gips Square S (white) AZ3466 298
Hugo 1 downlight (aluminium) . . . . . AZ1733 . . . GM2118S-ALU 270
Hugo 1 downlight (black) . . . . . AZ1736 . . . GM2118S-BK 270
Hugo 1 downlight (chrome) . . . . . AZ1734 . . . GM2118S-CH 270
Hugo 1 downlight (white) . . . . . AZ1735 . . . GM2118S-WH 270
Hugo 2 downlight (aluminium) . . . . . AZ1737 . . . GM2203-ALU 271
Hugo 2 downlight (black) . . . . . AZ1740 . . . GM2203-BK 271
Hugo 2 downlight (chrome) . . . . . AZ1738 . . . GM2203-CH 271
Hugo 2 downlight (white) . . . . . AZ1739 . . . GM2203-WH 271
Hugo (aluminium) . . . . . AZ0828 . . . GM4104-ALU 108
Hugo (black) . . . . . AZ0826 . . . GM4104-BK 108
Hugo R (aluminium) . . . . . AZ0829 . . . GM4104-ALU 108
Hugo R (black) . . . . . AZ0832 . . . GM4104-BK 108
Hugo R (champagne) . . . . . AZ0833 . . . GM4104-CM 108
Hugo R (chrome) . . . . . AZ0856 . . . GM4104-CH 108
Hugo R (gold) . . . . . AZ0831 . . . GM4104-GO 108
Hugo R (white) . . . . . AZ0830 . . . GM4104-WH 108
Hugo (white) . . . . . AZ0827 . . . GM4104-WH 108
I Ibiza (black/black) AZ3532 280
Ibiza (black/gold) AZ2804 280
Ibiza (white/black) . . . . . AZ1361 . . . GM2114-WH-BK . . . 280
Ibiza (white/white) AZ2803 280
Ika round IP65 (black) AZ3017 267
Ika round IP65 (black) AZ3017 361
Ika round IP65 (dark grey) AZ4232 267
Ika round IP65 (dark grey) AZ4232 361
Ika round IP65 (white) AZ2865 267
Ika round IP65 (white) AZ2865 361
Ika square IP65 (black) AZ4230 267
Ika square IP65 (black) AZ4230 361
Ika square IP65 (dark grey) AZ4231 267
Ika square IP65 (dark grey) AZ4231 361
Ika square IP65 (white) AZ2864 267
Ika square IP65 (white) AZ2864 361
Itaka (black) AZ4074 285
Itaka (white) AZ4073 285
Ivo 2 Square (chrome) . . . . . AZ1789 . . . GM22002S-CH 275
Ivo 2 Square (white) . . . . . AZ1826 . . . GM2202S-WH 275
Ivo (aluminium) . . . . . AZ0758 . . . GM2100-ALU 274
Ivo (black) . . . . . AZ1716 . . . GM2100-BK 274
Ivo (chrome) . . . . . AZ1717 . . . GM2100-CH 274
Ivo Square (chrome) . . . . . AZ1788 . . . GM21001S-CH 275
Ivo Square (white) . . . . . AZ1825 . . . GM21001S-WH 275
Ivo (white) . . . . . AZ0759 . . . GM2100-WH 274
J Jake Wall 2 (black) AZ4269 367
Jake Wall 2 (dark grey) AZ3321 367
Jake Wall 2 (white) AZ3322 367
Jane track (black) . . . . . AZ2457 . . . GM3116-BK 33
Jane track (white) . . . . . AZ2460 . . . GM3116-WH 33
Jerry 1 12V (black) . . . . . AZ1365 . . . GM4113-12V-BK . . . 168
Jerry 1 12V (chrome) . . . . . AZ1752 . . . GM4113-12V-CH . . . 168
Jerry 1 12V (white) . . . . . AZ1364 . . . GM4113-12V-WH . . 168
Jerry 1 230V (black) . . . . . AZ1367 . . . GM4113-BK 169
Jerry 1 230v (white) . . . . . AZ1366 . . . GM4113-WH 169
Jerry 2 12V (black) . . . . . AZ1368 . . . GM4205-12V-BK . . . 168
Jerry 2 12V (chrome) . . . . . AZ1751 . . . GM4205-12V-CH . . . 168
Jerry 2 12V (white) . . . . . AZ1369 . . . GM4205-12V-WH . . 168
Jerry 2 230V (black) . . . . . AZ1370 . . . GM4205-BK 169
Jerry 2 230V (white) . . . . . AZ1371 . . . GM4205-WH 169
Jerry 3 12V (black) . . . . . AZ1724 . . . GM4302-12V-BK . . . 168
Jerry 3 12V (chrome) . . . . . AZ1750 . . . GM4302-12V-CH . . . 168
Jerry 3 12V (white) . . . . . AZ1723 . . . GM4302-12V-WH . . 168
Jerry 3 230V (black) . . . . . AZ1886 . . . GM4302-BK 169
Jerry 3 230V (white) . . . . . AZ1885 . . . GM4302-WH 169
Jerry Track 1 Line (black) AZ4666 9
Jerry Track 1 Line (white) AZ4667 9
Jerry track (black) . . . . . AZ2458 . . . GM4114-BK 32
Jerry track (white) . . . . . AZ2459 . . . GM4114-WH 32
Joe Square (black) AZ4270 359
Joe Square (dark grey) AZ3323 359
Joe Square (white) AZ3324 359
Joe Tube (black) AZ3314 358
Joe Tube (bright grey) AZ3316 358
Joe Tube (dark grey) AZ3313 358
Joe Tube (white) AZ3315 358
Joe Wall 1 (black) AZ3318 358
Joe Wall 1 (dark grey) AZ3317 358
Joe Wall 1 (white) AZ4315 358
Joe Wall 2 (black) AZ3320 359
Joe Wall 2 (dark grey) AZ3319 359
Joe Wall 2 (white) AZ4316 359
Junona 28 3000K (chrome) AZ2747 192
Junona 28 4000K (chrome) AZ2746 192
Junona 33 3000K (chrome) AZ2749 192
Junona 33 4000K (chrome) AZ2748 192
Junona 38 3000K (chrome) AZ2751 192
Junona 38 4000K (chrome) AZ2750 192
J Kastoria IP44 (black) AZ4389 239
Kastoria IP44 (chrome) AZ4391 239
Kastoria IP44 (gold) AZ4390 239
Kerry Track Magnetic 5W CCT Smart (sand black) AZ4852 60
Kerry Track Magnetic 15W CCT Smart (sand black) . . . AZ4854 60
Kira Track Magnetic 12W Points50 (black) AZ4901 61
Kira Track Magnetic 12W Points60 3000K (black) AZ4596 67
Kira Track Magnetic 12W Points60 3000K (white) AZ4596 67
Kira Track Magnetic 12W Points60 4000K (black) AZ4596 67
Kira Track Magnetic 12W Points60 4000K (white) AZ4596 67

OLD&NEW CODES LIST

Kira Track Magnetic 20W Points50 (black) AZ4902 61
Kira Track Magnetic 24W Points60 3000K (black) AZ4599 67
Kira Track Magnetic 24W Points60 3000K (white) AZ4600 67
Kira Track Magnetic 24W Points60 4000K (black) AZ4601 67
Kira Track Magnetic 24W Points60 4000K (white) AZ4602 67
Kira Track Magnetic 30W Points50 (black) AZ4903 61
Kirke Track 1 Line 10W CCT (black) AZ4656 26
Kirke Track 1 Line 10W CCT (white) AZ4657 26
Kirke Track 3 Line 10W CCT (black) AZ4658 26
Kirke Track 3 Line 10W CCT (white) AZ4659 26
L Lambda (black) AZ3346 309
Lambda (white) AZ3345 309
Lamir R 9 IP44 3000K (white) AZ4384 240
Lamir R 9 IP44 4000K (white) AZ4383 240
Lamir R 12 IP44 3000K (white) AZ4385 240
Lamir R 12 IP44 4000K (white) AZ4386 240
Lamir R 17 IP44 3000K (white) AZ4387 241
Lamir R 17 IP44 4000K (white) AZ4392 241
Lamir S 17 IP44 3000K DIMM+Rem.Contr.(white) AZ4388 241
Lamir S 17 IP44 4000K DIMM+Rem.Contr.(white) AZ4393 241
Lars Round 3000K (black) AZ4504 382
Lars Round 4000K (black) AZ4505 382
Lars Square 3000K (black) AZ4504 382
Lars Square 4000K (black) AZ4505 382
Latona (black) . . . . . AZ2204 . . GW-681-BK 323
Latona (white) . . . . . AZ2205 . . . GW-681-WH 323
L Connector 1-Line (black) AZ4739 4
L Connector 1-Line (white) AZ4738 4
L Connector Gips only Right (black) AZ4298 15
L Connector Gips only Right (white) AZ4297 15
L Connector Left (black) AZ2985 14
L Connector Left (white) AZ2986 14
L Connector Right (black) AZ2983 14
L Connector Right (white) AZ2984 14
LED Grill Lamp Concealed 600mm AZ1189 423
LED Grill Lamp Concealed 1200mm AZ1191 423
LED Grill Lamp Surface 1200mm AZ1190 423
LED HERMETIC LAMP Surface 1200mm . AZ1192 423
LED TUBE 600mm 4300K AZ1153 422
LED TUBE 600mm 6400K AZ1154 422
LED TUBE 1200mm 4300K AZ1155 422
LED TUBE 1200mm 6400K AZ1156 422
LED TUBE 1500mm 4300K AZ1157 422
LED TUBE 1500mm 6400K AZ1158 422
Lens 2 Square (black/black) AZ3520 127
Lens 2 Square (black/gold) AZ3521 127
Lens 2 Square (white/white) AZ3519 127
Lens Round (black/black) AZ3517 125
Lens Round (black/gold) AZ3518 125
Lens Round (white/white) AZ3516 125
Lens Square (black/black) AZ3514 126
Lens Square (black/gold) AZ3515 126
Lens Square (white/white) AZ3513 126
Lens Track (black/black) AZ3511 42
Lens Track (black/gold) AZ3512 42
Lens Track (white/white) AZ3510 42
Leon 5 (black) AZ3489 141
Leon 5 Track (black) AZ3491 45
Leon 5 Track (white) AZ3490 45
Leon 5 (white) AZ3488 141
Leticia 2 (aluminium) . . . . . AZ1059 . . . GM1112-ALU 317
Leticia 2 (black) AZ2933 317
Leticia 2 (black/gold) AZ2815 317
Leticia 2 LED (black) AZ4469 379
Leticia 2 LED (dark grey) AZ2189 379
Leticia 2 LED (dark grey) . . . . . AZ2189 . . . GW-A310-DGR 318
Leticia 2 LED (white) AZ2190 379
Leticia 2 LED (white) . . . . . AZ2190 . . . GW-A310-WH 318
Leticia 2 (white) . . . . . AZ1058 . . . GM1112-WH 317
Leticia (anodised gold) . . . . . AZ0952 . . . GM1111-AGO 316
Leticia (black) AZ2932 316
Leticia (black/gold) AZ2814 316
Leticia (white) . . . . . AZ0951 . . . GM1111-WH 316
Lina (black) AZ2708 257
Linda 23 3000K (chrome) . . . . . AZ2246 . . . SH723000-18-CH . . 246
Linda 23 3000K (white) . . . . . AZ2244 . . . SH713000-18-WH . . 246
Linda 30 3000K (chrome) . . . . . AZ2250 . . . SH743000-24-CH . . 246
Linda 30 4000K (chrome) . . . . . AZ2251 . . . SH744000-24-CH . . 246
Linnea 29 Track 3 Line 12W CCT (black) . . AZ4563 36
Linnea 29 Track 3 Line 12W CCT (white) . . AZ4564 36
Linnea 57 Track 3 Line 12W CCT (black) . . AZ4565 36
Linnea 57 Track 3 Line 12W CCT (white) . . AZ4566 36
Linnea 86 Track 3 Line 12W CCT (black) . . AZ4567 36
Linnea 86 Track 3 Line 12W CCT (white) . . AZ4568 36
Linnea 112 Pendant (black) AZ4569 206
Linnea 112 Pendant (white) AZ4570 206
Linnea 140 Pendant (black) AZ4571 206
Linnea 140 Pendant (white) AZ4572 206
Lino (black) . . . . . AZ1477 . . . NC1802-YLD-BK . . . 132
Lino (chrome) . . . . . AZ1478 . . . NC1802-YLD-CH . . . 132
Lino (white) . . . . . AZ1479 . . . NC1802-YLD-WH . . . 132
Linz 3000K (acryl) AZ2774 260
Linz 4000K (acryl) AZ2775 260
Livio 2 (black) . . . . . AZ0776 . . . GM1101-2-BK 387
Livio 2 (bright grey) . . . . . AZ0888 . . . GM1101-2-BGR 387
Livio 2 (dark grey) . . . . . AZ1312 . . . GM1101-2-DGR 387
Lolo Track 1 Line GU10 (black) AZ4654 7
Lolo Track 1 Line GU10 (white) AZ4655 7
Lolo Track 3 Line GU10 (black) AZ4577 22
Lolo Track 3 Line GU10 (white) AZ4578 22
Lorenza (black) AZ4174 224
Lorenza (chrome) AZ1475 224
Lorenza (white) AZ1476 224
Lorenzo (black) AZ4173 225
Lorenzo (chrome) AZ1617 225
Lorenzo (white) AZ1496 225
Luciano Round (chrome) . . . . . AZ1470 . . . NC1760R-CH 222
Luciano Round (white) . . . . . AZ1549 . . . NC1760R-WH 222
Luciano Square (chrome) . . . . . AZ1471 . . . NC1760SQ-CH 222
Luciano Square (white) . . . . . AZ1472 . . . NC1760SQ-WH 222
Lumi (black) AZ4555 340
Lumi Flex (black) AZ4561 341
Lumi Flex Track 3 Line (black) AZ4559 28
Lumi Flex Track 3 Line (white) AZ4560 28

Lumi Flex (white) AZ4562 341
Lumi Track (black) AZ4557 28
Lumi Track (white) AZ4558 28
Lumi (white) AZ4556 340
Luna 7W Dim (black/black) AZ3397 259
Luna 7W Dim (white/black) AZ3396 259
Luna 15W Dim (black) AZ2829 258
Luna 15W Dim (white/black) AZ2828 258
M Makalu 1 (black) AZ4210 128
Makalu 1 (white) AZ4211 128
Makalu 2 (black) AZ4212 128
Makalu 2 (white) AZ4213 128
Makalu 3 (black) AZ4214 128
Makalu 3 (white) AZ4215 128
Makita Tr. Magn. 2x 7W CCT Smart (sand black) AZ4838 56
Makita Tr. Magn. 7W CCT Smart (sand black) AZ4836 56
Makita Tr. Magn. 20W CCT Smart (sand black) AZ4840 57
Makita Tr. Magn. 30W CCT Smart (sand black) AZ4842 57
Malta R 18 3000K (black) AZ4235 174
Malta R 18 3000K (white) AZ4233 174
Malta R 18 4000K (black) AZ4236 174
Malta R 18 4000K (white) AZ4234 174
Malta R 23 3000K (black) AZ4239 174
Malta R 23 3000K (white) AZ4237 174
Malta R 23 4000K (black) AZ4240 174
Malta R 23 4000K (white) AZ4238 174
Malta R 30 3000K (black) AZ4243 174
Malta R 30 3000K (white) AZ4241 174
Malta R 30 4000K (black) AZ4244 174
Malta R 30 4000K (white) AZ4242 174
Malta R 40 3000K (black) AZ4247 176
Malta R 40 3000K (white) AZ4245 176
Malta R 40 4000K (black) AZ4248 176
Malta R 40 4000K (white) AZ4246 176
Malta R 50 3000K (black) AZ4251 176
Malta R 50 3000K (white) AZ4249 176
Malta R 50 4000K (black) AZ4252 176
Malta R 50 4000K (white) AZ4250 176
Malta R 60 3000K (black) AZ4255 176
Malta R 60 3000K (white) AZ4253 176
Malta R 60 4000K (black) AZ4256 176
Malta R 60 4000K (white) AZ4254 176
Mane 20W (black) AZ4153 120
Mane 20W DIMM (black) AZ4325 120
Mane 20W DIMM (gold) AZ4326 120
Mane 20W DIMM (white) AZ4327 120
Mane 20W (gold) AZ4154 120
Mane 20W (white) AZ4152 120
Mane 30W (black) AZ4156 121
Mane 30W DIMM (black) AZ4328 121
Mane 30W DIMM (gold) AZ4329 121
Mane 30W DIMM (white) AZ4330 121
Mane 30W (gold) AZ4157 121
Mane 30W (white) AZ4155 121
Mane 3000K (black) AZ2844 119
Mane 3000K (gold) AZ2846 119
Mane 3000K (white) AZ2845 119
Mane 4000K (black) AZ4322 119
Mane 4000K (gold) AZ4323 119
Mane 4000K (white) AZ4324 119
Marika (antique brown) AZ2209 SH-009-ABR 232
Marika (rose gold) AZ2208 SH-008-RGO 232
Mars (aluminium) AZ0895 GM1109-ALU 312
Mars (black) AZ2931 312
Mars (black / gold) AZ1052 GM1109-BK-GO 312
Mars (white) AZ0896 GM1109-WH 312
Mars (white / gold) AZ1090 GM1109-WH-GO 312
Mateo M (white) AZ1456 LC1465-FW-WH 172
Mateo S (white) AZ1455 LC1464-FW-WH 172
Max 1 12V (white/black) AZ1372 GM4114-12V-WH-BK 170
Max 1 230V (white/black) AZ1373 GM4114-WH-BK 170
Max 2 12V (white/black) AZ1375 GM4206-12V-WH-BK 170
Maya Track Magnetic 3W (black) AZ4629 74
Megara Track 3 Line GU10 (black) AZ4443 21
Megara Track 3 Line GU10 (white) AZ4442 21
Mikkel BK (black) AZ4485 400
Mikkel Wall (black) AZ4484 400
Milet (black) AZ4076 284
Milet (white) AZ4075 284
Mini Bross (aluminium) AZ1756 GM4000-ALU 94
Mini Bross (black) AZ1710 GM4000-BK 94
Mini Bross (chrome) AZ1757 GM4000-CH 94
Mini Bross (white) AZ1711 GM4000-WH 94
Mini Eloy (aluminium) AZ1754 GM4006-ALU 95
Mini Eloy (black) AZ1712 GM4006-BK 95
Mini Eloy (chrome) AZ1755 GM4006-CH 95
Mini Eloy (white) AZ1713 GM4006-WH 95
Mini Round (black) AZ1781 GM4115-BK 114
Mini Round (chrome) AZ1707 GM4115-CH 114
Mini Round (white) AZ1706 GM4115-WH 114
Mini Simple Connection 3-Line (black) AZ2981 13
Mini Simple Connection 3-Line (white) AZ2982 13
Mini Square (black) AZ1382 GM4209-BK 115
Mini Square (white) AZ1381 GM4209-WH 115
Minorka (black/black) AZ4142 282
Minorka (black/gold) AZ2802 282
Minorka (white/black) AZ1362 GM2115-WH-BK 282
Minorka (white/white) AZ2801 282
Mira (chrome) AZ1619 NC1695-CH 212
Mira (gold) AZ1464 NC1695-GO 212
Momo 8 (black) AZ2279 SH2606-BK 173
Momo 8 (white) AZ2278 SH2606-WH 173
Momo 12 (black) AZ2281 SH2612-BK 173
Momo 12 (white) AZ2280 SH2612-WH 173
Momo 14 (black) AZ2283 SH2618-BK 173
Momo 14 (white) AZ2282 SH2618-WH 173
Mona 18W 3000K (black) AZ4545 147
Mona 18W 3000K (white) AZ4546 147
Mona Spot 12W 3000K (black) AZ4531 250
Mona Spot 12W 3000K (black) AZ4537 146
Mona Spot 12W 3000K (white) AZ4532 250
Mona Spot 12W 3000K (white) AZ4538 146
Mona Spot 12W 4000K (black) AZ4533 250
Mona Spot 12W 4000K (black) AZ4539 146

OLD&NEW CODES LIST

Introduction

Mona Spot 12W 4000K (white) AZ4534 250
Mona Spot 12W 4000K (white) AZ4540 146
Mona Spot 18W 3000K (black) AZ4535 251
Mona Spot 18W 3000K (white) AZ4536 251
Mona Track 12W 3000K (black) AZ4541 35
Mona Track 12W 3000K (white) AZ4542 35
Mona Track 12W 4000K (black) AZ4543 35
Mona Track 12W 4000K (white) AZ4544 35
Montana (white) AZ2859 319
Monza II R 17 3000K (black) AZ3790 180
Monza II R 17 3000K (white) AZ3791 180
Monza II R 17 4000K (black) AZ3792 180
Monza II R 17 4000K (white) AZ3793 180
Monza II R 30 3000K (black) AZ3794 180
Monza II R 30 3000K (white) AZ3795 180
Monza II R 30 4000K (black) AZ3796 180
Monza II R 40 3000K DIMM (black) AZ3798 180
Monza II R 40 3000K DIMM (white) AZ3799 180
Monza II R 40 4000K DIMM (black) AZ3800 180
Monza II R 40 4000K DIMM (white) AZ3801 180
Monza II R 50 3000K DIMM (black) AZ3674 180
Monza II R 50 3000K DIMM (white) AZ3675 180
Monza II R 50 4000K DIMM (black) AZ3676 180
Monza II R 50 4000K DIMM (white) AZ3677 180
Monza II R 60 3000K DIMM (black) AZ3678 181
Monza II R 60 3000K DIMM (white) AZ3679 181
Monza II R 60 4000K DIMM (black) AZ3680 181
Monza II R 60 4000K DIMM (white) AZ3681 181
Monza II S 17 3000K (black) AZ3682 184
Monza II S 17 3000K (white) AZ3683 184
Monza II S 17 4000K (black) AZ3684 184
Monza II S 17 4000K (white) AZ3685 184
Monza II S 30 3000K (black) AZ3686 184
Monza II S 30 3000K (white) AZ3687 184
Monza II S 30 4000K (black) AZ3688 184
Monza II S 30 4000K (white) AZ3689 184
Monza II S 40 3000K DIMM (black) AZ3690 184
Monza II S 40 3000K DIMM (white) AZ3691 184
Monza II S 40 4000K DIMM (black) AZ3692 184
Monza II S 40 4000K DIMM (white) AZ3693 184
Monza II S 50 3000K DIMM (black) AZ3694 185
Monza II S 50 3000K DIMM (white) AZ3695 185
Monza II S 50 4000K DIMM (black) AZ3697 185
Monza II S 50 4000K DIMM (white) AZ3698 185
Monza Pendant accesory (black) AZ3454 181
Monza Pendant accesory (black) AZ3454 187
Monza Pendant accesory (champaigne) . . . AZ4830 187
Monza Pendant accesory (white) AZ3453 181
Monza Pendant accesory (white) AZ3453 187
Monza R 8 3000K (black) . . . . . AZ2255 . . . SHR613000-5-BK . . 178
Monza R 8 3000K (white) . . . . . AZ2253 . . . SHR603000-5-WH . . 178
Monza R 8 4000K (black) . . . . . AZ2254 . . . SHR614000-5-BK . . 178
Monza R 8 4000K (white) . . . . . AZ2252 . . . SHR604000-5-WH . . 178
Monza R 12 3000K (black) . . . . . AZ2259 . . . SHR633000-10-BK . . 178
Monza R 12 3000K (white) . . . . . AZ2257 . . . SHR623000-10-WH 178
Monza R 12 4000K (black) . . . . . AZ2258 . . . SHR634000-10-BK . . 178
Monza R 12 4000K (white) . . . . . AZ2256 . . . SHR624000-10-WH 178
Monza R 22 3000K (black) . . . . . AZ2263 . . . SHR653000-20-BK . . 178
Monza R 22 3000K (white) . . . . . AZ2261 . . . SHR643000-20-WH 178
Monza R 22 4000K (black) . . . . . AZ2262 . . . SHR654000-20-BK . . 178
Monza R 22 4000K (white) . . . . . AZ2260 . . . SHR644000-20-WH 178
Monza R 22 CCT + Remote Control (black) AZ4758 186
Monza R 22 CCT + Remote Control (champaigne) AZ4756 186
Monza R 22 CCT + Remote Control (white) AZ4757 186
Monza R 30 CCT + Remote Control (black) AZ4761 186
Monza R 30 CCT + Remote Control (champaigne) AZ4759 186
Monza R 30 CCT + Remote Control (white) AZ4760 186
Monza R 40 3000K (black) . . . . . AZ2267 . . . SHR673000-50-BK . . 178
Monza R 40 3000K (white) . . . . . AZ2265 . . . SHR663000-50-WH 178
Monza R 40 4000K (black) . . . . . AZ2266 . . . SHR674000-50-BK . . 178
Monza R 40 4000K (white) . . . . . AZ2264 . . . SHR664000-50-WH 178
Monza R 40 CCT + Remote Control (black) AZ4764 186
Monza R 40 CCT + Remote Control (champaigne) AZ4762 186
Monza R 40 CCT + Remote Control (white) AZ4763 186
Monza R 50 CCT + Remote Control (black) AZ4767 186
Monza R 50 CCT + Remote Control (champaigne) AZ4765 186
Monza R 50 CCT + Remote Control (white) AZ4766 186
Monza R pendant 40 3000K (black) . . . . . AZ2277 . . . SHPEN3000-50-BK 179
Monza R pendant 40 3000K (white) . . . . . AZ2276 . . . SHPEN3000-50-WH 179
Monza R pendant 40 4000K (black) . . . . . AZ2496 . . . SHPEN4000-50-BK 179
Monza R pendant 40 4000K (white) . . . . . AZ2570 . . . SHPEN4000-50-WH 179
Monza S 22 CCT + Remote Control (black) AZ4770 188
Monza S 22 CCT + Remote Control (champaigne) AZ4768 188
Monza S 22 CCT + Remote Control (white) AZ4769 188
Monza S 30 CCT + Remote Control (black) AZ4773 188
Monza S 30 CCT + Remote Control (champaigne) AZ4771 188
Monza S 30 CCT + Remote Control (white) AZ4772 188
Monza S 40 CCT + Remote Control (black) AZ4776 188
Monza S 40 CCT + Remote Control (champaigne) AZ4774 188
Monza S 40 CCT + Remote Control (white) AZ4775 188
Monza Square 22 3000K (black) . . . . . AZ2271 . . . SHS553000-20-BK . . 182
Monza Square 22 3000K (white) . . . . . AZ2269 . . . SHS543000-20-WH 182
Monza Square 22 4000K (black) . . . . . AZ2270 . . . SHS554000-20-BK . . 182
Monza Square 22 4000K (white) . . . . . AZ2268 . . . SHS544000-20-WH 182
Monza Square 40 3000K (black) . . . . . AZ2275 . . . SHS573000-50-BK . . 182
Monza Square 40 3000K (white) . . . . . AZ2273 . . . SHS563000-50-WH 182
Monza Square 40 4000K (black) . . . . . AZ2274 . . . SHS574000-50-BK . . 182
Monza Square 40 4000K (white) . . . . . AZ2272 . . . SHS564000-50-WH 182
N Nano Round (black) AZ2785 118
Nano Round (white) AZ2784 118
Nano Square (black) AZ2787 118
Nano Square (white) AZ2786 118
Nemo (black) AZ3399 288
Nemo (chrome) AZ3400 288
Nemo (gold) AZ3401 288
Nemo (white) AZ3398 288
Neos 1 (black/aluminium) . . . . . AZ0607 . . . FH31431B-BK-ALU . . 116
Neos 1 (black/chrome) . . . . . AZ0708 . . . FH31431B-BK-CH . . 116
Neos 1 (white/aluminium) . . . . . AZ0606 . . . FH31431B-WH-ALU 116
Neos 1 (white/chrome) . . . . . AZ0707 . . . FH31431B-WH-CH . 116
Neos 3 (black/chrome) . . . . . AZ0742 . . . FH31433B-BK-CH . . 116
Nikea 1 ES111 (black) AZ4438 155
Nikea 1 ES111 (white) AZ4437 155
Nikea 1 ES111 (white/black) AZ4436 155

Nikea 1 GU10 (black) AZ4432 154
Nikea 1 GU10 (white) AZ4431 154
Nikea 1 GU10 (white/black) AZ4430 154
Nikea 2 ES111 (black) AZ4441 155
Nikea 2 ES111 (white) AZ4440 155
Nikea 2 ES111 (white/black) AZ4439 155
Nikea 2 GU10 (black) AZ4435 154
Nikea 2 GU10 (white) AZ4434 154
Nikea 2 GU10 (white/black) AZ4433 154
Nikki Track Magnetic 2 (black/black) AZ4592 68
Nikki Track Magnetic 2 (black/gold) AZ4594 68
Nikki Track Magnetic 2 (white/black) AZ4593 68
Nikki Track Magnetic (black/black) AZ4589 68
Nikki Track Magnetic (black/gold) AZ4591 68
Nikki Track Magnetic (white/black) AZ4590 68
Niklas 2 Wall BK (black) AZ4488 399
Niklas Wall (black) AZ4486 399
Niklas Wall Sensor (black) AZ4487 398
Niko Track 2 Magnetic 3000K (black/black) AZ4584 69
Niko Track 2 Magnetic 3000K (black/gold) AZ4588 69
Niko Track 2 Magnetic 3000K (white/black) . AZ4585 69
Niko Track 2 Magnetic 4000K (black/black) AZ4586 69
Niko Track 2 Magnetic 4000K (black/gold) AZ4587 69
Niko Track Magnetic 3000K (black/black) . AZ4579 69
Niko Track Magnetic 3000K (black/gold) . . AZ4583 69
Niko Track Magnetic 3000K (white/black) . AZ4580 69
Niko Track Magnetic 4000K (black/black) . AZ4581 69
Niko Track Magnetic 4000K (black/gold) . . AZ4582 69
Nils 500 (black) AZ4480 409
Nils 800 (black) AZ4481 409
Nino 1 (black/aluminium) . . . . . AZ1383 . . . FH31431S-BK-ALU . . 117
Nino 1 (black/chrome) . . . . . AZ0736 . . . FH31431S-BK-CH . . 117
Nino 1 (white/aluminium) . . . . . AZ0598 . . . FH31431S-WH-ALU 117
Nino 1 (white/chrome) . . . . . AZ0735 . . . FH31431S-WH-CH . 117
Nino 2 (black/aluminium) . . . . . AZ1385 . . . FH31432S-BK-ALU . 117
Nino 2 (white/aluminium) . . . . . AZ1386 . . . FH31432S-WH-ALU 117
Nino 2 (white/chrome) . . . . . AZ0737 . . . FH31432S-WH-CH . 117
Nino 4 (black/aluminium) . . . . . AZ1388 . . . FH31434S-BK-ALU . 117
Nino 4 (black/chrome) . . . . . AZ0852 . . . FH31434S-BK-CH . . 117
Nino 4 (white/aluminium) . . . . . AZ1387 . . . FH31434S-WH-ALU 117
Nino 4 (white/chrome) . . . . . AZ0851 . . . FH31434S-WH-CH . 117
Nogat (black) AZ2943 343
Nogat (white) AZ2944 343
Nova 2 (black/black) AZ2875 296
Nova 2 GIPS (black/black) AZ2935 297
Nova 2 GIPS (white/white) AZ2934 297
Nova 2 (white/black) AZ2877 296
Nova 2 (white/white) AZ2876 296
Nova (black/black) AZ2869 296
Nova GIPS (black/black) AZ2872 297
Nova GIPS (white/white) AZ2873 297
Nova (white/black) AZ2871 296
Nova (white/white) AZ2870 296
O Ojos 1 (black) AZ4197 150
Ojos 1 (white) AZ4196 150
Ojos 2 (black) AZ4199 150
Ojos 2 (white) AZ4198 150
Oka AC 3000K (acrylic) . . . . . AZ2234 . . . SHAC-3W3000-WH 247
Oka AC 4000K (acrylic) . . . . . AZ2235 . . . SHAC-3W4000-WH 247
Oka AL 3000K (black) AZ4171 247
Oka AL 3000K (white) . . . . . AZ2232 . . . SHAL-3W3000-WH 247
Oka AL 4000K (black) AZ4172 247
Oka AL 4000K (white) . . . . . AZ2233 . . . SHAL-3W4000-WH 247
Oscar IP44 (black) AZ2692 262
Oscar IP44 (chrome) . . . . . AZ1715 . . . GM2117-CH 262
Oscar IP44 (gold) AZ2800 262
Oscar IP44 (white) . . . . . AZ1714 . . . GM2117-WH 262
Osvald Wall (black) AZ4489 403
Ove Wall 3000K (dark grey) AZ4508 395
Ove Wall 4000K (dark grey) AZ4509 395
Oz (black) AZ3372 303
Oz (satin nikiel) AZ3374 303
Oz (white) AZ3373 303
P Pablo (aluminium) . . . . . AZ1015 . . . GM2107-ALU 266
Pablo (black) AZ4140 266
Pablo (white) . . . . . AZ0817 . . . GM2107-WH 266
Paco 1 (aluminium) . . . . . AZ0795 . . . GM2103-ALU 276
Paco 1 (black) . . . . . AZ0797 . . . GM2103-BK 276
Paco 1 (white) . . . . . AZ0796 . . . GM2103-WH 276
Paco 2 (aluminium) . . . . . AZ0798 . . . GM2201-ALU 276
Paco 2 (black) . . . . . AZ0800 . . . GM2201-BK 276
Paco 2 (white) . . . . . AZ0799 . . . GM2201-WH 276
Paco 3 (aluminium) . . . . . AZ0801 . . . GM2301-ALU 276
Paco 3 (black) . . . . . AZ0803 . . . GM2301-BK 276
Paco 3 (white) . . . . . AZ0802 . . . GM2301-WH 276
Paola 1 230V (black) AZ4130 156
Paola 1 230V (white) AZ4128 156
Paola 2 230V (white) AZ4132 156
Paola 2 230V (white) AZ4134 156
Papiko IP65 (black) AZ4216 355
Papiko IP65 (white) AZ4217 355
Paulo 1 230V (black/aluminium) . . . . . AZ0959 . . . GM4107-BK-ALU . . . 159
Paulo 1 230V (white/aluminium) . . . . . AZ0960 . . . GM4107-WH-ALU . . 159
Paulo 3 230V (black/aluminium) . . . . . AZ0965 . . . GM4301-BK-ALU . . . 159
Paulo 3 230V (white/aluminium) . . . . . AZ0964 . . . GM4301-WH-ALU . . 159
Paulo 4 pendant 12V (black/aluminium) . . . AZ1265 . . . GM5400-BK-ALU. . . 158
Paulo 4 pendant 12V (black/black) AZ2890 158
Paulo 4 pendant 12V (white/aluminium) . . . AZ1267 . . . GM5400-WH-ALU. . 158
Paulo 4 pendant 12V (white/white) . . . . . AZ1800 . . . GM5400-WH-WH . . 158
Peder (black) AZ4514 368
Peder (dark grey) AZ4515 368
Pienza 3000K (black) AZ2723 191
Pienza 3000K (grey) AZ2721 191
Pienza 3000K (white) AZ2719 191
Pienza 4000K (black) AZ2722 191
Pienza 4000K (grey) AZ2720 191
Pienza 4000K (white) AZ2718 191
Pio 2 (black) . . . . . AZ1720 . . . GM2208-BK 277
Pio 2 (chrome) . . . . . AZ1749 . . . GM2208-CH 277
Pio 2 (white) . . . . . AZ1719 . . . GM2208-WH 277
Pio (black) . . . . . AZ1278 . . . GM2108-BK 277
Pio (chrome) . . . . . AZ1718 . . . GM2108-CH 277
Pio (white) . . . . . AZ0760 . . . GM2108-WH 277
Piramide L (chrome) . . . . . AZ1463 . . . NC1674SQ-CH 216

OLD&NEW CODES LIST

Introduction

Piramide L (gold) . . . AZ1611 . . . NC1674SQ-GO 216
Piramide XL (chrome) . . . AZ1612 . . . NC1673SQ-CH 216
Piramide XL (gold) . . . AZ1462 . . . NC1673SQ-GO 216
Power 3-Line (black) . . . AZ4294 . . . 14
Power 3-Line (white) . . . AZ4293 . . . 14
Power Adjustable Connector 3-Line (black) AZ4286 . . . 16
Power Adjustable Connector 3-Line (black) AZ4286 . . . 16
Power Adjustable Connector 3-Line (white) AZ4285 . . . 16
Power Adjustable Connector 3-Line (white) AZ4285 . . . 16
Power Gips 3-Line (black) . . . AZ4296 . . . 15
Power Gips 3-Line (white) . . . AZ4295 . . . 15
Q QR111 17W BLACK LL153172 no DIMM – 3000K . . . AZ1108 . . 430
QR111 17W WHITE LL153171 no DIMM – 3000K . . . AZ1109 . . . 430
QR111 NEW chrome 12W 12V LL110123 no DIMM – 3000K . . . AZ1182 . . . 430
QR111 NEW CHROME 12W 12V LL210123 no DIMM – 4000K . . AZ2507 . . . 431
QR111 NEW CHROME 15W 12V LL153151 no DIMM . . . AZ1783 . . 430
QR111 NEW CHROME 15W 12V LL153152 no DIMM . . . AZ1784 . . 430
Quadro 50 LED CCT (black) . . . AZ2759 . . . 196
Quadro 50 LED CCT (silver) . . . AZ2758 . . . 196
Qudro 50 LED CCT (gold) . . . AZ2760 . . . 196
R Raffael (black) . . . AZ3497 . . . 153
Raffael (brushed copper) . . . AZ1626 . . . NC2055-BCO 153
Raffael (chrome) . . . AZ1624 . . . NC2055-CH 153
Raffael (gold) . . . AZ1625 . . . NC2055-GO 153
Raffael (white) . . . AZ1623 . . . NC2055-WH 153
Raggio (black) . . . AZ2964 . . . 305
Raggio (satin nickel) . . . AZ2965 . . . 305
Raggio (white) . . . AZ2963 . . . 305
Ramona 1 Switch (black) . . . AZ2565 . . . 336
Ramona 1 Switch (white) . . . AZ2566 . . . 336
Ramona 2 Switch (black) . . . AZ2563 . . . 336
Ramona 2 Switch (white) . . . AZ2564 . . . 336
Rasmus BK (black) . . . AZ4483 . . . 402
Rasmus Wall (black) . . . AZ4482 . . . 402
Raul (aluminium) . . . AZ0892 . . . GM1107-ALU 324
Raul (chrome) . . . AZ0868 . . . GM1107-CH 324
Raul (white) . . . AZ0891 . . . GM1107-WH 324
Remi (black) . . . AZ4143 . . . 281
Remi (white) . . . AZ1363 . . . 281
Remo 1 downlight (aluminium) . . . AZ1729 . . . GM2118R-ALU 269
Remo 1 downlight (black) . . . AZ1732 . . . GM2118R-BK 269
Remo 1 downlight (chrome) . . . AZ1730 . . . GM2118R-CH 269
Remo 1 downlight (white) . . . AZ1731 . . . GM2118R-WH 269
Remo (aluminium) . . . AZ0820 . . . GM4103-ALU 110
Remo (black) . . . AZ0818 . . . GM4103-BK 110
Remo R (aluminium) . . . AZ0821 . . . 269
Remo R (aluminium) . . . AZ0821 . . . 270
Remo R (aluminium) . . . AZ0821 . . . GM4103-ALU 110
Remo R (black) . . . AZ0823 . . . 269
Remo R (black) . . . AZ0823 . . . 270
Remo R (black) . . . AZ0823 . . . GM4103-BK 110
Remo R (champagne) . . . AZ0825 . . . 269
Remo R (champagne) . . . AZ0825 . . . 270
Remo R (champagne) . . . AZ0825 . . . GM4103-CM 110
Remo R (chrome) . . . AZ0855 . . . 269
Remo R (chrome) . . . AZ0855 . . . 270
Remo R (chrome) . . . AZ0855 . . . GM4103-CH 110
Remo R (gold) . . . AZ0824 . . . 269
Remo R (gold) . . . AZ0824 . . . 270
Remo R (gold) . . . AZ0824 . . . GM4103-GO 110
Remo R (white) . . . AZ0822 . . . 269
Remo R (white) . . . AZ0822 . . . 270
Remo R (white) . . . AZ0822 . . . GM4103-WH 110
Remo (white) . . . AZ0819 . . . GM4103-WH 110
Rezia 1 (black) . . . AZ4343 . . . 362
Rezia 1 (dark grey) . . . AZ4344 . . . 362
Rezia 2 (black) . . . AZ4345 . . . 362
Rezia 2 (dark grey) . . . AZ4346 . . . 362
Rimini 1 (black) . . . AZ4265 . . . 366
Rimini 1 (dark grey) . . . AZ2176 . . . 366
Rimini 1 Square (black) . . . AZ4311 . . . 364
Rimini 1 Square (dark grey) . . . AZ4267 . . . 364
Rimini 1 Square (white) . . . AZ4313 . . . 364
Rimini 1 (white) . . . AZ2175 . . . 366
Rimini 2 (black) . . . AZ4266 . . . 366
Rimini 2 (dark grey) . . . AZ2178 . . . 366
Rimini 2 Square (black) . . . AZ4268 . . . 364
Rimini 2 Square (dark grey) . . . AZ4312 . . . 364
Rimini 2 Square (white) . . . AZ4314 . . . 364
Rimini 2 (white) . . . AZ2177 . . . 366
Rolf 1 Wall (black) . . . AZ4475 . . . 404
Rolf 1 Wall (dark grey) . . . AZ4476 . . . 404
Rolf 1 Wall (white) . . . AZ4477 . . . 404
Rolf 2 500 (black) . . . AZ4456 . . . 404
Rolf 2 500 (dark grey) . . . AZ4457 . . . 404
Rolf 2 900 (black) . . . AZ4458 . . . 404
Rolf 2 900 (dark grey) . . . AZ4459 . . . 404
Rotondo (black) . . . AZ4208 . . . 124
Rotondo (bronze) . . . AZ4209 . . . 124
Rotondo (white) . . . AZ4207 . . . 124
S Saga Tr. Magn. 12W Milky120 CCT SMART 3000K (black) AZ4603 . . . 62
Saga Tr. Magn. 12W Milky120 CCT SMART 3000K (white) AZ4604 . . . 62
Saga Tr. Magn. 12W Milky120 CCT SMART 4000K (black) AZ4605 . . . 62
Saga Tr. Magn. 12W Milky120 CCT SMART 4000K (white) AZ4606 . . . 62
Saga Tr. Magn. 12W Milky 120 Smart (sand black) . . . AZ4846 . . . 58
Saga Tr. Magn. 20W Milky 120 Smart (sand black) . . . AZ4848 . . . 58
Saga Tr. Magn. 24W Milky120 CCT SMART 3000K (black) AZ4607 . . . 62
Saga Tr. Magn. 24W Milky120 CCT SMART 3000K (white) AZ4608 . . . 62
Saga Tr. Magn. 24W Milky120 CCT SMART 4000K (black) AZ4609 . . . 62
Saga Tr. Magn. 24W Milky120 CCT SMART 4000K (white) AZ4610 . . . 62
Saga Tr. Magn. 36W Milky120 CCT SMART 3000K (black) AZ4611 . . . 62
Saga Tr. Magn. 36W Milky120 CCT SMART 3000K (white) AZ4612 . . . 62
Saga Tr. Magn. 36W Milky 120 Smart (sand black) . . . AZ4850 . . . 58
Saga Tr. Magn. Corner A 24W Milky120 3000K (black) AZ4613 . . . 64
Saga Tr. Magn. Corner A 24W Milky120 3000K (white) AZ4614 . . . 64
Saga Tr. Magn. Corner A 24W Milky120 4000K (black) AZ4615 . . . 64
Saga Tr. Magn. Corner A 24W Milky120 4000K (white) AZ4616 . . . 64
Saga Tr. Magn. Corner B 24W Milky120 3000K (black) AZ4617 . . . 64
Saga Tr. Magn. Corner B 24W Milky120 3000K (white) AZ4618 . . . 64
Saga Tr. Magn. Corner B 24W Milky120 4000K (black) AZ4619 . . . 64
Saga Tr. Magn. Corner B 24W Milky120 4000K (white) AZ4620 . . . 64
Sane FI 40 (black) . . . AZ2765 . . . 304
Sane FI 40 (nickel) . . . AZ2767 . . . 304
Sane FI 40 (white) . . . AZ2766 . . . 304

Sane FI 60 (antique) AZ2770 304
Sane FI 60 (black) AZ2768 304
Sane FI 60 (nickel) AZ2771 304
Sane FI 60 (white) AZ2769 304
Santos 3000K (black) . . . . . AZ2416 . . . LM-9013-BK 130
Santos 3000K (black/black) . . . . . AZ4181 . . . LM-9013-BK 130
Santos 3000K (white) . . . . . AZ2417 . . . LM-9013-WH 130
Santos 3000K (white/white) . . . . . AZ4182 . . . LM-9013-WH 130
Santos Exposed Round (black) AZ3509 144
Santos Exposed Round (white) AZ3508 144
Santos GU10 (black/black) AZ4201 130
Santos GU10 (white/white) AZ4200 130
Santos Square (black) AZ3523 131
Santos Square Track (black) AZ3525 43
Santos Square Track (white) AZ3524 43
Santos Square (white) AZ3522 131
Santos Track 3 Line 12W 3000K (black/black) AZ4183 25
Santos Track 3 Line 12W 3000K (white/white) AZ4184 25
Santos Track 3 Line GU10 (black) AZ4203 24
Santos Track 3 Line GU10 (white) AZ4202 24
Santos track (black/gold) AZ2924 25
Santos track (white/gold) AZ2925 25
Savio Round AZ2779 286
Savio Square AZ2778 286
Scatola (white) . . . . . AZ0578 . . . MB5798S-WH 325
Scorpio (black chrome) AZ2952 143
Scorpio (chrome) . . . . . AZ1452 . . . LC1295-M-CH 143
Scorpio (white) . . . . . AZ1618 . . . LC1295-M-WH 143
Siena 10 3000K (chrome) . . . . . AZ2214 . . . SH623000-10-CH . . 145
Siena 10 4000K (chrome) . . . . . AZ2215 . . . SH624000-10-CH . . 145
Siena 10 4000K (white) . . . . . AZ2211 . . . SH604000-10-WH . 145
Siena 20 3000K (black) . . . . . AZ2218 . . . SH613000-20-BK . . 145
Siena 20 3000K (chrome) . . . . . AZ2220 . . . SH623000-20-CH . . 145
Siena 20 4000K (black) . . . . . AZ2219 . . . SH614000-20-BK . . 145
Siena 20 4000K (chrome) . . . . . AZ2221 . . . SH624000-20-CH . . 145
Simon Round (black) . . . . . AZ1613 . . . NC1767R-BK 210
Simon Round (chrome) . . . . . AZ1614 . . . NC1767R-CH 210
Simon Round (white matt) . . . . . AZ1473 . . . NC1767R-WH 210
Simon Square (black) . . . . . AZ1615 . . . NC1767SQ-BK 210
Simon Square (chrome) . . . . . AZ1616 . . . NC1767SQ-CH 210
Simon Square (white matt) . . . . . AZ1474 . . . NC1767SQ-WH 210
Siro 1 (aluminium) . . . . . AZ0767 . . . GM2101-ALU 290
Siro 1 (black/aluminium) . . . . . AZ0769 . . . GM2101-BK-ALU . . . 290
Siro 1 (black/ (black) AZ2805 290
Siro 1 (white) . . . . . AZ0768 . . . GM2101-WH 290
Siro 2 (aluminium) . . . . . AZ0770 . . . GM2200-ALU 290
Siro 2 (black/aluminium) . . . . . AZ0772 . . . GM2200-BK-ALU . . . 290
Siro 2 (black/ (black) AZ2806 290
Siro 2 (white) . . . . . AZ0771 . . . GM22000-WH 290
Siro 3 (aluminium) . . . . . AZ0773 . . . GM2300-ALU 290
Sisto 1 (aluminium) . . . . . AZ0793 . . . GM2109-ALU 291
Sisto 1 (black/black) AZ2810 291
Sisto 1 (white) . . . . . AZ1446 . . . GM2109-WH 291
Sisto 2 (aluminium) . . . . . AZ0794 . . . GM2202-ALU 291
Sisto 2 (black/black) AZ2809 291
Sisto 2 (white) . . . . . AZ1447 . . . GM2202-WH 291
Skye 3000K (black) AZ4518 148
Skye 3000K (white) AZ4517 148
Skye pendant 3000K (black) AZ4522 149
Skye pendant 3000K (white) AZ4517 149
Skye Track 3 Line (black) AZ4519 44
Skye Track 3 Line (white) AZ4520 44
Skye Track Magnetic Pendant 12W (black) . AZ4636 71
Skye Track Magnetic Pendant 12W (white) AZ4637 71
Slim 9 Round 3000K IP44 (black) AZ2834 245
Slim 9 Round 3000K IP44 (chrome) AZ2861 245
Slim 9 Round 3000K IP44 (white) AZ2831 245
Slim 9 Round 4000K IP44 (black) AZ2835 245
Slim 9 Round 4000K IP44 (chrome) AZ2862 245
Slim 9 Round 4000K IP44 (white) AZ2832 245
Slim 9 Square 3000K IP44 (black) AZ2833 242
Slim 9 Square 3000K IP44 (white) AZ2830 242
Slim 15 Round 3000K IP44 (black) AZ2840 245
Slim 15 Round 3000K IP44 (chrome) AZ2838 245
Slim 15 Round 3000K IP44 (white) AZ2839 245
Slim 15 Round 4000K IP44 (black) AZ2843 245
Slim 15 Round 4000K IP44 (chrome) AZ2841 245
Slim 15 Round 4000K IP44 (white) AZ2842 245
Slim 15 Square 3000K IP44 (black) AZ2836 242
Slim 15 Square 3000K IP44 (white) AZ2837 242
Sona 47 CCT (white) AZ2761 197
Sona 55 CCT (white) AZ2763 197
Sonya Tr. Magn. 20W Points60 Smart (sand black) AZ4844 59
Sorano 500 (black) AZ4444 406
Sorano 500 (dark grey) AZ4358 406
Sorano 700 (black) AZ4445 406
Sorano 700 (dark grey) AZ4359 406
Sorano Wall (black) AZ4446 407
Sorano Wall (dark grey) AZ4357 407
Sovana Pendant 45 CCT (black) AZ3437 202
Sovana Pendant 45 CCT (grey) AZ3438 202
Sovana Pendant 45 CCT (white) AZ3436 202
Sovana Pendant 55 CCT (black) AZ2728 202
Sovana Pendant 55 CCT (grey) AZ2729 202
Sovana Pendant 55 CCT (white) AZ2727 202
Sovana Pendant 80 CCT (black) AZ3449 202
Sovana Pendant 80 CCT (grey) AZ3450 202
Sovana Pendant 80 CCT (white) AZ3448 202
Sovana Top 45 CCT (black) AZ3434 200
Sovana Top 45 CCT (grey) AZ3435 200
Sovana Top 45 CCT (white) AZ3433 200
Sovana Top 55 CCT (black) AZ2726 200
Sovana Top 55 CCT (grey) AZ2725 200
Sovana Top 55 CCT (white) AZ2724 200
Sovana Top 80 CCT (black) AZ3446 200
Sovana Top 80 CCT (grey) AZ3447 200
Sovana Top 80 CCT (white) AZ3445 200
Stan (aluminium) . . . . . AZ0860 . . . GM2111-ALU 292
Stan (black/black) AZ2811 292
Stan (chrome) AZ2957 292
Stan (white) . . . . . AZ0861 . . . GM2111-WH 292
Straight Connector 1-Line (black) AZ4737 2
Straight Connector 1-Line (white) AZ4736 2
T
Taz (black) AZ3369 302

OLD&NEW CODES LIST

Introduction

Taz (satin nikiel) AZ3371 302
Taz (white) AZ3370 302
T Connector 1-Line (black) AZ4741 4
T Connector 1-Line (white) AZ4740 4
T Connector Gips only Right (black) AZ4300 15
T Connector Gips only Right (white) AZ4299 15
T Connector Left (black) AZ4278 14
T Connector Left (white) AZ4277 14
T Connector Right (black) AZ4276 14
T Connector Right (white) AZ4275 14
Tito (aluminium) AZ0814 263
Tito (black) AZ4139 263
Tito (white) AZ0815 263
Tivoli 3000K (black) AZ2224 SH643000-10-BK 39
Tivoli 3000K (white) AZ2222 SH633000-10-WH 39
Tivoli 4000K (black) AZ2225 SH644000-10-BK 39
Tivoli 4000K (white) AZ2223 SH634000-10-WH 39
Torch (black) AZ2206 GW-609-BK 330
Torch (white) AZ2207 GW-609-WH 330
Toronto 1 3000K (black) AZ4065 152
Toronto 1 3000K (white) AZ4070 152
Toronto 1 Spot 3000K (black) AZ4063 254
Toronto 1 Spot 3000K (white) AZ4071 254
Toronto 2 3000K (black) AZ4066 152
Toronto 2 3000K (white) AZ4072 152
Torres ES111 (black) AZ2685 293
Torres ES111 (white) AZ2684 293
Torres GU10 (black) AZ2683 293
Torres GU10 (white) AZ2682 293
Track 1-Line 1,5m (black) AZ4730 2
Track 1-Line 1,5m (white) AZ4731 2
Track 1-Line 1m (black) AZ4729 2
Track 1-Line 1m (white) AZ4728 2
Track 1-Line 2m (black) AZ4733 2
Track 1-Line 2m (white) AZ4732 2
Track 1-Line 3m (black) AZ4735 2
Track 1-Line 3m (white) AZ4734 2
Track 1-Line Pendant Accessory 1.5m (black) AZ4747 4
Track 1-Line Pendant Accessory 1.5m (white) AZ4746 4
Track 3-Line 1,5m (black) AZ3000 12
Track 3-Line 1,5m (white) AZ2999 12
Track 3-Line 1m (black) AZ2973 12
Track 3-Line 1m (white) AZ2974 12
Track 3-Line 2m (black) AZ2975 12
Track 3-Line 2m (white) AZ2976 12
Track 3-Line 3m (black) AZ4272 12
Track 3-Line 3m (white) AZ4271 12
Track 3-Line Pendant Accessory 1.5m (black) AZ4797 16
Track 3-Line Pendant Accessory 1.5m (white) AZ4796 16
Track Gips 3-Line 1m (black) AZ4290 13
Track Gips 3-Line 1m (white) AZ4289 13
Track Gips 3-Line 2m (black) AZ4292 13
Track Gips 3-Line 2m (white) AZ4291 13
Track Gips 3-Line 3m (black) AZ4294 13
Track Gips 3-Line 3m (white) AZ4293 13
Track Magnetic 27 1,5m (black) AZ4715 48
Track Magnetic 27 1,5m (white) AZ4714 48
Track Magnetic 27 1m (black) AZ4713 48
Track Magnetic 27 1m (white) AZ4712 48
Track Magnetic 27 2m (black) AZ4717 48
Track Magnetic 27 2m (white) AZ4716 48
Track Magnetic 27 3m (black) AZ4719 48
Track Magnetic 27 3m (white) AZ4718 48
Track Magnetic 27 Corner90 (black) AZ5001 50
Track Magnetic 27 Corner90 (white) AZ5002 50
Track Magnetic 27 Cover (black) AZ4860 54
Track Magnetic 27 Cover (white) AZ4861 54
Track Magnetic 27 Inner Corner90 (black) AZ5001 50
Track Magnetic 27 Inner Corner90 (white) AZ5002 50
Track Magnetic 52 1,5m (black) AZ4640 48
Track Magnetic 52 1,5m (white) AZ4641 48
Track Magnetic 52 1m (black) AZ4638 48
Track Magnetic 52 1m (white) AZ4639 48
Track Magnetic 52 2m (black) AZ4642 48
Track Magnetic 52 2m (white) AZ4643 48
Track Magnetic 52 3m (black) AZ4644 48
Track Magnetic 52 3m (white) AZ4645 48
Track Magnetic 52 Gips1 1,5m (black) AZ4864 49
Track Magnetic 52 Gips1 1m (black) AZ4863 49
Track Magnetic 52 Gips1 2m (black) AZ4865 49
Track Magnetic 52 Gips1 Corner90 (black) AZ4862 51
Track Magnetic 52 Gips2 1,5m (black) AZ4648 49
Track Magnetic 52 Gips2 1,5m (white) AZ4649 49
Track Magnetic 52 Gips2 1m (black) AZ4646 49
Track Magnetic 52 Gips2 1m (white) AZ4647 49
Track Magnetic 52 Gips2 2m (black) AZ4650 49
Track Magnetic 52 Gips2 2m (white) AZ4651 49
Track Magnetic 52 Gips2 Corner90 (black) AZ4681 51
Track Magnetic 52 Gips2 Corner90 (white) AZ4682 51
Track Magnetic 52 Gips2 Inner Corner90 (black) AZ4685 51
Track Magnetic 52 Gips2 Inner Corner90 (white) AZ4686 51
Track Magnetic 52 Inner Corner90 (black) AZ4683 50
Track Magnetic 52 Inner Corner90 (white) AZ4684 50
Track Magnetic Bluetooth Remote Smart AZ4857 55
Track Magnetic Corner90 (black) AZ4679 50
Track Magnetic Corner90 (white) AZ4680 50
Track Magnetic Cover 1m (black) AZ4652 53
Track Magnetic Cover 1m (white) AZ4653 53
Track Magnetic Driver Insight 60W (black) AZ4649 52
Track Magnetic Driver Insight 60W (white) AZ4670 52
Track Magnetic Driver Insight 100W (black) AZ4671 52
Track Magnetic Driver Insight 100W (white) AZ4672 52
Track Magnetic Driver Insight 200W (black) AZ4673 52
Track Magnetic Driver Insight 200W (white) AZ4674 52
Track Magnetic Driver Meanwell 48V 100W AZ4691 53
Track Magnetic Driver Meanwell 48V 200W AZ4692 53
Track Magnetic Driver Meanwell 48V 350W AZ4866 53
Track Magnetic Flex Connector Electric (black) AZ4687 51
Track Magnetic Flex Connector Electric (white) AZ4688 51
Track Magnetic Mechanical Connector (black) AZ4689 52
Track Magnetic Mechanical Connector (white) AZ4690 52
Track Magnetic Set 1,5 M 3000K (black) 52M1531BK AZ4806 80
Track Magnetic Set 1,5 M 3000K (black/gold) 52M1531WH AZ4807 80
Track Magnetic Set 1,5 M 3000K (white/gold) 52M1531BK AZ4808 80

Track Magnetic Set 1,5 M 4000K (white) 52M1541WH AZ4809 80
Track Magnetic Set 1 M 3000K (black) 52M1031BK. . . AZ4798 78
Track Magnetic Set 1 M 3000K (black) 52M1032BK. . . AZ4802. 79
Track Magnetic Set 1 M 3000K (black) 52M1041BK. . . AZ4800. 78
Track Magnetic Set 1 M 3000K (black) 52M1042BK. . . AZ4804. 79
Track Magnetic Set 1 M 3000K (white) 52M1031WH. . AZ4799 78
Track Magnetic Set 1 M 3000K (white) 52M1032WH . AZ4803. 79
Track Magnetic Set 1 M 3000K (white) 52M1041WH. . AZ4801. 78
Track Magnetic Set 1 M 3000K (white) 52M1042WH . AZ4805. 79
Track Magnetic Set 2 M 3000K (black) 52M2031BK. . . AZ4810 81
Track Magnetic Set 2 M 3000K (black) 52M2032BK. . . AZ4814 82
Track Magnetic Set 2 M 3000K (black) 52M2034BK . . AZ4820. 83
Track Magnetic Set 2 M 3000K (black/gold) 52M2033BK . AZ4818 84
Track Magnetic Set 2 M 3000K (white) 52M2031WH . AZ4811 81
Track Magnetic Set 2 M 3000K (white) 52M2032WH . AZ4815 82
Track Magnetic Set 2 M 3000K (white) 52M2034WH . AZ4821. 83
Track Magnetic Set 2 M 3000K (white/gold) 52M2033WH . AZ4819 84
Track Magnetic Set 2 M 4000K (black) 52M2041BK. . . AZ4812 81
Track Magnetic Set 2 M 4000K (black) 52M2042BK . . AZ4816. 82
Track Magnetic Set 2 M 4000K (white) 52M2041WH. . AZ4813 81
Track Magnetic Set 2 M 4000K (white) 52M2042WH . AZ4817 82
Track Magnetic Set 3 M 3000K (black) 52M3031BK. . . AZ4822. 85
Track Magnetic Set 3 M 3000K (black) 52M3032BK . . AZ4824 86
Track Magnetic Set 3 M 3000K (white) 52M3031WH . AZ4823. 85
Track Magnetic Set 3 M 3000K (white) 52M3032WH . AZ4825. 86
Track Magnetic Set 3 M 4000K (black) 52M3042BK . . AZ4826. 86
Track Magnetic Set 3 M 4000K (white) 52M3042WH . AZ4827. 86
Track Magnetic Straight Connector (black) AZ4677. 52
Track Magnetic Straight Connector (black) AZ4677. 53
Track Magnetic Straight Connector (white) AZ4678. 52
Track Magnetic Straight Connector (white) AZ4678. 53
Track Magnetic Suspension Kit 2m (black) . AZ4693. 52
Track Magnetic Suspension Kit 2m (white) . AZ4694. 52
Track Set 1-Line 1,5m (black) AZ4725. 3
Track Set 1-Line 1,5m (white) AZ4724. 3
Track Set 1-Line 1m (black). AZ4723. 3
Track Set 1-Line 1m (white) AZ4722. 3
Track Set 1-Line 2m (black). AZ4727. 3
Track Set 1-Line 2m (white) AZ4726. 3
Track Set 3-Line 1,5m (black) AZ3001. 12
Track Set 3-Line 1,5m (white). AZ3002 12
Track Set 3-Line 1m (black). AZ2987. 12
Track Set 3-Line 1m (white) AZ2991. 12
Track Set 3-Line 2m (black). AZ2992. 12
Track Set 3-Line 2m (white) AZ2988. 12
U Ulf 1 Wall Sensor (black). AZ4454. 371
Ulf 1 Wall Sensor (dark grey) AZ4455. 371
Ulf 2 Wall (black). AZ4473. 371
Ulf 2 Wall (dark grey) AZ4474. 371
Una 3000K (chrome) AZ2772. 261
Una 4000K (chrome) AZ2773. 261
V Vasko (black). . . . . AZ1489. . . NC1936-BK 133
Vasko (chrome). . . . . AZ1490. . . NC1936-CH 133
Vasko (white) . . . . . AZ1491. . . NC1936-FW-WH. . . 133
Vega (anodised gold). . . . . AZ1746. . . GM1121-AGO. 331
Vega (black / gold). . . . . AZ1709. . . GM1121-BK-GO. . . 331
Vega (chrome) . . . . . AZ1758. . . GM1121-CH 331
Vega (white) . . . . . AZ1708. . . GM1121-WH 331
Vektor Round (clear glass) . . . . . AZ1494. . . SC760R-A-CL 230
Vektor Square (clear glass) . . . . . AZ1495. . . SC760SQ-A-CL. 231
Velia Round 2 (black). AZ4399. 306
Velia Round 2 (brass) AZ4397. 306
Velia Round 2 (white) AZ4398 306
Velia Square 2 (black) AZ4401. 307
Velia Square 2 (brass) AZ4402. 307
Velia Square 2 (white) AZ4403 307
Veneto (black). AZ4348. 373
Veneto (dark grey) AZ4349. 373
Venta (black). AZ4350. 372
Venta (dark grey) AZ4351. 372
Venus (aluminium) . . . . . AZ0893. . . GM1110-ALU 313
Venus (white) . . . . . AZ0894. . . GM1110-WH 313
Vera (black). AZ3201. 338
Vera (white) AZ4417. 338
Verdi 2 (black). AZ3529. 294
Verdi 2 (white) AZ3528. 294
Verdi 3 (black). AZ3531. 294
Verdi 3 (white) AZ3530. 294
Verdi (black) AZ3527. 294
Verdi (white). AZ3526. 294
Veronica (black) . . . . . AZ1548. . . MB459-Z-BK. 342
Veronica (chrome) . . . . . AZ1546. . . MB459-Z-CH 342
Veronica (white) . . . . . AZ1547. . . MB459-Z-WH. 342
Vialetto L (black). . . . . AZ0573. . . MB5796S-A-BK 327
Vidal (aluminium) . . . . . AZ0862. . . GM1104-ALU 326
Vidal (white) . . . . . AZ0863. . . GW-608-WH 326
Vigo (black). . . . . AZ2203. . . GW-608-BK 322
Vigo (white) . . . . . AZ2202. . . GM1104-WH 322
Vision (black) . . . . . AZ1745. . . GM4214-BK 139
Vision (white) . . . . . AZ1744. . . GM4214-WH 139
X X Connector 3-Line (black). AZ4280. 16
X Connector 3-Line (white) AZ4279. 16
X Connector Gips 3-Line (black). AZ4302. 17
X Connector Gips 3-Line (white) AZ4301. 17
Z Zita XL (black). AZ4150. 383
Zita XL (bright grey) AZ2201. 383
Zita XL (dark grey) AZ2200 383
Zita XL (white) AZ4151. 383



1 track 1-Line

11 track 3-Line

47 track Magnetic

77 sets for track Magnetic

91 exposed downlights

A

B

C

D

E

READING INTRODUCTION

A

B

C

D

E

degree of protection for electrical devices against dust, moisture and water

IP66 protection against ingress of dust, protection against powerful water jets or splashing of water from any direction

IP54 protection against the ingress of dust in quantities that would interfere with operation, protection against drops of rain falling at any angle

IP44 protection against solid objects (fine tools and wires to 1 mm), protection against drops falling at any angle, from all sides (rain)

IP20 protection against accidental touch, lack of security moisture

The electrical voltage between two points in the electrical circuit.
The unit of voltage is the volt [V]
The most common voltage levels for our lamps are: 230V; 48V; 24V or 12V

see detailed information on technical specification

BK – BLACK
BCH – BLACK CHROME
BGR – BRIGHT GREY
DGR – DARK GREY
WH – WHITE
CH – CHROME
AL – ALUMINIUM
GO – GOLD
AG – ANTIQUE GOLD
BR – BROWN
CO – CONCRETE
COO – COPPER
ST – STEEL
AM – AMBER
OL – OLIVE
CHA – CHAMPAGNE
AST – ANODISED STEEL
ABR – ANODISED BROWN
AGO – ANODISED GOLD
ACO – ANODISED COPPER

product name

voltage

protection class

technical specification

colour



209 exclusive downlights


235 downlights

301 indoor wall lamps

347 outdoor wall lamps

421 LED Tubes, LED Grill & Hermetic

425 LED bulbs



product code

F

Where to find

Product code are written after each color

group energy label

G

see detailed information on page 433

Energy efficiency exist from A to G
see detailed information on page 433

bulb type

H 1 2 3 4 5

1 **bulb type**

- 2D bulb
- PL-L
- T5
- E14
- E27
- G24
- G9
- AR111
- ES111 230V
- MR16
- GU10
- LED LED

2 **number of bulbs**

3 **maximum lamp watt (W)**

not included in the price of the purchased lamp

4 **luminosity in lumen**

5 **light temperature in Kelvin**

Installation

I 5 6

6 **installation place**

- ceiling surface mounted
- wall surface mounted
- pendant
- floor

7 **the shape and size of the inlet opening (dimensions are in centimeters)**

- round hole (cm)
- square hole (cm)
- rectangular hole (cm)

8 **beam angle**

beam angle is given in degrees (from 1° to 360°)

dimensional drawing

j 7 8 9


technical drawing view (dimensions are in centimeters)

9 **side view**

10 **top view**

11 **range of adjustment of the reflector**

- reflector tilt
- reflector rotation


END POWER
TRACK
T CONNECTOR
END CAP
L CONNECTOR
STRAIGHT CONNECTOR
END POWER
TRACK
END CAP

1-LINE TRACK

1-LINE


track 1-Line





2 ACCESORIES FOR TRACK 1 LINE
6 EXO TRACK
7 LOLO TRACK
8 KIRKE TRACK
9 JERRY TRACK

TRACK 1-LINE

Accesories for Track 1 Line








Tracks (1m, 1,5m, 2m, 3m)


■	TRACK 1m (BLACK)	AZ4729
□	TRACK 1m (WHITE)	AZ4728
■	TRACK 1,5m (BLACK)	AZ4731
□	TRACK 1,5m (WHITE)	AZ4730
■	TRACK 2m (BLACK)	AZ4733
□	TRACK 2m (WHITE)	AZ4732
■	TRACK 3m (BLACK)	AZ4735
□	TRACK 3m (WHITE)	AZ4734






Straight Connector

■	STRAIGHT CONNECTOR (BLACK)	AZ4737
□	STRAIGHT CONNECTOR (WHITE)	AZ4736



* - EXPLANATION SHORTCUT PAGE 2 (E)


Available options for installation place (surface and pendend mounted)





Track Set (1m, 1,5m, 2m, 3m)
with THE END POWER + END CAP (All included)

- ■ SET 1m (BLACK) AZ4723
- □ SET 1m (WHITE) AZ4722
- ■ SET 1,5m (BLACK) AZ4725
- □ SET 1,5m (WHITE) AZ4724
- ■ SET 2m BLACK) AZ4727
- □ SET 2M (WHITE). AZ4726





End Power

- ■ END POWER (BLACK) AZ4743
- □ END POWER (WHITE) AZ4742



TRACK 1-LINE


Accesories for Track 1 Line



L Connector


■ L CONNECTOR (BLACK) AZ4739
□ L CONNECTOR (WHITE) AZ4738






T Connector


■ T CONNECTOR (BLACK) AZ4741
□ T CONNECTOR (WHITE) AZ4740






End Cap

■ END CAP (BLACK) AZ4745
□ END CAP (WHITE) AZ4744






Track 1-Line Pendant Accessory 1.5m


■ TRACK 1-LINE PENDANT ACCESSORY 1.5M (BLACK) AZ4747
□ TRACK 1-LINE PENDANT ACCESSORY 1.5M WHITE) AZ4746




∗ - EXPLANATION SHORTCUT PAGE 2 (E)



Ceiling plate + wire



- CEILING PLATE + WIRE (BLACK) AZ4780
- CEILING PLATE + WIRE (WHITE) AZ4782



Electric

- ELECTRIC (BLACK) AZ4749
- ELECTRIC (WHITE) AZ4748





EXO TRACK

Track 1 Line





BK *


EXO TRACK 1 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max 35W
IP20	
	installation: Track 1 Line

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4660
- WHITE (WH) AZ4661







WH



BK

* – EXPLANATION SHORTCUT PAGE 2 (E)


WH *


WH


BK

LOLO TRACK 1 LINE GU10


bulb not included

voltage: 230V	GU10 1x Max. 50W
IP20	
	installation: Track 1 Line

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4654

WHITE (WH) AZ4655







KIRKE TRACK 10W CCT SWITCH

Track 1 Line







KIRKE TRACK 1 LINE 10W CCT SWITCH


LED integrated

voltage: 230V	LED 10W 800lm
IP20	3000K | 4000K | 6000K CCT
technical specification	installation: Track 1 Line
	beam angle: 40°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4656

WHITE (WH) AZ4657









* - EXPLANATION SHORTCUT PAGE 2 (E)





JERRY TRACK 1 LINE


bulb not included

voltage: 230V	ES111 1x Max 16W
IP20	
technical specification	installation place: Track 1 Line

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4666


WHITE (WH) AZ4667








NAMING OF BASIC ACCESSORIES FOR TRACK 3-LINE SYSTEM



3-LINE TRACK


3 - LINE
track 3-Line




12 ACCESORIES FOR TRACK 3 LINE
20 EIGER TRACK
21 MEGARA TRACK
22 LOLO TRACK
23 GULIA TRACK
24 SANTOS TRACK
26 KIRKE TRACK CCT
27 GALILEO TRACK
28 LUMI TRACK
28 LUMI FLEX TRACK
30 COSTA ARM TRACK
31 COSTA TRACK
32 JERRY TRACK
33 JANE TRACK
34 MIKKA TRACK
35 MONA TRACK
36 LINNEA TRACK CCT
38 EREBUS TRACK
38 EREBUS TUBE
39 TIVOLI TRACK
40 BROSS ARM TRACK
41 EXO TRACK
42 LENS TRACK
43 SANTOS SQUARE TRACK
44 SKYE TRACK
45 LEON TRACK


TRACK 3-LINE

Accesories for Track 3 Line



Example of the connection between track





TRACKS (1m, 1,5m, 2m, 3m)

- TRACK 1m (BLACK) AZ2973
- TRACK 1m (WHITE) AZ2974
- TRACK 1,5m (BLACK) AZ3000
- TRACK 1,5m (WHITE) AZ2999
- TRACK 2m (BLACK) AZ2975
- TRACK 2m (WHITE) AZ2976
- TRACK 3m (BLACK) AZ4272
- TRACK 3m (WHITE) AZ4271



Track Set (1m, 1,5m, 2m)


with THE END POWER + END CAP (All included)


- TRACK SET 1m (BLACK) AZ2987
- TRACK SET 1m (WHITE) AZ2991
- TRACK SET 1,5m (BLACK) AZ3001
- TRACK SET 1,5m (WHITE) AZ3002
- TRACK SET 2m (BLACK) AZ2992
- TRACK SET 2m (WHITE) AZ2988



* - EXPLANATION SHORTCUT PAGE 2 (E)

Available options for installation place – surface-mounted, flush-mounted and suspended





TRACKS GIPS (1m, 2m, 3m)

- TRACK GIPS 1m (BLACK) AZ4290
- TRACK GIPS 1m (WHITE) AZ4289
- TRACK GIPS 2m (BLACK) AZ4292
- TRACK GIPS 2m (WHITE) AZ4291
- TRACK GIPS 3m (BLACK) AZ4294
- TRACK GIPS 3m (WHITE) AZ4293




MINI SIMPLE CONNECTION

- MINI SIMPLE CONNECTION (BLACK) AZ2981
- MINI SIMPLE CONNECTION (WHITE) AZ2982



TRACK 3-LINE


Accesories for Track 3 Line




RIGHT

End Power (Left, Right)

- ■ END POWER RIGHT (BLACK) AZ4116
- □ END POWER RIGHT (WHITE) AZ4117
- ■ END POWER LEFT (BLACK) AZ4284
- □ END POWER LEFT (WHITE) AZ4283




LEFT



Power

- ■ POWER (BLACK) AZ4274
- □ POWER (WHITE) AZ4273






RIGHT

L Connector (Left, Right)

- ■ L CONNECTOR RIGHT (BLACK) AZ2983
- □ L CONNECTOR RIGHT (WHITE) AZ2984
- ■ L CONNECTOR LEFT (BLACK) AZ2985
- □ L CONNECTOR LEFT (WHITE) AZ2986




LEFT



RIGHT

T Connector (Left, Right)

- ■ T CONNECTOR LEFT (BLACK) AZ4276
- □ T CONNECTOR LEFT (WHITE) AZ4275
- ■ T CONNECTOR RIGHT (BLACK) AZ4278
- □ T CONNECTOR RIGHT (WHITE) AZ4277



LEFT


* - EXPLANATION SHORTCUT PAGE 2 (E)




RIGHT

End Power Gips (Left, Right)

- END POWER GIPS RIGHT (BLACK) AZ4304
- END POWER GIPS RIGHT (WHITE) AZ4303
- END POWER GIPS LEFT (BLACK) AZ4310
- END POWER GIPS LEFT (WHITE) AZ4309





LEFT



Power Gips

- POWER GIPS (BLACK) AZ4296
- POWER GIPS (WHITE) AZ4295






RIGHT

L Connector Gips (only Right)

- L CONNECTOR GIPS RIGHT (BLACK) AZ4298
- L CONNECTOR GIPS RIGHT (WHITE) AZ4297




LEFT



RIGHT

T Connector Gips (only Right)


- T CONNECTOR GIPS RIGHT (BLACK) AZ4300
- T CONNECTOR GIPS RIGHT (WHITE) AZ4299



LEFT


TRACK 3-LINE

Accesories for Track 3 Line



X Connector


■ X CONNECTOR (BLACK) AZ4280
□ X CONNECTOR (WHITE) AZ4279





Power Adjustable Connector

■ POWER ADJUSTABLE CONNECTOR (BLACK) AZ4286
□ POWER ADJUSTABLE CONNECTOR (WHITE) AZ4285






Track 3-Line Pendant Accessory 1.5m


■ TRACK 3LINE PENDANT ACCESSORY 1.5M (BLACK) AZ4797
□ TRACK 3LINE PENDANT ACCESSORY 1.5M (WHITE) AZ4796






Ceiling Plate + Wire

■ CEILING PLATE + WIRE (BLACK) AZ4780
□ CEILING PLATE + WIRE (WHITE) AZ4782





* - EXPLANATION SHORTCUT PAGE 2 (E)



X Connector Gips

■ X CONNECTOR GIPS (BLACK) AZ4302
□ X CONNECTOR GIPS (WHITE) AZ4301






Flexible Connector


■ FLEXIBLE CONNECTOR (BLACK) AZ4282
□ FLEXIBLE CONNECTOR (WHITE) AZ4281






End Cap

■ END CAP (BLACK) AZ4288
□ END CAP (WHITE) AZ4287






DIAGRAM


Track 3 Line

Diagram showing the correct way to connect accessories to busbars (trackline)

The orange line indicates polarity of the system (observe earth contact)



∗ - EXPLANATION SHORTCUT PAGE 2 (E)


AZ 2985
AZ 2985
AZ 2983
AZ 4280
AZ 4274
AZ 4278
AZ 2988

EIGER TRACK

Track 3 Line



BK *



WH



BK/GO



BK


EIGER TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max. 50W
IP20	
	installation: Track 3 Line

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4205
- BLACK / GOLD (BK/GO) AZ4206
- WHITE (WH) AZ4204







* - EXPLANATION SHORTCUT PAGE 2 (E)


WH *


WH


BK


MEGARA TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 2x Max. 50W
IP20	
	installation: Track 3 Line

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4443
WHITE (WH) AZ4442







LOLO TRACK

Track 3 Line



BK *


LOLO TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max. 50W
IP20	
	installation: Track 3 Line

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4577
- WHITE (WH) AZ4578







WH



BK



∗ - EXPLANATION SHORTCUT PAGE 2 (E)





GO *



BK



WH



GO


GULIA TRACK TRACK 3-LINE GU10

bulb not included

voltage: 230V	LED GU10 1x Max. 50W
IP20	
	installation place: Track 3 Line

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4710
- WHITE (WH) AZ4709
- GOLD (GO) AZ4711





SANTOS TRACK

Track 3 Line



BK *

SANTOS TRACK 3 LINE GU10


bulb not included

voltage: 230V	GU10 1x Max. 50W
IP20	
technical specification	installation: Track 3 Line

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4203

WHITE (WH) AZ4202







BK / BK



WH / WH



∗ - EXPLANATION SHORTCUT PAGE 2 (E)


BK / BK *


SANTOS TRACK 3 LINE 12W 3000K

LED integrated

voltage: 230V	LED 12W 950lm 3000K
IP20	
technical specification	installation place: Track 3 Line
	beam angle: 60°

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) AZ4183
- WHITE / WHITE (WH / WH) AZ4184
- BLACK / GOLD (BK / GO) AZ2924
- WHITE / GOLD (WH / GO) AZ2925









KIRKE TRACK CCT SWITCH

Track 3 Line









KIRKE TRACK 3 LINE 10W CCT SWITCH


LED integrated

voltage: 230V	LED 10W 800lm
IP20	3000K | 4000K | 5500K CCT
technical specification	installation: Track 3 Line
	beam angle: 40°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4658

WHITE (WH) AZ4659







* - EXPLANATION SHORTCUT PAGE 2 (E)



WH *


GALILEO TRACK 3 LINE 15W 3000K

LED integrated

voltage: 230V	LED 15W 1200lm 3000K
IP20	
technical specification	installation place: Track 3 Line
	beam angle: 12°÷ 35°


COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4066
- BLACK (BK) AZ4067



12° 35°

ADJUSTABLE BEAM ANGLE — TILT 90° — ROTATION 360°





WH



BK



LUMI TRACK

Track 3 Line




LUMI TRACK 3 LINE 3000K

LED integrated

voltage: 230V	LED 5W 500lm 3000K
IP20	installation: Track 3 Line
technical specification	adjustable beam angle: 19°÷ 70°

COLOUR / NEW INDEX NO.

- WHITE FINISH SHINING (WH) AZ4558
- BLACK FINISH SHINING (BK) AZ4557



ADJUSTABLE BEAM ANGLE TILT 90° ROTATION 350°




LUMI FLEX TRACK 3 LINE 3000K

LED integrated

voltage: 230V	LED 5W 500lm 3000K
IP20	installation: Track 3 Line
technical specification	adjustable beam angle: 19°÷ 70°

COLOUR / NEW INDEX NO.

- WHITE FINISH SHINING (WH) AZ4560
- BLACK FINISH SHINING (BK) AZ4559




ADJUSTABLE BEAM ANGLE ROTATION 360°






∗ - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®






70° – 19°
ADJUSTABLE BEAM ANGLE
AZzardo

COSTA ARM TRACK

Track 3 Line



WH/WH *



BK/BK



WH/WH


COSTA ARM TRACK 3 LINE 12W

LED integrated

voltage: 230V	LED 12W 1020lm 3000K LED
IP20	
technical specification	installation place: Track Electric 3 Line
	beam angle: 25°

COLOUR / NEW INDEX NO.

- WHITE / WHITE (WH / WH) AZ3487
- BLACK / BLACK (BK / BK) AZ3486









BK *



WH



BK


COSTA TRACK 3 LINE 12W 3000K / 4000K

LED integrated

voltage: 230V	LED 12W 1100lm 3000K
IP20	LED 12W 1100lm 4000K
technical specification	installation place: Track 3 Line
	beam angle: 25°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4550
- 3000K BLACK (BK) AZ4549
- 4000K WHITE (WH) AZ4552
- 4000K BLACK (BK) AZ4551







JERRY TRACK

Track 3 Line





BK *


JERRY TRACK 3 LINE ES111

bulb not included

voltage: 230V	connect 1x ES111 MAX 50W
IP20	
	installation place – track 3 x line

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2459
- BLACK (BK) AZ2458







WH



BK

* – EXPLANATION SHORTCUT PAGE 2 (E)



BK *



WH



BK


JANE TRACK 3 LINE GU10

bulb not included

voltage: 230V	connect 1x GU10 MAX 50W
IP20	
	installation place – track 3 x line

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) AZ2460
- ■ BLACK (BK) AZ2457







MIKKA TRACK

Track 3 Line



BK *


MIKKA TRACK 3 LINE 3000K

LED integrated

voltage: 230V	LED 24W 1700lm 3000K
IP20	
technical specification	installation: Track 3 Line
	beam angle: 120°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4516







* - EXPLANATION SHORTCUT PAGE 2 (E)



BK *


MONA TRACK 3 LINE 12W 3000K / 4000K

LED integrated

voltage: 230V	LED 12W 1000lm 3000K
IP20	LED 12W 1000lm 4000K
technical specification	installation: Track 3 Line
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4541
- 3000K BLACK (BK) AZ4542
- 4000K WHITE (WH) AZ4544
- 4000K BLACK (BK) AZ4543



TILT 80° ROTATION 350°



WH



WH



BK



BK



WH *


MONA TRACK 3 LINE 18W 3000K

LED integrated

voltage: 230V	LED 18W 1500lm 3000K
IP20	
technical specification	installation: Track 3 Line
	beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4548
- BLACK (BK) AZ4547




TILT 80° ROTATION 350°



LINNEA TRACK CCT SWITCH

Track 3 Line




LINNEA 29 TRACK 12W CCT SWITCH

LED integrated


voltage: 230V	LED 12W 700lm
IP20	3000K | 4000K | 5000K CCT
technical specification	installation: Track 3 Line
	beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4564
- BLACK (BK) AZ4563



TILT 90° ROTATION 350°




LINNEA 86 TRACK 3 LINE 36W CCT SWITCH

LED integrated

voltage: 230V	LED 36W 2000lm
IP20	3000K | 4000K | 5000K CCT
technical specification	installation: Track 3 Line
	beam angle: 120°


COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4568
- BLACK (BK) AZ4567



TILT 90°

∗ - EXPLANATION SHORTCUT PAGE 2 (E)




LINNEA 57 TRACK 3 LINE 24W CCT SWITCH

LED integrated

voltage: 230V	LED 24W 1400lm
IP20	3000K | 4000K | 5000K CCT
technical specification	installation: Track 3 Line
	beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4566
- BLACK (BK) AZ4565



TILT 90°






AZzardo

EREBUS TRACK

Track 3 Line





WH *


EREBUS TRACK

bulb not included

voltage: 230V	LED GU10 1xMax 35W
IP20	
	installation place: Track Electric 3 Line

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3390
- BLACK (BK) AZ3391



TILT 90° ROTATION 360°




WH / GO / BK*

EREBUS TUBE


TUBE 14

- WHITE (WH) AZ3383
- BLACK (BK) AZ3384
- GOLD (GO) AZ3385



TUBE 21

- WHITE (WH) AZ3386
- BLACK (BK) AZ3387
- GOLD (GO) AZ3388



* – EXPLANATION SHORT



WH *


TIVOLI TRACK 10W 3000K/4000K

LED integrated

voltage: 230V		LED 10W 3000K RA≥90 840lm
IP20		LED 10W 4000K RA≥90 880lm
technical specification		installation: Track 3 Line
		beam angle: 60°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ2222
- 3000K BLACK (BK) AZ2224
- 4000K WHITE (WH) AZ2223
- 4000K BLACK (BK) AZ2225







BK



WH







BROSS ARM TRACK

Track 3 Line



* - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®



WH *


BROSS ARM TRACK

bulb not included

voltage: 230V	LED GU10 1xMax 35W
IP20	
	installation place: Track Electric 3 Line

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3500
- BLACK (BK) AZ3501



AZZARDO PATENT EU

TILT 90°

ROTATION 360°



WH



BK



BK *

EXO TRACK


bulb not included

voltage: 230V	LED GU10 1xMax 35W
IP20	
	installation place: Track Electric 3 Line

COLOUR / NEW INDEX NO.

BLACK (BK) AZ3199

WHITE (WH) AZ3200







WH



BK



LENS TRACK

Track 3 Line





BK/BK *


LENS TRACK

bulb not included

voltage: 230V	LED GU10 1xMax 35W
IP20	
	installation place: Track Electric 3 Line

COLOUR / NEW INDEX NO.

- WHITE / WHITE (WH/WH) AZ3510
- BLACK / BLACK (BK/BK) AZ3511
- BLACK / GOLD (BK/GO) AZ3512







WH/WH | BK/BK | BK/GO








SANTOS SQUARE TRACK

LED integrated

voltage: 230V	LED 12W 1020lm 3000K
IP20	
technical specification	installation: Track 3 Line
	beam angle: 60°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3524
- BLACK (BK) AZ3525







SKYE TRACK

Track 3 Line



WH *


SKYE TRACK 3 LINE 3000K

LED integrated

voltage: 230V	LED 12W 1300lm 3000K
IP20	
technical specification	installation place: Track 3 Line
	beam angle: 60°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4519
- BLACK (BK) AZ4520







WH



BK



* - EXPLANATION SHORTCUT PAGE 2 (E)




BK *


WH


BK


LEON 5 TRACK

LED integrated


voltage: 230V	LED 12W 1020lm 3000K
IP20	
technical specification	installation place: Track Electric 3 Line
	beam angle: 60°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3490
- BLACK (BK) AZ3491








MAGNETIC
TRACK

MAGNETIC

track Magnetic




48 ACCESORIES FOR TRACK MAGNETIC
55 BLUETOOTH GATEWAY/REMOTE SMART
56 MAKITA CCT SMART
58 SAGA TRACK SMART
59 SONYA SMART CCT
60 KERRY SMART CCT
61 KIRA SMART CCT
62 SAGA TRACK
64 SAGA TRACK CORNER
66 KIRA TRACK
68 NIKKI TRACK
69 NIKO TRACK
70 ALDO TRACK
71 SKYE TRACK PENDANT
72 ELIN TRACK
73 ELSA TRACK
74 MAYA TRACK
75 KORI TRACK

TRACK MAGNETIC

Accesories for Track Magnetic

Example of the connection between track




Insert the MECHANICAL CONNECTOR (B) into the TRACK (A).

Tighten the screw between A and B.

Slide and fasten TRACK (C) to the MECHANICAL CONNECTOR (B).


Put STRAIGHT CONNECTOR ELECTRIC (D) between the two connected tracks (A+C).





Track Magnetic 27 (1m, 1,5m, 2m, 3m)

WITH END CAP 2X (ALL INCLUDED)



■	TRACK 27 1m (BLACK)	AZ4713
□	TRACK 27 1m (WHITE)	AZ4712
■	TRACK 27 1,5m BLACK	AZ4715
□	TRACK 27 1,5m (WHITE)	AZ4714
■	TRACK 27 2m (BLACK)	AZ4717
□	TRACK 27 2m (WHITE)	AZ4716
■	TRACK 27 3m (BLACK)	AZ4719
□	TRACK 27 3m (WHITE)	AZ4718




Track Magnetic 52 (1m, 1,5m, 2m, 3m)


WITH END CAP 2X (ALL INCLUDED)

■	TRACK 52 1m (BLACK)	AZ4638
□	TRACK 52 1m (WHITE)	AZ4639
■	TRACK 52 1,5m (BLACK)	AZ4640
□	TRACK 52 1,5m (WHITE)	AZ4641
■	TRACK 52 2m (BLACK)	AZ4642
□	TRACK 52 2m (WHITE)	AZ4643
■	TRACK 52 3m (BLACK)	AZ4644
□	TRACK 52 3m (WHITE)	AZ4645

* - EXPLANATION SHORTCUT PAGE 2 (E)


Available options for installation place – surface-mounted, flush-mounted and suspended





Track Magnetic 52 Gips1 (1m, 1,5m, 2m)
WITH END CAP 2X (ALL INCLUDED)

- TRACK 52 GIPS1 1m (BLACK) AZ4863
- TRACK 52 GIPS1 1,5m (BLACK) AZ4864
- TRACK 52 GIPS1 2m (BLACK) AZ4865




Track Magnetic 52 Gips2 (1m, 1,5m, 2m)
WITH END CAP 2X (ALL INCLUDED)

- TRACK 52 GIPS2 1m (BLACK) AZ4646
- TRACK 52 GIPS2 1m (WHITE) AZ4647
- TRACK 52 GIPS2 1,5m (BLACK) AZ4648
- TRACK 52 GIPS2 1,5m (WHITE) AZ4649
- TRACK 52 GIPS2 2m (BLACK) AZ4650
- TRACK 52 GIPS2 2m (WHITE) AZ4651



TRACK MAGNETIC

Accesories for Track Magnetic



Track Magnetic 52 Inner Corner90


SURFACE INNER CORNER 90°




- ■ INNER CORNER 90 (BLACK) AZ4683
- □ INNER CORNER 90 (WHITE) AZ4684




Track Magnetic 52 Corner90



- ■ CORNER90 (BLACK) AZ4679
- □ CORNER90 (WHITE) AZ4680




Track Magnetic 27 Inner Corner90



- ■ 27 INNER CORNER 90 (BLACK) AZ5001
- □ 27 INNER CORNER 90 (WHITE) AZ5002




Track Magnetic 27 Corner90



- ■ 27 CORNER 90 (BLACK) AZ5003
- □ 27 CORNER 90 (WHITE) AZ5004

∗ – EXPLANATION SHORTCUT PAGE 2 (E)



Track Magnetic 52 Gips2 Inner Corner90


SURFACE INNER CORNER 90°




■ I52 GIPS2 INNER CORNER90 (BLACK) AZ4685
□ 52 GIPS2 INNER CORNER90 (WHITE) AZ4686



Track Magnetic 52 Gips2 Corner90




■ 52 GIPS2 CORNER90 (BLACK) AZ4681
□ 52 GIPS2 CORNER90(WHITE) AZ4682




Track Magnetic 52 Gips1 Corner90

■ 52 GIPS1 CORNER90 (BLACK) AZ4862



Track Magnetic Flex Connector Electric



■ FLEX CONNECTOR ELECTRIC (BLACK) AZ4687
□ FLEX CONNECTOR ELECTRIC (WHITE) AZ4688


TRACK MAGNETIC


Accesories for Track Magnetic



Track Magnetic Driver Insight (60W; 100W; 200W)

- DRIVER INSIGHT 60W (BLACK) AZ4669
- DRIVER INSIGHT 60W (WHITE) AZ4670
- DRIVER INSIGHT 100W (BLACK) AZ4671
- DRIVER INSIGHT 100W (WHITE) AZ4672
- DRIVER INSIGHT 200W (BLACK) AZ4673
- DRIVER INSIGHT 200W (WHITE) AZ4674






Track Magnetic Straight Connector


- STRAGHT CONNECTOR (BLACK) AZ4677
- STRAGHT CONNECTOR (WHITE) AZ4678






Track Magnetic Mechanical Connector

- MECHANICAL CONNECTOR (BLACK) AZ4689
- MECHANICAL CONNECTOR (WHITE) AZ4690





Track Magnetic Suspension Kit 2m

- TRACK MAGNETIC SUSPENSION KIT 2m (BLACK) AZ4693
- TRACK MAGNETIC SUSPENSION KIT 2m (WHITE) AZ4694




* - EXPLANATION SHORTCUT PAGE 2 (E)



Track Magnetic Driver Meanwell 48V 100W / 200W / 350W

DRIVER MEANWELL (100W) AZ4691
DRIVER MEANWELL (200W) AZ4692
DRIVER MEANWELL (350W) AZ4866







Track Magnetic Power Supply Case

■ POWER SUPPLY CASE (BLACK) AZ4675
□ POWER SUPPLY CASE (WHITE) AZ4676






Track Magnetic Cover 1m



■ COVER 1m (BLACK) AZ4652
□ COVER 1m (WHITE) AZ4653



Ceiling Plate + Wire

■ CEILING PLATE + WIRE (BLACK) AZ4780
□ CEILING PLATE + WIRE (WHITE) AZ4782



TRACK MAGNETIC

Track Magnetic




Track Magnetic 27 Cover

Power Driver Insight


- MAGNETIC 27 COVER (BLACK) AZ4860
- MAGNETIC 27 COVER (WHITE) AZ4661





AZ4860 (BLACK)
AZ4861 (WHITE)


AZ4677 (BLACK)
AZ4678 (WHITE)




* - EXPLANATION SHORTCUT PAGE 2 (E)

How the Bluetooth gateway to work

The Bluetooth gateway connects to the Internet via the WiFi signal from the router, thanks to which you can remotely control the lamps or devices settings via the AzzardoSMART application. Being at home, you can control the devices using a special AzzardoSMART remote control or from any device (phone, tablet, computer) that has access to the Wifi network.



Bluetooth Gateway Smart
AZ4856





Track Magnetic Bluetooth Remote Smart
AZ4857

MAKITA TRACK MAGNETIC CCT SMART

Track Magnetic



new



BK *


MAKITA TRACK MAGNETIC 7W CCT SMART

LED integrated

voltage: 48V	LED 7W 550lm CCT
IP20	installation: Track Magnetic – 52 or 27
technical specification	beam angle: 40°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) AZ4836



TILT 90° ROTATION 360°

new



BK *


MAKITA 2 TRACK MAGNETIC 2X 7W CCT SMART

LED integrated

voltage: 48V	LED 2x 7W 550lm CCT
IP20	installation: Track Magnetic – 52 or 27
technical specification	beam angle: 40°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) AZ4838



TILT 90° ROTATION 360°

* - EXPLANATION SHORTCUT PAGE 2 (E)

new



BK *


MAKITA TRACK MAGNETIC 20W CCT SMART

LED integrated

voltage: 48V	LED 20W 1560lm CCT
IP20	installation: Track Magnetic – 52 or 27
technical specification	beam angle: 40°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) AZ4840





new



BK *


MAKITA TRACK MAGNETIC 30W CCT SMART

LED integrated

voltage: 48V	LED 30W 2340lm CCT
IP20	installation: Track Magnetic – 52 or 27
technical specification	beam angle: 40°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) AZ4842








SAGA TRACK MAGNETIC MILKY120 CCT SMART

new



BK *

SAGA TRACK MAGNETIC 12W MILKY120 CCT SMART

LED integrated

voltage: 48V	LED 12W 600lm CCT
IP20	
technical specification	installation: Track Magnetic – 52 or 27
	beam angle: 120°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) AZ4846



new



BK *

SAGA TRACK MAGNETIC 20W MILKY120 CCT SMART

LED integrated

voltage: 48V	LED 20W 1100lm CCT
IP20	
technical specification	installation: Track Magnetic – 52 or 27
	beam angle: 120°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) AZ4848





* EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®

new



BK *


SAGA TRACK MAGNETIC 36W MILKY120 CCT SMART

LED integrated

voltage: 48V	LED 36W 1900lm CCT
IP20	
technical specification	installation: Track Magnetic – 52 or 27
	beam angle: 120°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) AZ4850





new



BK *


SONYA TRACK MAGNETIC CCT SMART

LED integrated

voltage: 48V	LED 20W 2100lm CCT
IP20	
technical specification	installation: Track Magnetic – 52 or 27
	beam angle: 60°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) AZ4844





KERRY TRACK MAGNETIC CCT SMART

Track Magnetic



new




KERRY TRACK MAGNETIC 5W CCT SMART

LED integrated

voltage: 48V	LED 5W 550lm CCT
IP20	installation: Track Magnetic – 52 or 27
technical specification	beam angle: 40°

COLOUR / NEW INDEX NO.

SAND BLACK (BK) AZ4852



new




KERRY TRACK MAGNETIC 15W CCT SMART

LED integrated

voltage: 48V	LED 15W 1220lm CCT
IP20	installation: Track Magnetic – 52 or 27
technical specification	beam angle: 60°


COLOUR / NEW INDEX NO.

SAND BLACK (BK) AZ4854



∗ – EXPLANATION SHORTCUT PAGE 2 (E)

new




KIRA TRACK MAGNETIC 12W POINTS50 CCT SMART

LED integrated


voltage: 48V IP20 technical specification	LED 12W 1150lm installation: Track Magnetic – 52 or 27 beam angle: 50°

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4901**



new




KIRA TRACK MAGNETIC 20W POINTS50 CCT SMART

LED integrated


voltage: 48V IP20 technical specification	LED 24W 1450lm installation: Track Magnetic – 52 or 27 beam angle: 50°

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4902**



new




KIRA TRACK MAGNETIC 30W POINTS50 CCT SMART

LED integrated

voltage: 48V IP20 technical specification	LED 24W 1750lm installation: Track Magnetic – 52 or 27 beam angle: 50°

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4903**






SAGA TRACK

Track Magnetic

new




SAGA TRACK MAGNETIC 12W MILKY120

3000K / 4000K — LED integrated

voltage: 48V	LED 12W 550lm 3000K
IP20	LED 12W 600lm 4000K
technical specification	installation: Track Magnetic – 52 or 27
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4604
- 3000K BLACK (BK) AZ4603
- 4000K WHITE (WH) AZ4606
- 4000K BLACK (BK) AZ4605



new




SAGA TRACK MAGNETIC 24W MILKY120

3000K / 4000K — LED integrated

voltage: 48V	LED 24W 1100lm 3000K
IP20	LED 24W 1200lm 4000K
technical specification	installation: Track Magnetic – 52 or 27
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4608
- 3000K BLACK (BK) AZ4607
- 4000K WHITE (WH) AZ4610
- 4000K BLACK (BK) AZ4609



new




SAGA TRACK MAGNETIC 36W MILKY120

3000K / 4000K — LED integrated

voltage: 48V	LED 36W 1800lm 3000K
IP20	
technical specification	installation: Track Magnetic – 52 or 27
	beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4612
- BLACK (BK) AZ4611



new



new




* - EXPLANATION SHORTCUT PAGE 2 (E)





AZzardo

SAGA TRACK

Track Magnetic








SAGA TRACK MAGNETIC CORNER A 24W
MILKY120 3000K / 4000K

LED integrated

voltage: 48V	LED 24W 1200lm 3000K
IP20	LED 24W 1300lm 4000K
technical specification	installation: Track Magnetic – 52 or 27
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4614
- 3000K BLACK (BK) AZ4613
- 4000K WHITE (WH) AZ4616
- 4000K BLACK (BK) AZ4615








SAGA TRACK MAGNETIC CORNER B 24W
MILKY120 3000K / 4000K


LED integrated

voltage: 48V	LED 24W 1200lm 3000K
IP20	LED 24W 1300lm 4000K
technical specification	installation: Track Magnetic – 52 or 27
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4618
- 3000K BLACK (BK) AZ4617
- 4000K WHITE (WH) AZ4620
- 4000K BLACK (BK) AZ4619







* – EXPLANATION SHORTCUT PAGE 2 (E)



AZzardo

KIRA TRACK

Track Magnetic



>> EXPLANATION SHORTCUT PAGE 2 (E)



BK *


KIRA TRACK MAGNETIC 12W POINTS60


3000K / 4000K — LED integrated

voltage: 48V	LED 12W 750lm 3000K
IP20	LED 12W 800lm 4000k
technical specification	installation: Track Magnetic – 52 or 27
	beam angle: 60°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4596
- 3000K BLACK (BK) AZ4595
- 4000K WHITE (WH) AZ4598
- 4000K BLACK (BK) AZ4597




WH *


KIRA TRACK MAGNETIC 24W POINTS60

3000K / 4000K — LED integrated

voltage: 48V	LED 24W 1300lm 3000K
IP20	LED 24W 1400lm 4000K
technical specification	installation: Track Magnetic – 52 or 27
	beam angle: 60°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4600
- 3000K BLACK (BK) AZ4599
- 4000K WHITE (WH) AZ4602
- 4000K BLACK (BK) AZ4601




WH


BK

NIKKI TRACK

Track Magnetic



GO/BK *


NIKKI TRACK MAGNETIC 3W 3000K

LED integrated

voltage: 48V	LED 3W 350lm 3000K
IP20	
technical specification	installation: Track Magnetic – 52 or 27
	beam angle: 40°

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) AZ4589
- GOLD / BLACK (GO/BK) AZ4591
- WHITE / BLACK (WH/BK) AZ4590







BK/BK *


NIKKI 2 TRACK MAGNETIC 3W 3000K

LED integrated

voltage: 48V	LED 2x3W 350lm 3000K
IP20	
technical specification	installation: Track Magnetic – 52 or 27
	beam angle: 40°

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) AZ4592
- GOLD / BLACK (GO/BK) AZ4594
- WHITE / BLACK (WH/BK) AZ4593







* - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®



WH/BK | WH/BK

GO/BK | GO/BK

BK/BK | BK/BK



WH/BK *


NIKO TRACK MAGNETIC 7W 3000K / 4000K

LED integrated

voltage: 48V	LED 7W 550lm 3000K
IP20	LED 7W 600lm 4000K
technical specification	iinstallation: Track Magnetic – 52 or 27
	beam angle: 30°

COLOUR / NEW INDEX NO.

- 4000K GOLD / BLACK (GO/BK) . . . AZ4583
- 3000K BLACK / BLACK (BK/BK). . . AZ4579
- 3000K WHITE / BLACK (WH/BK) . . AZ4580
- 4000K BLACK / BLACK (BK/BK). . . AZ4581
- 4000K WHITE / BLACK (WH/BK) . . AZ4582



TILT 90° ROTATION 360°



GO/BK *


NIKO 2 TRACK MAGNETIC 7W 3000K / 4000K

LED integrated

voltage: 48V	LED 2x7W 550lm 3000K
IP20	LED 2x7W 600lm 4000K
technical specification	installation: Track Magnetic – 52 or 27
	beam angle: 30°

COLOUR / NEW INDEX NO.

- 3000K GOLD / BLACK (GO/BK) . . . AZ4588
- 3000K BLACK / BLACK (BK/BK). . . AZ4584
- 3000K WHITE / BLACK (WH/BK) . . AZ4585
- 4000K BLACK / BLACK (BK/BK). . . AZ4586
- 4000K WHITE / BLACK (WH/BK) . . AZ4587



TILT 90° ROTATION 360°






BK/BK BK/BK

GO/BK GO/BK

WH/BK WH/BK

ALDO TRACK

Track Magnetic




ALDO TRACK MAGNETIC 12W MILKY120

3000K


LED integrated

voltage: 48V	LED 12W 900lm 3000K
IP20	
technical specification	installation: Track Magnetic – 52 or 27
	beam angle: 120°



COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4626
- BLACK (BK) AZ4625




ROTATION POSSIBLE WITH TRACK MAGNETIC27 ONLY

TILT 90°

ROTATION 360°





ALDO TRACK MAGNETIC 12W POINTS60


3000K / 4000K

LED integrated

voltage: 48V	LED 12W 1300lm 3000K
IP20	LED 12W 1300lm 4000K
technical specification	installation: Track Magnetic – 52 or 27
	beam angle: 60°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4622
- 3000K BLACK (BK) AZ4621
- 4000K WHITE (WH) AZ4624
- 4000K BLACK (BK) AZ4623



ROTATION POSSIBLE WITH TRACK MAGNETIC27 ONLY

TILT 90°

ROTATION 350°

* - EXPLANATION SHORTCUT PAGE 2 (E)






SKYE TRACK MAGNETIC PENDANT 12W 3000K

LED integrated

voltage: 48V	LED 12W 1200lm 3000K
IP20	
technical specification	installation: Track Magnetic – 52 or 27
	beam angle: 60°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4637
- BLACK (BK) AZ4636







ELIN TRACK

Track Magnetic





GO *



GO



BK


ELIN TRACK MAGNETIC 7W 3000K / 4000K

LED integrated

voltage: 48V	LED 7W 850lm 3000K
IP20	LED 7W 850lm 4000K
technical specification	installation: Track Magnetic – 52 or 27
	beam angle: 190°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ4630
- 3000K GOLD (GO) AZ4632
- 4000K BLACK (BK) AZ4631



∗ – EXPLANATION SHORTCUT PAGE 2 (E)



GO *


ELSA TRACK MAGNETIC 7W 3000K / 4000K

LED integrated

voltage: 48V	LED 7W 700lm 3000K
IP20	LED 7W 700lm 4000K
technical specification	installation Track Magnetic – 52 or 27
	beam angle: 190°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ4633
- 3000K GOLD (GO) AZ4635
- 4000K BLACK (BK) AZ4634





GO



BK



MAYA TRACK

Track Magnetic





BK *


MAYA TRACK MAGNETIC 3W 3000K

LED integrated

voltage: 48V	LED 3W 250lm 3000K
IP20	
technical specification	installation Track Magnetic – 52 or 27
	beam angle: 190°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4629



* - EXPLANATION SHORTCUT PAGE 2 (E)



GO *

KORI TRACK MAGNETIC 5W 3000K


LED integrated

voltage: 48V	LED 5W 500lm 3000K LED
IP20	
technical specification	installation: Track Magnetic – 52 or 27
	beam angle: 40°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4627

GOLD (GO) AZ4628





GO



BK



AZzardo®



SETS FOR
TRACK MAGNETIC

SETS FOR
Track Magnetic



78 TRACK MAGNETIC SET 1 M
80 TRACK MAGNETIC SET 1,5 M
81 TRACK MAGNETIC SET 2 M
85 TRACK MAGNETIC SET 3 M

TRACK MAGNETIC SET 1 M

Sets for Track Magnetic



52M1031BK-AZ4798
track magnetic 1m, 3000K, black



52M1031WH-AZ4799
track magnetic 1m, 3000K, white

TRACK MAGNETIC SET 1M 3000K / 4000K


LED integrated

voltage: 48V	LED 26W 1120lm 3000K
IP20	LED 26W 1815lm 4000K
technical specification	installation: Track Magnetic
	pendant with AZ4828 or AZ4829

COLOUR / NEW INDEX NO.

3000K BLACK (BK)	AZ4798	(52M1031BK)
3000K WHITE (BK)	AZ4799	(52M1031WH)
4000K BLACK (BK)	AZ4800	(52M1041BK)
4000K WHITE (BK)	AZ4801	(52M1041WH)

Set specification:
AZ4798 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4603
AZ4799 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4604
AZ4800 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4605
AZ4801 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4606



* Ceiling Plate + Wire

** Track Magnetic Suspension Kit 2m





52M1032BK-AZ4802
track magnetic 1m, 3000K, black



52M1032WH-AZ4803
track magnetic 1m, 3000K, white

TRACK MAGNETIC SET 1M 3000K / 4000K

LED integrated


voltage: 48V	LED 26W 2022m 3000K
IP20	LED 26W 1930lm 4000K
technical specification	installation: Track Magnetic
	pendant with AZ4828 or AZ4829

COLOUR / NEW INDEX NO.

3000K BLACK (BK)	AZ4802	(52M1032BK)
3000K WHITE (BK)	AZ4803	(52M1032WH)
4000K BLACK (BK)	AZ4804	(52M1042BK)
4000K WHITE (BK)	AZ4805	(52M1042WH)

* Ceiling Plate + Wire

** Track Magnetic Suspension Kit 2m



Set specification:
AZ4802 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4584
AZ4803 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4585
AZ4804 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4586
AZ4805 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4587



TRACK MAGNETIC SET 1,5 M

Sets for Track Magnetic



52M1531BK-AZ4806
track magnetic 1,5 m, 3000K, black



52M1531BK/GO-AZ4807
track magnetic 1,5 m, 3000K, black/gold

TRACK MAGNETIC SET 1,5M

3000K / 4000K — LED integrated


voltage: 48V	LED 41W 2905lm 3000K
IP20	LED 41W 2910lm 4000K
technical specification	installation: Track Magnetic
	pendant with AZ4828 or AZ4829

COLOUR / NEW INDEX NO.

3000K BLACK (BK)	AZ4806	(52M1531BK)
3000K BLACK/GOLD (BK/GO)	AZ4807	(52M1531BK/GO)
3000K WHITE/GOLD (WH/GO)	AZ4808	(52M1531WH/GO)
4000K BLACK (BK)	AZ4809	(52M1541BK)



52M1531WH/GO-AZ4808
track magnetic 1,5 m, 3000K, white/gold



* Ceiling Plate + Wire

** Track Magnetic Suspension Kit 2m

Set specification:
AZ4806 = AZ4640 + AZ4669 + AZ4652 + AZ4607+2x AZ4630
AZ4807 = AZ4640 + AZ4669 + AZ4652 + AZ4607+2x AZ4632
AZ4808 = AZ4641 + AZ4670 + AZ4653 + AZ4608+2x AZ4632
AZ4809 = AZ4640 + AZ4671 + AZ4652 + AZ4609+2x AZ4631



ELIN TRACK MAGNETIC 7W 3000K GOLD



52M2031BK-AZ4810
track magnetic 2m, 3000K, black



52M2031WH-AZ4811
track magnetic 2m, 3000K, white


TRACK MAGNETIC SET 2M 3000K / 4000K

LED integrated

voltage: 48V	LED 51W 3131lm 3000K
IP20	LED 53W 3041lm 4000K
technical specification	installation: Track Magnetic
	pendant with AZ4828 or AZ4829

COLOUR / NEW INDEX NO.

3000K BLACK (BK)	AZ4810	(52M2031BK)
3000K WHITE (BK)	AZ4811	(52M2031WH)
4000K BLACK (BK)	AZ4812	(52M2041BK)
4000K WHITE (BK)	AZ4813	(52M2041WH)



* Ceiling Plate + Wire

** Track Magnetic Suspension Kit 2m

Set specification:
AZ4810 = AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4584
AZ4811 = AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4585
AZ4812 = AZ4642 + AZ4671 + AZ4652 + AZ4609+2x AZ4586
AZ4813 = AZ4643 + AZ4672 + AZ4653 + AZ4610+2x AZ4587



NIKO 2 TRACK MAGNETIC 2x7W 3000K WH/BK



NIKO 2 TRACK MAGNETIC 2x7W 3000K BK/BK

TRACK MAGNETIC SET 1,5 M

Track Magnetic



52M2032BK-AZ4814
track magnetic 2m, 3000K, black



52M2032WH-AZ4815
track magnetic 2m, 3000K, white

TRACK MAGNETIC SET 2M 3000K / 4000K


LED integrated

voltage: 48V	LED 69W 3533lm 3000K
IP20	LED 69W 3609lm 4000K
technical specification	installation: Track Magnetic
	pendant with AZ4828 or AZ4829

COLOUR / NEW INDEX NO.

3000K BLACK (BK)	AZ4814	(52M2032BK)
3000K WHITE (BK)	AZ4815	(52M2032WH)
4000K BLACK (BK)	AZ4816	(52M2042BK)
4000K WHITE (BK)	AZ4817	(52M2042WH)

Set specification:
AZ4814 =
AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4579 + 2xAZ4595
AZ4815 =
AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4580 + 2xAZ4596
AZ4816 =
AZ4642 + AZ4671 + AZ4652 + AZ4609+2x AZ4581+ 2xAZ4597
AZ4817 =
AZ4643 + AZ4672 + AZ4653 + AZ4610+2x AZ4582+ 2xAZ4598



* Ceiling Plate + Wire

** Track Magnetic Suspension Kit 2m



NIKO TRACK MAGNETIC 7W 3000K WH/BK



KIRA TRACK MAGNETIC 12W POINTS60 3000K WH



NIKO TRACK MAGNETIC 7W 3000K BK/BK



KIRA TRACK MAGNETIC 12W POINTS60 3000K BK



52M2034BK-AZ4820
track magnetic 2m, 3000K, black



52M2034WH-AZ4821
track magnetic 2m, 3000K, white


TRACK MAGNETIC SET 2M 3000K

LED integrated

voltage: 48V	LED 51W 3131lm 3000K LED
IP20	
technical specification	installation: Track Magnetic
	pendant with AZ4828 or AZ4829

COLOUR / NEW INDEX NO.

■ 3000K BLACK (BK)	**AZ4820**	(52M2034BK)
□ 3000K WHITE (BK)	**AZ4821**	(52M2034WH)



* Ceiling Plate + Wire

** Track Magnetic Suspension Kit 2m

Set specification:
AZ4820 =
AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4589+ AZ4592
AZ4821 =
AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4590 + AZ4593



TRACK MAGNETIC SET 1,5 M

Sets for Track Magnetic



52M2033BK/GO-AZ4818
track magnetic 2m, 3000K, black/gold



52M2033WH/GO-AZ4819
track magnetic 2m, 3000K, white/gold

TRACK MAGNETIC SET 2M 3000K


LED integrated

voltage: 48V IP20 technical specification	LED 53W 3540lm 3000K LED
	installation: Track Magnetic
	pendant with AZ4828 or AZ4829

COLOUR / NEW INDEX NO.

3000K BLACK/GOLD (BK/GO). . . .	**AZ4818**	(52M2033BK/GO)
3000K WHITE/GOLD (WH/GO). . . .	**AZ4819**	(52M2033WH/GO)

Set specification:
AZ4818 = AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4588
AZ4819 = AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4588



* Ceiling Plate + Wire
** Track Magnetic Suspension Kit 2m





52M3031BK-AZ4822
track magnetic 3m, 3000K, black



52M3031WH-AZ4823
track magnetic 3m, 3000K, white

TRACK MAGNETIC SET 3M 3000K

LED integrated

voltage: 48V	LED 156W 8722lm 3000K LED
IP20	
technical specification	installation: Track Magnetic
	pendant with AZ4828 or AZ4829


COLOUR / NEW INDEX NO.

■	3000K BLACK (BK) AZ4822	(52M3031BK)
□	3000K WHITE (BK) AZ4823	(52M3031WH)

Set specification:
AZ4822=
AZ4644 + AZ4673 + AZ4652 + 2 X AZ4604 + AZ4611 + 4 X AZ4621
AZ4823=
AZ4645 + AZ4674 + AZ4653 + 2 X AZ4605 + AZ4612 + 4 X AZ4522



ALDO TRACK MAGNETIC 12W POINTS60 3000K BK



* Ceiling Plate + Wire
** Track Magnetic Suspension Kit 2m



ALDO TRACK MAGNETIC 12W POINTS60 3000K WH

TRACK MAGNETIC SET 3 M

Sets for Track Magnetic



52M3032BK-AZ4824
track magnetic 3m, 3000K, black



52M3032WH-AZ4825
track magnetic 3m, 3000K, white

TRACK MAGNETIC SET 3M 3000K / 4000K

LED integrated

voltage: 48V	LED 145W 7332lm 3000K
IP20	LED 120W 6316lm 4000K
technical specification	installation: Track Magnetic
	pendant with AZ4828 or AZ4829

COLOUR / NEW INDEX NO.


3000K BLACK (BK)	AZ4824	(52M3032BK)
3000K WHITE (BK)	AZ4825	(52M3032WH)
4000K BLACK (BK)	AZ4826	(52M3042BK)
4000K WHITE (BK)	AZ4827	(52M3042WH)

Set specification:
AZ4824 =
AZ4644 + AZ4673 + AZ4652 + 2 X AZ4603 + AZ4611 + 2 X AZ4579 + 2 X AZ4584
AZ4825 =
AZ4645 + AZ4674 + AZ4653 + 2 X AZ4604 + AZ4612 + 2 X AZ4580 + 2 X AZ4585
AZ4826 =
AZ4644 + AZ4673 + AZ4652 + 2 X AZ4605 + AZ4609 + 2 X AZ4581 + 2 X AZ4586
AZ4827 =
AZ4645 + AZ4674 + AZ4653 + 2 X AZ4606 + AZ4610 + 2 X AZ4582 + 2 X AZ4587



NIKO 2 TRACK MAGNETIC 7W 3000K WH/BK

NIKO TRACK MAGNETIC 7W 3000K WH/BK



* Ceiling Plate + Wire

** Track Magnetic Suspension Kit 2m



NIKO TRACK MAGNETIC 7W 3000K BK/BK



NIKO 2 TRACK MAGNETIC 7W 3000K BK/BK



AZzardo®

TECHNOLINE


www.azzardolighting.com



EXPOSED
DOWNLIGHTS

EXPOSED downlights

92 ARO
93 EIGER IP54
94 MINI BROSS
95 MINI ELOY
96 BROSS
98 BROSS ARM
100 COSTA
101 COSTA ARM
102 BRANT
103 BRANT IP44
104 BRANT SQUARE
105 BRANT SQUARE IP44
106 ELOY
108 HUGO
108 HUGO R
110 REMO
110 REMO R
112 BORIS
113 DARIO
114 MINI ROUND
115 MINI SQUARE
116 NEOS
117 NINO
118 NANO
119 MANE 10W
120 MANE 20W / 30W
122 BOSTON
123 BILL
124 ROTONDO
125 LENS
128 MAKALU
130 SANTOS
131 SANTOS SQUARE
132 LINO
133 VASKO
134 EREBUS BASE
134 EREBUS PENDANT
134 EREBUS ANGLE
136 EXO
138 FLAVIO
139 VISION
140 GALENA
141 LEON
142 DIADO
143 SCORPIO
144 SANTOS EXPOSED
145 SIENA
146 MONA 12W
147 MONA 18W
148 SKYE
149 SKYE PENDANT
150 OJOS
152 TORONTO
153 RAFFAEL
154 NIKEA
156 PAOLA 230V
158 PAULO 12V
159 PAULO 230V
162 ALIX
163 ALEX
164 ECO ALIX NEW 230V
165 ALIX 230V
166 ECO ALIX
167 ECO ALEX 230V
168 JERRY 12V



169 JERRY 230V
170 MAX 12V / MAX 230V
172 MATEO
173 MOMO
174 MALTA R
178 MONZA R
179 MONZA R PENDANT
180 MONZA II R
182 MONZA S
184 MONZA II S
186 MONZA R CCT
188 MONZA S CCT
190 FALCO 12
191 PIENZA DIMM
192 JUNONA
194 COLLODI 48 CCT
196 QUADRO 50 CCT LED
197 SONA CCT LED
198 CORTONA
200 SOVANA TOP CCT LED
202 SOVANA PENDANT CCT LED
204 GALILEO 1 PENDANT
206 LINNEA PENDANT

ARO IP54

Exposed downlights



CH *



CH



WH



BK


ARO IP54

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP54	
	installation place

COLOUR / NEW INDEX NO.


- CHROME (CH) AZ1360
- WHITE (WH) AZ2559
- BLACK (BK) AZ2558





* - EXPLANATION SHORTCUT PAGE 2 (E)

new



BK *


EIGER IP54

bulb not included

voltage: 230V	GU10 1x MAX 50W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4260**
- BLACK / GOLD (BK/GO) **AZ4261**
- WHITE (WH) **AZ4259**



RECOMMENDED FOR DROPPED CEILING



BK



WH



BK / GO



MINI BROSS

Exposed downlights



AZzardo®



ALU *


MINI BROSS

bulb not included

voltage: 230V	LED connect GU10 1x Max.50W
IP20	
	installation place

COLOUR / NEW INDEX NO.


- ALUMINIUM (ALU) AZ1756
- BLACK (BK) AZ1710
- WHITE (WH) AZ1711
- CHROME (CH) AZ1757








ALU



BK



WH



CH



WH *


MINI ELOY

bulb not included

voltage: 230V	LED connect GU10 1x Max. 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ1754
- BLACK (BK) AZ1712
- WHITE (WH) AZ1713
- CHROME (CH) AZ1755







ALU

BK

WH



CH



BROSS

Exposed downlights



BK / GO *


BROSS 1

bulb not included

voltage: 230V	LED connect GU10 1x Max.50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0780
- BLACK / ALUMINIUM (BK/ALU) . . . AZ0779
- WHITE (WH) AZ0858
- WHITE / ALUMINIUM (WH / ALU) . . AZ0781
- CHROME (CH) AZ0857
- WHITE / BLACK (WH/BK) AZ1436
- BLACK / BLACK (BK/BK) AZ2135
- BLACK / GOLD (BK/GO) AZ2955



TILT 45° ROTATION 350°



BK / ALU *


BROSS 2

bulb not included

voltage: 230V	LED connect GU10 2x Max.50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0783
- BLACK / ALUMINIUM (BK/ALU) . . . AZ0782
- WHITE (WH) AZ0859
- WHITE / ALUMINIUM (WH / ALU) . . AZ0784
- CHROME (CH) AZ0941
- WHITE / BLACK (WH/BK) AZ1753
- BLACK / BLACK (BK/BK) AZ2136
- BRIGHT GREY (BGR) AZ1787
- BLACK / GOLD (BK/GO) AZ2956



TILT 45° ROTATION 350°



BK / GO | BK / ALU | CH

BK / BK | WH | WH / BK

ALU | WH / ALU | BGR

* - EXPLANATION SHORTCUT PAGE 2 (E)


AZzardo

BROSS ARM

Exposed downlights




BROSS ARM

bulb not included

voltage: 230V	LED GU10 1xMax 35W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ3498**
- ■ BLACK (BK) **AZ3499**



AZZARDO PATENT EU — TILT 90° — ROTATION 360°




BROSS ARM 2

bulb not included

voltage: 230V	LED GU10 2xMax 35W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) **AZ3502**
- ■ BLACK (BK) **AZ3503**



AZZARDO PATENT EU — TILT 90° — ROTATION 360°

∗ - EXPLANATION SHORTCUT PAGE 2 (E)







WH



BK



WH



BK

COSTA

Exposed downlights




COSTA 3000K / 4000K

LED integrated

voltage: 230V	LED 12W 1000lm 3000K
IP20	LED 12W 1100lm 4000K
technical specification	installation place
	beam angle: 24°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ2856
- 3000K BLACK (BK) AZ2857
- 4000K WHITE (WH) AZ4554
- 4000K BLACK (BK) AZ4553



TILT 90° ROTATION 350°






COSTA SPOT

LED integrated


voltage: 230V	LED 12W 1020lm 3000K
IP20	
technical specification	installation place inlet opening Ø 8,9cm
	beam angle: 24°

COLOUR / NEW INDEX NO.

- WHITE/WHITE (WH/WH) AZ2705
- BLACK/BLACK (BK/BK) AZ2706



TILT 90° ROTATION 350°





* - EXPLANATION SHORTCUT PAGE 2 (E)



BK / BK *

COSTA ARM

LED integrated

voltage: 230V		LED 12W 1020lm 3000K
IP20		
technical specification		installation place
		beam angle: 24°

COLOUR / NEW INDEX NO.

- WHITE/WHITE (WH/WH) **AZ2703**
- BLACK/BLACK (BK/BK) **AZ2702**





WH / WH



BK / BK

WARRANTY 5 YEARS INTEGRATED LED



BRANT

Exposed downlights



BK / CH *


BRANT

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ2819
- WHITE (WH) AZ2818
- BLACK / CHROME (BK / CH) AZ2929



TILT 20°



BK / CH * | CH * | WH *



BK *


BRANT 2

bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ2821
- WHITE (WH) AZ2820
- BLACK / CHROME (BK / CH) AZ2930



TILT 20°



BK / CH * | WH * | BK *



* - EXPLANATION SHORTCUT PAGE 210



CH *

BRANT IP44


bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP44	
	installation place

COLOUR / NEW INDEX NO.

CHROME (CH) **AZ2691**

WHITE (WH) **AZ2690**







CH *-

BRANT 2 IP44


bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP44	
	installation place

COLOUR / NEW INDEX NO.

CHROME (CH) **AZ2817**

WHITE (WH) **AZ2816**





BRANT SQUARE

Exposed downlights



BK *


BRANT SQUARE

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2824
- BLACK (BK) AZ2825



TILT 20°



WH *


BRANT 2 SQUARE

bulb not included

voltage: 230V	LED connect GU10 2x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2826
- BLACK (BK) AZ2827



TILT 20°



* - EXPLANATION SHORTCUTS PAGE 2 (E)

AZzardo®





BK *


BRANT SQUARE IP44

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W
IP44	
	installation place

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) AZ2822
- ■ BLACK (BK) AZ2878





WH *


BRANT 2 SQUARE IP44

bulb not included

voltage: 230V	LED connect GU10 2x Max 50W
IP44	
	installation place

COLOUR / NEW INDEX NO.


- ☐ WHITE (WH) AZ2823
- ■ BLACK (BK) AZ2879






ELOY

Exposed downlights



BK / BK



BK / ALU




WH / BK




ALU




CH



WH / ALU



WH



BK / ALU *


ELOY

bulb not included

voltage: 230V	LED connect GU10 1x Max.50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0991
- BLACK / ALUMINIUM (BK / ALU) . . . AZ0930
- WHITE (WH) AZ0929
- WHITE / ALUMINIUM (WH / ALU) . . AZ0872
- CHROME (CH) AZ0873
- BLACK / BLACK (BK / BK) AZ2137
- WHITE / BLACK (WH / BK) AZ1439



TILT 45° ROTATION 350°



BK / BK



BK / ALU



ALU



WH / ALU



WH



BK / ALU *


ELOY 2

bulb not included

voltage: 230V	LED connect GU10 2x Max.50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ1352
- BLACK / ALUMINIUM (BK / ALU) . . . AZ1355
- WHITE (WH) AZ1353
- WHITE / ALUMINIUM (WH / ALU) . . AZ1354
- BLACK / BLACK (BK / BK) AZ2138



TILT 45° ROTATION 350°

∗ - EXPLANATION SHORTCUT PAGE 2 (E)


AZzardo

HUGO

Exposed downlights



BK + HUGO R ALU *


HUGO


bulb not included

voltage: 230V	LED connect GU10 1x Max.50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0828
- BLACK (BK) AZ0826
- WHITE (WH) AZ0827





BK + HUGO R **ALU**

WH + HUGO R **ALU**


ALU + HUGO R **ALU**



BK + HUGO R **WH**

WH + HUGO R **WH**

ALU + HUGO R **WH**



BK + HUGO R **BK**

WH + HUGO R **BK**

ALU + HUGO R **BK**



BK + HUGO R **GO**

WH + HUGO R **GO**


ALU + HUGO R **GO**



BK + HUGO R **CHA**

WH + HUGO R **CHA**

ALU + HUGO R **CHA**




HUGO R

bulb not included

voltage: 230V	LED connect GU10 1x Max.50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0829
- BLACK (BK) AZ0832
- WHITE (WH) AZ0830
- GOLD (GO) AZ0831
- CHAMPAGNE (CHA) AZ0833
- CHROME (CH) AZ0856



* – EXPLANATION SHORTCUT PAGE 2 (E)


AZzardo

REMO

Exposed downlights



ALU + REMO R **ALU** *


REMO

bulb not included

voltage: 230V	LED connect GU10 1x Max. 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0820**
- BLACK (BK) **AZ0818**
- WHITE (WH) **AZ0819**






REMO R

bulb not included

voltage: 230V	LED connect GU10 1x Max. 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0821**
- BLACK (BK) **AZ0823**
- WHITE (WH) **AZ0822**
- GOLD (GO) **AZ0824**
- CHAMPAGNE (CHA) **AZ0825**
- CHROME (CH) **AZ0855**





BK + REMO R **CH** | **WH** + REMO R **CH** | **ALU** + REMO R **CH**

BK + REMO R **ALU** | **WH** + REMO R **ALU** | **ALU** + REMO R **ALU**

BK + REMO R **WH** | **WH** + REMO R **WH** | **ALU** + REMO R **WH**

BK + REMO R **BK** | **WH** + REMO R **BK** | **ALU** + REMO R **BK**

BK + REMO R **GO** | **WH** + REMO R **GO** | **ALU** + REMO R **GO**

BK + REMO R **CHA** | **WH** + REMO R **CHA** | **ALU** + REMO R **CHA**

* - EXPLANATION SHORTCUT PAGE 2 (E)


AZzardo

BORIS


Exposed downlights



WH *



ALU



BK



WH


BORIS

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ1053
- WHITE (WH) AZ1054
- BLACK (BK) AZ1110





* - EXPLANATION SHORTCUT PAGE 2 (E)



ALU *


DARIO

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ1055**
- WHITE (WH) **AZ1056**
- BLACK (BK) **AZ1111**





ALU



BK



WH



MINI ROUND

Exposed downlights





CH *


MINI ROUND

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ1706**
- BLACK (BK) **AZ1781**
- CHROME (CH) **AZ1707**





WH



BK



CH

* – EXPLANATION SHORTCUT PAGE 2 (E)



WH *


MINI SQUARE

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) AZ1381
- ■ BLACK (BK) AZ1382





WH



BK



NEOS


Exposed downlights


BK / CH

WH / CH


BK / ALU

WH / ALU


BK / CH

WH / CH


WH / CH *


NEOS 1

bulb not included

voltage: 230V	LED connect GU10 1x Max.50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK / CHROME (BK / CH) **AZ0708**
- BLACK / ALUMINIUM (BK / ALU). . . **AZ0607**
- WHITE / CHROME (WH / CH) **AZ0707**
- WHITE / ALUMINIUM (WH / ALU) . . **AZ0606**






BK / CH *


NEOS 3

bulb not included

voltage: 230V	LED connect GU10 3x Max.50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK / CHROME (BK / CH) **AZ0742**





WH / CH *


NINO 1


bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK / CHROME (BK / CH) **AZ0736**
- BLACK / ALUMINIUM (BK / ALU). . . **AZ1383**
- WHITE / CHROME (WH / CH) **AZ0735**
- WHITE / ALUMINIUM (WH / ALU) . . **AZ0598**





WH / CH *


NINO 2

bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK / ALUMINIUM (BK / ALU). . . **AZ1385**
- WHITE / CHROME (WH / CH) **AZ0737**
- WHITE / ALUMINIUM (WH / ALU) . . **AZ1386**





WH / CH *


NINO 4

bulb not included

voltage: 230V	connect GU10 4x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK / CHROME (BK / CH) **AZ0852**
- BLACK / ALUMINIUM (BK / ALU). . . **AZ1388**
- WHITE / CHROME (WH / CH) **AZ0851**
- WHITE / ALUMINIUM (WH / ALU) . . **AZ1387**





NANO

Exposed downlights




NANO SQUARE

LED integrated

voltage: 230V	LED 5W 420lm 3000K
IP20	
technical specification	installation place
	beam angle: 26°

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2786**
- BLACK (BK) **AZ2787**








NANO ROUND

LED integrated

voltage: 230V	LED 5W 420lm 3000K
IP20	
technical specification	installation place
	beam angle: 26°

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2784**
- BLACK (BK) **AZ2785**



∗ – EXPLANATION SHORTCUT PAGE 2 (E)




MANE 10W 3000K

LED integrated


voltage: 230V	LED 10W 800lm 3000K LED
IP20	
technical specification	installation place
	beam angle: 23°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ2844
- WHITE (WH) AZ2845
- GOLD (GO) AZ2846



new




MANE 10W 4000K

LED integrated

voltage: 230V	LED 10W 830lm 4000K LED
IP20	
technical specification	installation place
	beam angle: 23°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4322
- WHITE (WH) AZ4324
- GOLD (GO) AZ4323





MANE 20W

Exposed downlights

new




MANE 20W

LED integrated

voltage: 230V	LED 20W 1600lm 3000K
IP20	
technical specification	installation place
	beam angle: 23°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4153
- WHITE (WH) AZ4152
- GOLD (GO) AZ4154



new




MANE 20W DIMM

LED integrated

voltage: 230V	LED 20W DIMM 1600lm 3000K
IP20	
technical specification	installation place
	beam angle: 23°

COLOUR / NEW INDEX NO.


- BLACK (BK) AZ4325
- WHITE (WH) AZ4327
- GOLD (GO) AZ4326





* – EXPLANATION SHORTCUT PAGE 2 (E)

new




MANE 30W

LED integrated

voltage: 230V	LED 30W 2400lm 3000K LED
IP20	
technical specification	installation place
	beam angle: 23°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4156
- WHITE (WH) AZ4155
- GOLD (GO) AZ4157



new




MANE 30W DIMM

LED integrated

voltage: 230V	LED 30W DIMM 2400lm 3000K LED
IP20	
technical specification	installation place
	beam angle: 23°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4328
- WHITE (WH) AZ4330
- GOLD (GO) AZ4329






BK


GO


WH

BOSTON 10W TUBE

Exposed downlights





BK *


BOSTON 10W TUBE

LED integrated

voltage: 230V	LED 10W 685lm 3000K
IP20	
technical specification	installation place
	beam angle: 21°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3469
- BLACK (BK) AZ3468





* – EXPLANATION SHORTCUT PAGE 2 (E)


BK *


WH

BK


BILL 10W

LED integrated

voltage: 230V	LED 10W 850lm 4000K
IP20	
technical specification	installation place
	beam angle: 60°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3375
- BLACK (BK) AZ3376





ROTONDO

Exposed downlights

new




ROTONDO

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4207
- BLACK (BK) AZ4208
- BRONZE (BZ) AZ4209



TILT 45°


BK


WH


BZ



∗ - EXPLANATION SHORTCUT PAGE 2 (E)


WH/WH | BK/BK | BK/GO


BK/GO *


LENS ROUND

bulb not included

voltage: 230V	LED GU10 1xMax 35W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE / WHITE (WH/WH) **AZ3516**
- BLACK / BLACK (BK/BK) **AZ3517**
- BLACK / GOLD (BK/GO) **AZ3518**







LENS SQUARE

Exposed downlights





WH/WH *


LENS SQUARE

bulb not included

voltage: 230V	LED GU10 1xMax 35W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE / WHITE (WH/WH) **AZ3513**
- BLACK / BLACK (BK/BK) **AZ3514**
- BLACK / GOLD (BK/GO) **AZ3515**



AZZARDO PATENT EU TILT 90° ROTATION 360°



WH/WH




BK/BK



BK/GO

* - EXPLANATION SHORTCUT PAGE 2 (E)



BK/GO *

LENS 2 SQUARE

	bulb not included
voltage: 230V	LED GU10 2xMax 35W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE / WHITE (WH/WH) AZ3519
- BLACK / BLACK (BK/BK) AZ3520
- BLACK / GOLD (BK/GO) AZ3521




AZZARDO PATENT EU

TILT 90° ROTATION 360°


WH/WH


BK/BK


BK/GO



MAKALU

Exposed downlights

new



BK *

MAKALU 1


bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4210

WHITE (WH) AZ4211



TILT 90° ROTATION 360°

new



WH *

MAKALU 2


bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4212

WHITE (WH) AZ4213



TILT 90° ROTATION 360°

new



BK *

MAKALU 3


bulb not included

voltage: 230V	connect GU10 3x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4214

WHITE (WH) AZ4215



TILT 90° ROTATION 360°



* - EXPLANATION SHORTCUT PAGE 2 (E)


AZzardo

SANTOS

Exposed downlights




SANTOS 3000K

LED integrated

voltage: 230V	LED 12W 1135lm 3000K
IP20	
technical specification	installation place
	beam angle: 23,5°

COLOUR / NEW INDEX NO.

- WHITE / GOLD (WH/GO) AZ2417
- BLACK / GOLD (BK/GO) AZ2416
- WHITE / WHITE (WH/WH) AZ4182
- BLACK / BLACK (BK/BK) AZ4181



TILT 90° ROTATION 350°




SANTOS GU10

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) AZ4201
- WHITE / WHITE (WH/WH) AZ4200




TILT 90° ROTATION 360°












WARRANTY 5 YEARS INTEGRATED LED



WH *


SANTOS SQUARE

LED integrated


voltage: 230V		LED 12W 825lm 3000K
IP20		
technical specification		installation place
		beam angle: 26°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3522
- BLACK (BK) AZ3523







BK

WH



LINO

Exposed downlights



CH *



CH



BK-CHROME



WH-MATT


LINO

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) **AZ1479**
- BLACK (BK) **AZ1477**
- CHROME (CH) **AZ1478**








∗ – EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®



CH *


VASKO

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) AZ1491
- BLACK (BK) AZ1489
- CHROME (CH) AZ1490





CH



BK-CHROME



WH-MATT



EREBUS

Exposed downlights

Bases + Tubes = Result


BASES TYPE



SIMPLE BASE

☐ ALUMINIUM (ALU) AZ3389

size 14 or 21



TUBE 14 / TUBE 21


☐ 14 WHITE (WH) AZ3383
■ 14 BLACK (BK) AZ3384
◨ 14 GOLD (GO) AZ3385
☐ 21 WHITE (WH) AZ3386
■ 21 BLACK (BK) AZ3387
◨ 21 GOLD (GO) AZ3388

BASE + TUBE




SIMPLE BASE + TUBE 14 / 21

SIMPLE BASE (ALU) . . . AZ3389 + TUBE 14 (WH) AZ3383
+ TUBE 14 (BK) AZ3384
+ TUBE 14 (GO) AZ3385
+ TUBE 21 (WH) AZ3386
+ TUBE 21 (BK) AZ3387
+ TUBE 21 (GO) AZ3388




BASE PENDANT

☐ WHITE (WH) AZ3392
■ BLACK (BK) AZ3393



TUBE 14 / TUBE 21


☐ 14 WHITE (WH) AZ3383
■ 14 BLACK (BK) AZ3384
◨ 14 GOLD (GO) AZ3385
☐ 21 WHITE (WH) AZ3386
■ 21 BLACK (BK) AZ3387
◨ 21 GOLD (GO) AZ3388



PENDANT BASE + TUBE


PENDANT BASE (WH) . . AZ3392 + TUBE 14 (WH) AZ3383
+ TUBE 14 (BK) AZ3384
+ TUBE 14 (GO) AZ3385
+ TUBE 21 (WH) AZ3386
+ TUBE 21 (BK) AZ3387
+ TUBE 21 (GO) AZ3388

PENDANT BASE (BK) . . . AZ3393 + TUBE 14 (WH) AZ3383
+ TUBE 14 (BK) AZ3384
+ TUBE 14 (GO) AZ3385
+ TUBE 21 (WH) AZ3386
+ TUBE 21 (BK) AZ3387
+ TUBE 21 (GO) AZ3388




BASE ANGLE

☐ WHITE (WH) AZ3394
■ BLACK (BK) AZ3395



TUBE 14 / TUBE 21


☐ 14 WHITE (WH) AZ3383
■ 14 BLACK (BK) AZ3384
◨ 14 GOLD (GO) AZ3385
☐ 21 WHITE (WH) AZ3386
■ 21 BLACK (BK) AZ3387
◨ 21 GOLD (GO) AZ3388



ANGLE BASE + TUBE


ANGLE BASE (WH) . . . . AZ3394 + TUBE 14 (WH) AZ3383
+ TUBE 14 (BK) AZ3384
+ TUBE 14 (GO) AZ3385
+ TUBE 21 (WH) AZ3386
+ TUBE 21 (BK) AZ3387
+ TUBE 21 (GO) AZ3388

ANGLE BASE (BK) . . . . . AZ3395 + TUBE 14 (WH) AZ3383
+ TUBE 14 (BK) AZ3384
+ TUBE 14 (GO) AZ3385
+ TUBE 21 (WH) AZ3386
+ TUBE 21 (BK) AZ3387
+ TUBE 21 (GO) AZ3388




TRACK


☐ WHITE (WH) AZ3390
■ BLACK (BK) AZ3391



TUBE 14 / TUBE 21

☐ 14 WHITE (WH) AZ3383
■ 14 BLACK (BK) AZ3384
◨ 14 GOLD (GO) AZ3385
☐ 21 WHITE (WH) AZ3386
■ 21 BLACK (BK) AZ3387
◨ 21 GOLD (GO) AZ3388





TRACK + TUBE

TRACK (WH) . . . . . AZ3390 + TUBE 14 (WH) AZ3383
+ TUBE 14 (BK) AZ3384
+ TUBE 14 (GO) AZ3385
+ TUBE 21 (WH) AZ3386
+ TUBE 21 (BK) AZ3387
+ TUBE 21 (GO) AZ3388

TRACK (BK) . . . . . AZ3391 + TUBE 14 (WH) AZ3383
+ TUBE 14 (BK) AZ3384
+ TUBE 14 (GO) AZ3385
+ TUBE 21 (WH) AZ3386
+ TUBE 21 (BK) AZ3387
+ TUBE 21 (GO) AZ3388

* - EXPLANATION SHORTCUT PAGE 2 (E)


AZzardo

EXO

Exposed downlights



EXO 1

bulb not included

voltage: 230V	LED connect GU10 1x Max 35W
IP20	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ3193

WHITE (WH) AZ3194







EXO 2


bulb not included

voltage: 230V	LED connect GU10 2x Max 35W
IP20	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ3195

WHITE (WH) AZ3196







PLANATION SHORTCUT PAGE 2 (E)

AZzardo®




WH *


WH BK

EXO 3


bulb not included

voltage: 230V	LED connect GU10 3x Max 35W
IP20	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ3197

WHITE (WH) AZ3198







FLAVIO

Exposed downlights



WH / BK *


FLAVIO

bulb not included

voltage: 230V	LED connect GU10 1x Max. 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

WHITE / BK (WH / BK) AZ0791



TILT 90°



WH / BK *


FLAVIO 2

bulb not included

voltage: 230V	LED connect GU10 2x Max. 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

WHITE / BK (WH / BK) AZ0792



TILT 90°

* - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®





BK *



BK


VISION

bulb not included

voltage: 230V	LED connect GU10 2x Max. 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ1745







GALENA

Exposed downlights



WH-MATT *



WH-MATT

WARRANTY 5 YEARS INTEGRATED LED


GALENA

LED integrated

voltage: 230V	LED 11W 3000K RA>80
IP20	1000 lm
technical specification	installation place
	beam angle: 112°

COLOUR / NEW INDEX NO.

☐ MATT WHITE (WH) AZ1457







* - EXPLANATION SHORTCUT PAGE 2 (E)



WH *


LEON 5

LED integrated

voltage: 230V		LED 12W 910lm 3000K
IP20		
technical specification		installation place
		beam angle: 24,5°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3488
- BLACK (BK) AZ3489







WH



BK



DIADO

Exposed downlights



CH *



WH



CH


DIADO

LED integrated

voltage: 230V	LED 5W 3000K RA>80
IP20	407 lm
technical specification	installation place
	beam angle: 18°

COLOUR / NEW INDEX NO.

- MATT WHITE (WH) AZ1454
- CHROME (CH). AZ1453







∗ - EXPLANATION SHORTCUT PAGE 2 (E)



BK *



CH



WH



BK


SCORPIO

LED integrated

voltage: 230V		LED 10W 3000K RA>80
IP20		980 lm
technical specification		installation place
		beam angle: 45°

COLOUR / NEW INDEX NO.

- CHROME (CH) AZ1452
- WHITE (WH) AZ1618
- BLACK CHROME (BCH) AZ2952





WARRANTY 5 YEARS INTEGRATED LED



SANTOS EXPOSED

Exposed downlights






SANTOS EXPOSED ROUND

LED integrated

voltage: 230V	LED 12W 645lm 3000K
IP20	
technical specification	installation place
	beam angle: 23°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3508
- BLACK (BK) AZ3509







* - EXPLANATION SHORTCUT PAGE 2 (E)



CH *


SIENA 10W 3000K/4000K

LED integrated

voltage: 230V		LED 10W 3000K RA≥90 840lm
IP20		LED 10W 4000K RA≥90 880lm
technical specification		installation place
		beam angle: 17°

COLOUR / NEW INDEX NO.

- 3000K CHROME (CH) AZ2214
- 4000K WHITE (WH) AZ2211
- 4000K CHROME (CH) AZ2215



TILT 90° ROTATION 350°



BK *


SIENA 20W 3000K/4000K

LED integrated

voltage: 230V		LED 20W 3000K RA≥90 1680lm
IP20		LED 20W 4000K RA≥90 1760lm
technical specification		installation place
		beam angle: 32°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ2218
- 3000K CHROME (CH) AZ2220
- 4000K BLACK (BK) AZ2219
- 4000K CHROME (CH) AZ2221



TILT 90° ROTATION 350°



CH



BK



WH



MONA 12W

Exposed downlights

new



BK *



WH



BK


MONA 12W 3000K / 4000K

LED integrated

voltage: 230V	LED 12W 1000lm 3000/4000K
IP20	
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4538
- 3000K BLACK (BK) AZ4537
- 4000K WHITE (WH) AZ4540
- 4000K BLACK (BK) AZ4539







EXPLANATION SHORTCUT PAGE 2 (E)

new




MONA 18W 3000K

LED integrated

voltage: 230V	LED 18W 1500lm 3000K
IP20	
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4546**
- 3000K BLACK (BK) **AZ4545**






BK


WH



SKYE

Exposed downlights

new



BK *



WH



BK

SKYE 3000K


LED integrated

voltage: 230V	LED 12W 950lm 3000K
IP20	
technical specification	installation place
	beam angle: 60°

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ4517**

BLACK (BK) **AZ4518**







∗ – EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®

new



BK *


SKYE PENDANT 3000K


LED integrated

voltage: 230V	LED 12W 950lm 3000K
IP20	
technical specification	installation place
	beam angle: 60°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4522
- BLACK (BK) AZ4521







WH



BK



OJOS

Exposed downlights




OJOS 1

LED integrated

voltage: 230V	LED 9W 700lm 3000K
IP20	
technical specification	installation place
	beam angle: 24°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4196
- BLACK (BK) AZ4197












OJOS 2

LED integrated

voltage: 230V	LED 2x9W 700lm 3000K
IP20	
technical specification	installation place
	beam angle: 24°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4198
- BLACK (BK) AZ4199









∗ – EXPLANATION SHORTCUT PAGE 2 (E)



TORONTO

Exposed downlights

new



BK *


TORONTO 1 3000K

LED integrated

voltage: 230V	LED 10W 700lm 3000K	LED
IP20	installation place	
technical specification	beam angle: 21°	

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4070
- BLACK (BK) AZ4064







WH



BK

new



WH *


TORONTO 2 3000K

LED integrated

voltage: 230V	LED 2x10W 700lm 3000K	LED
IP20	installation place	
technical specification	beam angle: 21°	

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4072
- BLACK (BK) AZ4065







WH



BK



* - EXPLANATION SHORTCUT PAGE 2 (E)




RAFFAEL

bulb not included

voltage: 230V	LED connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- CHROME (CH) AZ1624
- WHITE (WH) AZ1623
- GOLD (GO) AZ1625
- BRUSHED COPPER (BCO) AZ1626
- BLACK (BK) AZ3497















NIKEA GU10

Exposed downlights

new



BK / BK *


NIKEA 1 GU10

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) AZ4430
- WHITE (WH) AZ4431
- BLACK (BK) AZ4432



TILT 45° ROTATION 350°

new



WH *


NIKEA 2 GU10

bulb not included

voltage: 230V	GU10 2x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) AZ4433
- WHITE (WH) AZ4434
- BLACK (BK) AZ4435



TILT 45° ROTATION 350°



* - EXPLANATION SHORTCUT PAGE 2 (E)


AZzardo®



WH




WH



BK



BK



WH / BK



WH / BK

new



WH / BK *


NIKEA 1 ES111

bulb not included


voltage: 230V	ES111 1x Max 16W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) AZ4436
- WHITE (WH) AZ4437
- BLACK (BK) AZ4438



TILT 45° ROTATION 350°



new



BK / BK *


NIKEA 2 ES111

bulb not included

voltage: 230V	ES111 2x Max 16W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) AZ4439
- WHITE (WH) AZ4440
- BLACK (BK) AZ4441



TILT 45° ROTATION 350°



PAOLA 230V

Exposed downlights

new



BK *


PAOLA 1 230V

bulb not included

voltage: 230V	connect 1x ES111 Max 16W or
IP20	ADAP111 + GU10 Max 50W
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4128
- BLACK (BK) AZ4130



TILT 40°



WH



WH



BK



BK

new



WH *


PAOLA 2 230V

bulb not included

voltage: 230V	connect 2x ES111 Max 16W or
IP20	ADAP111 + GU10 Max 50W
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4132
- BLACK (BK) AZ4134



TILT 40°

* - EXPLANATION SHORTCUT PAGE 2 (E)


AZzardo

PAULO 12V

Exposed downlights



WH / WH *


PAULO 1 12V

bulb not included

voltage: 12V	connect G53 QR 111 1x12V
IP20	driver 12 V included
	installation place

COLOUR / NEW INDEX NO.

WHITE / WHITE (WH / WH) **AZ1790**



TILT 45°



BK / ALU

BK / ALU

WH / ALU

WH / ALU

WH / WH

WH / WH

BK / BK

BK / BK

∗ - EXPLANATION SHORTCUT PAGE 2 (E)



WH / ALU *

PAULO 1 230V


bulb not included

voltage: 230V	Bulbs and connector types
IP20	are shown on the pages 70-71
	installation place

COLOUR / NEW INDEX NO.

BLACK / ALUMINIUM (BK / ALU). . . **AZ0959**

WHITE / ALUMINIUM (WH / ALU) . . **AZ0960**



TILT 45°



WH / ALU *

PAULO 3 230V


bulb not included

voltage: 230V	Bulbs and connector types
IP20	are shown on the pages 70-71
	installation place


COLOUR / NEW INDEX NO.

BLACK / ALUMINIUM (BK / ALU). . . **AZ0965**

WHITE / ALUMINIUM (WH / ALU) . . **AZ0964**



TILT 45°














BK / ALU BK / ALU

WH / ALU WH / ALU






PAULO 230V BULBS GU10 SYSTEM

Exposed downlights

Paulo 230V LAMP BODY	+	PAR–16 ADAP111	+	Bulb GU10	=	Result
 PAULO 1	+		+		=	LAMP BODY + PAR-16 + BULB
 PAULO 2	+					
 PAULO 3	+					
 PAULO 4	+					
				Bulb GU10 7W dimmable	=	**Paulo 230V GU10 7W dimmable**
				Bulb GU10 7W no dimmable	=	**Paulo 230V GU10 7W no dimmable**

Paulo 230V LAMP BODY	+	Bulb ES111	=	Result LAMP BODY + BULB =
 PAULO 1	+			
 PAULO 2	+			
 PAULO 3	+			
 PAULO 4	+			
		ES111 CH 12W dimmable 3000K	=	**Paulo 230V ES111 12W dimmable 3000K**
		ES111 CH 12W dimmable 4000K	=	**Paulo 230V ES111 12W dimmable 4000K**
		ES111 CH 12W no dimmable 3000K	=	**Paulo 230V ES111 12W no dimmable 3000K**
		ES111 CH 12W no dimmable 4000K	=	**Paulo 230V ES111 12W no dimmable 4000K**
		ES111 WH 15W dimmable 3000K	=	**Paulo 230v ES111 15W dimmable 3000K**
		ES111 WH 15W dimmable 4000K	=	**Paulo 230V ES111 15W dimmable 4000K**
		ES111 BK 15W dimmable 3000K	=	**Paulo 230V ES111 15W dimmable 3000K**
		ES111 BK 15W dimmable 4000K	=	**Paulo 230V ES111 15W dimmable 4000K**

∗ – EXPLANATION SHORTCUT PAGE 2 (E)

Paulo 12V	+	Bulb	=	Result
LAMP BODY		QR111		LAMP BODY + BULB =
 PAULO 1	+			
 PAULO 2	+			
 PAULO 3	+			
 PAULO 4	+			
		Bulb QR111 BK 17W no dimmable 3000K	=	**Paulo 12V QR111 BK 17W no dimmable 3000K**
		Bulb QR111 BK 17W no dimmable 4000K	=	**Paulo 12V QR111 BK 17W no dimmable 4000K**
		Bulb QR111 WH 17W no dimmable 3000K	=	**Paulo 12V QR111 WH 17W no dimmable 3000K**
		Bulb QR111 WH 17W no dimmable 4000K	=	**Paulo 12V QR111 WH 17W no dimmable 4000K**
		Bulb QR111 CH 12W no dimmable 3000K	=	**Paulo 12V QR111 CH 17W no dimmable 3000K**
		Bulb QR111 CH 12W no dimmable 4000K	=	**Paulo 12V QR111 CH 17W no dimmable 4000K**



ALIX

Exposed downlights



BK *



WH



BK

ALIX


bulb not included

voltage: 12V	connect 1x QR111 MAX 50W
IP20	dimer driver 12V – included
	installation place

COLOUR / NEW INDEX NO.

WHITE (WH) AZ1356

BLACK (BK) AZ1357







* - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®



WH *

ALEX


bulb not included

voltage: 12V	connect 1x QR111 MAX 50W
IP20	dimer driver 12V – included
	installation place

COLOUR / NEW INDEX NO.

WHITE (WH) AZ1359

BLACK (BK) AZ1358







WH



BK



ECO ALIX NEW 230V

Exposed downlights





BK *


ECO ALIX NEW 230V

bulb not included

voltage: 230V	LED ES111 1x Max 35W
IP20	
	installation place


COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3492
- BLACK (BK) AZ3493
- BLACK CHROME (BK) AZ3494
- CHROME (CH) AZ3495
- ANTIQUE GOLD (AG) AZ3496





WH




BK



BK



CH



AG



* - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®


WH *


WH BK


ALIX 230V

bulb not included

voltage: 230V	LED connect 1x ES111 MAX 50W
IP20	or ADAP111 + GU10 Max 50W
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3541
- BLACK (BK) AZ3540







ECO ALIX

Exposed downlights



new



WH *

ECO ALIX V2.


bulb not included

voltage: 230V	ES111 1x Max. 16W
IP20	
	installation place

COLOUR / NEW INDEX NO.

WHITE (WH) AZ4320

BLACK (BK) AZ4319





WH



BK

∗ – EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®

new



BK *


ECO ALEX V.2

bulb not included

voltage: 230V	ES111 1 x MAX 16W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4318
- BLACK (BK) AZ4317





WH



BK



JERRY 12V

Exposed downlights



CH *


JERRY 1 12V

bulb not included

voltage: 12V	connect 1x QR111 MAX 50W
IP20	dimer driver 12V – included
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ1364
- BLACK (BK) AZ1365
- CHROME (CH) AZ1752



TILT 90° ROTATION 330°



BK *


JERRY 2 12V

bulb not included

voltage: 12V	connect 2x QR111 MAX 50W
IP20	dimer driver 12V – included
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ1369
- BLACK (BK) AZ1368
- CHROME (CH) AZ1751



TILT 90° ROTATION 330°





BK *


JERRY 3 12V

bulb not included

voltage: 12V	connect 3x QR111 MAX 50W
IP20	dimer driver 12V – included
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ1723
- BLACK (BK) AZ1724
- CHROME (CH) AZ1750



TILT 90° ROTATION 330°

* - EXPLANATION SHORTCUT PAGE 2 (E)



WH *


JERRY 1 230V

bulb not included

voltage: 230V	connect 1x ES111 MAX 50W
IP20	or ADAP111 + GU10 Max 40W
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ1366**
- BLACK (BK) **AZ1367**



TILT 90° ROTATION 330°



BK *


JERRY 2 230V

bulb not included

voltage: 230V	connect 2x ES111 MAX 50W
IP20	or ADAP111 + GU10 Max 40W
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ1371**
- BLACK (BK) **AZ1370**



TILT 90° ROTATION 330°



WH *


JERRY 3 230V

bulb not included

voltage: 230V	connect 3x ES111 MAX 50W
IP20	or ADAP111 + GU10 Max 40W
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ1885**
- BLACK (BK) **AZ1886**



TILT 90° ROTATION 330°



WH | BK | WH + LED ES 111 BK

WH | BK | BK + 2 x LED ES 111 WH

WH | BK

MAX 12V / MAX 230V

Exposed downlights



WH/BK *


MAX 1 12V

bulb not included

voltage: 12V	connect 1x QR111 MAX 50W
IP20	dimer driver 12V – included
	installation place

COLOUR / NEW INDEX NO.

WHITE / BLACK (WH / BK) **AZ1372**



TILT 90° ROTATION 330°



WH/BK *


MAX 1 230V

bulb not included

voltage: 230V	connect 1x ES111 MAX 50W
IP20	or ADAP111 + GU10 Max 40W
	installation place

COLOUR / NEW INDEX NO.

WHITE / BLACK (WH / BK) **AZ1373**



TILT 90° ROTATION 330°



WH/BK *


MAX 2 12V

bulb not included

voltage: 12V	connect 2x QR111 MAX 50W
IP20	dimer driver 12V – included
	installation place

COLOUR / NEW INDEX NO.

WHITE / BLACK (WH / BK) **AZ1375**



TILT 90° ROTATION 330°

* - EXPLANATION SHORTCUT PAGE 2 (E)


AZzardo

MATEO

Exposed downlights





WH *


MATEO S

LED integrated

voltage: 230V		LED 7W 3000K RA>80 520lm
IP20		520 lm
technical		installation place
specification		beam angle: 110°

COLOUR / NEW INDEX NO.

MATT WHITE (WH) AZ1455





WH *


MATEO M

LED integrated

voltage: 230V		LED 9W 3000K RA>80
IP20		710 lm
technical		installation place
specification		beam angle: 112°


COLOUR / NEW INDEX NO.

MATT WHITE (WH) AZ1456



WARRANTY 5 YEARS INTEGRATED LED

∗ – EXPLANATION SHORTCUT PAGE 2 (E)




MOMO 8 3000K


LED integrated

voltage: 230V		LED 6W 3000K RA≥90 500lm LED
IP20		
technical specification		installation place
		beam angle: 88°

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) AZ2278
- ■ BLACK (BK) AZ2279






MOMO 12 3000K


LED integrated

voltage: 230V		LED 12W 3000K RA≥90 1000lm LED
IP20		
technical specification		installation place
		beam angle: 89°

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) AZ2280
- ■ BLACK (BK) AZ2281






MOMO 14 3000K

LED integrated

voltage: 230V		LED 18W 3000K RA≥90 1500lm LED
IP20		
technical specification		installation place
		beam angle: 90°


COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) AZ2282
- ■ BLACK (BK) AZ2283











MALTA R

Exposed downlights

new



MALTA R 18 3000K / 4000K

LED integrated

voltage: 230V	LED 12W 1100lm 3000K
IP20	LED 12W 1100lm 4000K
technical specification	installation place
	beam angle: 115°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4233
- 3000K BLACK (BK) AZ4235
- 4000K WHITE (WH) AZ4234
- 4000K BLACK (BK) AZ4236



new



MALTA R 23 3000K / 4000K

LED integrated

voltage: 230V	LED 18W 1600lm 3000K
IP20	LED 18W 1600lm 4000K
technical specification	installation place
	beam angle: 115°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4237
- 3000K BLACK (BK) AZ4239
- 4000K WHITE (WH) AZ4238
- 4000K BLACK (BK) AZ4240



new



MALTA R 30 3000K / 4000K


LED integrated

voltage: 230V	LED 24W 2200lm 3000K
IP20	LED 24W 2200lm 4000K
technical specification	installation place
	beam angle: 115°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4241
- 3000K BLACK (BK) AZ4243
- 4000K WHITE (WH) AZ4242
- 4000K BLACK (BK) AZ4244





∗ – EXPLANATION SHORTCUT PAGE 2 (E)


AZzardo

MALTA R

Exposed downlights

new




MALTA R 40 3000K / 4000K

LED integrated

voltage: 230V	LED 32W 2700lm 3000K	LED
IP20	LED 32W 2700lm 4000K	
technical specification	installation place	
	beam angle: 115°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4245
- 3000K BLACK (BK) AZ4247
- 4000K WHITE (WH) AZ4246
- 4000K BLACK (BK) AZ4248



new




MALTA R 50 3000K / 4000K


LED integrated

voltage: 230V	LED 42W 3400lm 3000K	LED
IP20	LED 42W 3200lm 3000K	
technical specification	installation place	
	beam angle: 115°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4249
- 3000K BLACK (BK) AZ4251
- 4000K WHITE (WH) AZ4250
- 4000K BLACK (BK) AZ4252





new




MALTA R 60 3000K / 4000K

LED integrated

voltage: 230V	LED 48W 4100lm 3000K	LED
IP20	LED 48W 4400lm 4000K	
technical specification	installation place	
	beam angle: 115°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4253
- 3000K BLACK (BK) AZ4255
- 4000K WHITE (WH) AZ4254
- 4000K BLACK (BK) AZ4256



∗ - EXPLANATION SHORTCUT PAGE 2 (E)


AZzardo®

MONZA R TOP

Exposed downlights



MONZA R 8 3000K/ 4000K

LED integrated

voltage: 230V	LED 5W 3000K RA≥90 420lm
IP20	LED 5W 4000K RA≥90 590lm
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) AZ2253
- ■ 3000K BLACK (BK) AZ2255
- ☐ 4000K WHITE (WH) AZ2252
- ■ 4000K BLACK (BK) AZ2254






MONZA R 12 3000K/ 4000K

LED integrated

voltage: 230V	LED 10W 3000K RA≥90 840lm
IP20	LED 10W 4000K RA≥90 1020lm
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) AZ2257
- ■ 3000K BLACK (BK) AZ2259
- ☐ 4000K WHITE (WH) AZ2256
- ■ 4000K BLACK (BK) AZ2258






MONZA R 22 3000K/ 4000K

LED integrated

voltage: 230V	LED 20W 3000K RA≥90 1680lm
IP20	LED 20W 4000K RA≥90 1760lm
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) AZ2261
- ■ 3000K BLACK (BK) AZ2263
- ☐ 4000K WHITE (WH) AZ2260
- ■ 4000K BLACK (BK) AZ2262






MONZA R 40 3000K/ 4000K

LED integrated

voltage: 230V	LED 50W 3000K RA≥90 4200lm
IP20	LED 50W 4000K RA≥90 4400lm
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) AZ2265
- ■ 3000K BLACK (BK) AZ2267
- ☐ 4000K WHITE (WH) AZ2264
- ■ 4000K BLACK (BK) AZ2266



∗ – EXPLANATION SHORTCUT PAGE 2 (E)






MONZA R PENDANT 40

LED integrated

voltage: 230V	LED 50W 3000K RA≥90 4200lm
IP20	LED 50W 4000K RA≥90 4400lm
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ2277
- 4000K WHITE (WH) AZ2570
- 4000K BLACK (BK) AZ2496





MONZA II R SCREWLESS BODY

Exposed downlights




MONZA II R 17 3000K/ 4000K

LED integrated

voltage: 230V		LED 18W 1890lm 3000K
IP20		LED 18W 1890lm 4000K
technical specification		installation place
		beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ3791
- 3000K BLACK (BK) AZ3790
- 4000K WHITE (WH) AZ3793
- 4000K BLACK (BK) AZ3792






MONZA II R 30 3000K/ 4000K

LED integrated

voltage: 230V		LED 36W 3500lm 3000K
IP20		LED 36W 3500lm 4000K
technical specification		installation place
		beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ3795
- 3000K BLACK (BK) AZ3794
- 4000K BLACK (BK) AZ3796






MONZA II R 40 3000K/ 4000K DIMM

LED integrated

voltage: 230V		LED 46W 4508lm 3000K DIMM
IP20		LED 46W 4508lm 4000K DIMM
technical specification		installation place
		beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ3799
- 3000K BLACK (BK) AZ3798
- 4000K WHITE (WH) AZ3801
- 4000K BLACK (BK) AZ3800






MONZA II R 50 3000K/ 4000K DIMM

LED integrated

voltage: 230V		LED 74W 6120lm 3000K DIMM
IP20		LED 74W 6120lm 4000K DIMM
technical specification		installation place
		beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ3675
- 3000K BLACK (BK) AZ3674
- 4000K WHITE (WH) AZ3677
- 4000K BLACK (BK) AZ3676



∗ – EXPLANATION SHORTCUT PAGE 2 (E)




MONZA II R 60 3000K/ 4000K DIMM

LED integrated

voltage: 230V		LED 90W 7520lm 3000K DIMM
IP20		LED 90W 7520lm 4000K DIMM
technical specification		installation place
		beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ3679
- 3000K BLACK (BK) AZ3678
- 4000K WHITE (WH) AZ3681
- 4000K BLACK (BK) AZ3680





MONZA PENDANT ACCESORIES**

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3453
- BLACK (BK) AZ3454




** – ONLY FOR SIZE 30CM, 40CM, 50CM, 60CM



MONZA SQUARE

Exposed downlights




MONZA S 22 3000K/ 4000K


LED integrated

voltage: 230V		LED 20W 3000K RA≥90 1680lm
IP20		LED 20W 4000K RA≥90 1760lm
technical specification		installation place
		beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ2269
- 3000K BLACK (BK) AZ2271
- 4000K WHITE (WH) AZ2268
- 4000K BLACK (BK) AZ2270






MONZA S 40 3000K/ 4000K

LED integrated

voltage: 230V		LED 50W 3000K RA≥90 4200lm
IP20		LED 50W 4000K RA≥90 4400lm
technical specification		installation place
		beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ2273
- 3000K BLACK (BK) AZ2275
- 4000K WHITE (WH) AZ2272
- 4000K BLACK (BK) AZ2274












∗ - EXPLANATION SHORTCUT PAGE 2 (E)


AZzardo®

MONZA II SQUARE SCREWLESS BODY

Exposed downlights




MONZA II S 17 3000K/ 4000K


LED integrated

voltage: 230V		LED 18W 1890lm 3000K
IP20		LED 18W 1890lm 4000K
technical specification		installation place
		beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ3682
- 4000K WHITE (WH) AZ3685
- 4000K BLACK (BK) AZ3684






MONZA II S 30 3000K/ 4000K


LED integrated

voltage: 230V		LED 36W 3500lm 3000K
IP20		LED 36W 3500lm 4000K
technical specification		installation place
		beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ3687
- 3000K BLACK (BK) AZ3686
- 4000K WHITE (WH) AZ3689
- 4000K BLACK (BK) AZ3688






MONZA II S 40 3000K/ 4000K DIMM

LED integrated

voltage: 230V		LED 46W 4508lm 3000K DIMM
IP20		LED 46W 4508lm 4000K DIMM
technical specification		installation place
		beam angle: 120°


COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ3691
- 3000K BLACK (BK) AZ3690
- 4000K WHITE (WH) AZ3693






∗ - EXPLANATION SHORTCUT PAGE 2 (E)



BK *



BK WH


MONZA II S 50 3000K/ 4000K DIMM

LED integrated

voltage: 230V		LED 74W 6120lm 3000K DIMM
IP20		LED 74W 6120lm 4000K DIMM
technical specification		installation place
		beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ3695
- 3000K BLACK (BK) AZ3694
- 4000K WHITE (WH) AZ3698
- 4000K BLACK (BK) AZ3697





MONZA R CCT + REMOTE CONTROLE

Exposed downlights

new




MONZA R 22 CCT + REMOTE CONTROL

LED integrated

voltage: 230V	LED 20W 1400lm CCT
IP20	
technical specification	installation place
	beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4758
- WHITE (WH) AZ4757
- CHAMPAIGNE (CHA) AZ4756



new




MONZA R 30 CCT + REMOTE CONTROL

LED integrated

voltage: 230V	LED 30W 2100lm CCT
IP20	
technical specification	installation place
	beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4761
- WHITE (WH) AZ4760
- CHAMPAIGNE (CHA) AZ4759






MONZA R 40 CCT + REMOTE CONTROL

LED integrated

voltage: 230V	LED 50W 3500lm CCT
IP20	
technical specification	installation place
	beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4764
- WHITE (WH) AZ4763
- CHAMPAIGNE (CHA) AZ4762






MONZA R 50 CCT + REMOTE CONTROL

LED integrated

voltage: 230V	LED 80W 5500lm CCT
IP20	
technical specification	installation place
	beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4767
- WHITE (WH) AZ4766
- CHAMPAIGNE (CHA) AZ4765



* - EXPLANATION SHORTCUT PAGE 2 (E)



MONZA PENDANT ACCESORIES**

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3453
- BLACK (BK) AZ3454
- CHAMPAIGNE (CHA) AZ4830






Time of confirmation of settings from the remote control is 10s

** – ONLY FOR SIZE 30CM, 40CM, 50CM, 60CM

MONZA S CCT + REMOTE CONTROLE

Exposed downlights

new




MONZA S 22 CCT + REMOTE CONTROL

LED integrated


voltage: 230V	LED 20W 1400lm CCT
IP20	
technical specification	installation place
	beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4770
- WHITE (WH) AZ4769
- CHAMPAIGNE (CHA) AZ4768



new




MONZA S 30 CCT + REMOTE CONTROL


LED integrated

voltage: 230V	LED 30W 2100lm CCT
IP20	
technical specification	installation place
	beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4773
- WHITE (WH) AZ4772
- CHAMPAIGNE (CHA) AZ4771






MONZA S 40 CCT + REMOTE CONTROL

LED integrated

voltage: 230V	LED 50W 3500lm CCT
IP20	
technical specification	installation place
	beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4776
- WHITE (WH) AZ4775
- CHAMPAIGNE (CHA) AZ4774



new



new



new






Time of confirmation of settings from the remote control is 10s

∗ - EXPLANATION SHORTCUT PAGE 2 (E)


AZzardo

FALCO 12 3000K/4000K

Exposed downlights



WH *


FALCO 12 3000K


LED integrated

voltage: 230V	LED 12W 1020lm 3000K
IP20	
technical specification	installation place
	beam angle: 114°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2780
- BLACK (BK) AZ2782





BK *


FALCO 12 4000K

LED integrated

voltage: 230V	LED 12W 1020lm 4000K
IP20	
technical specification	installation place
	beam angle: 114°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2781
- BLACK (BK) AZ2783





∗ – EXPLANATION SHORTCUT PAGE 2 (E)



WH *


PIENZA DIMM 3000K

LED integrated

voltage: 230V	LED 24W 1800lm 3000K dimm
IP20	
technical specification	installation place
	beam angle: 107°

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) AZ2719
- ☐ GREY (GR) AZ2721





GR *


PIENZA DIMM 4000K

LED integrated

voltage: 230V	LED 24W 1900lm 4000K dimm
IP20	
technical specification	installation place
	beam angle: 107°

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) AZ2718
- ☐ GREY (GR) AZ2720
- ■ BLACK (BK) AZ2722





WH * GR * BK *

WARRANTY 5 YEARS INTEGRATED LED

LED DIMPOWER



JUNONA 3000K/4000K

Exposed downlights



CH *

JUNONA 28 3000K/4000K


LED integrated

voltage: 230V	LED 10W 800lm 3000/4000K
IP20	installation place
technical specification	beam angle: 115°

COLOUR / NEW INDEX NO.

CHROME (CH-4000K) AZ2746

CHROME (CH-3000K) AZ2747





CH *

JUNONA 33 3000K/4000K


LED integrated

voltage: 230V	LED 18W 1250lm 3000/4000K
IP20	installation place
technical specification	beam angle: 115°

COLOUR / NEW INDEX NO.

CHROME (CH-4000K) AZ2748

CHROME (CH-3000K) AZ2749





CH *

JUNONA 38 3000K/4000K


LED integrated

voltage: 230V	LED 24W 1660lm 3000/4000K
IP20	installation place
technical specification	beam angle: 115°

COLOUR / NEW INDEX NO.

CHROME (CH-4000K) AZ2750

CHROME (CH-3000K) AZ2751



∗ – EXPLANATION SHORTCUT PAGE 2 (E)


AZzardo

COLLODI 48 CCT + REMOTE CONTROLE

Exposed downlights





GR *



BE



GR


COLLODI 48 CCT + REMOTE CONTROLE

LED integrated

voltage: 230V		CCT LED 50W 3400lm
IP20		2700 ÷ 6500K
technical specification		installation place
		beam angle: 120°

COLOUR / NEW INDEX NO.

- BEIGE (BE) AZ2716
- GREY (GR) AZ2717





LED DIM POWER

* - EXPLANATION SHORTCUT PAGE 2 (E)



QUADRO 50 CCT + REMOTE CONTROLE

Exposed downlights



GO *


QUADRO 50 CCT LED (2700 ÷ 6500K)

LED integrated

voltage: 230V	LED 60W 5600lm
IP20	2700K~6500K dimm
technical specification	installation place
	beam angle: 111°

COLOUR / NEW INDEX NO.

- SILVER (SL) AZ2758
- BLACK (BK) AZ2759
- GOLD (GO) AZ2760









* - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®



WH *


SONA 47 CCT LED (2700 ÷ 6500K)

LED integrated

voltage: 230V	LED 45W 3600lm
IP20	2700 ÷ 6500K dimm
technical specification	installation place
	beam angle: 123°

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ2761**





WH *


SONA 55 CCT LED (2700 ÷ 6500K)

LED integrated

voltage: 230V	LED 45W 3600lm
IP20	2700 ÷ 6500K dimm
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ2763**





CORTONA 3000K/4000K

Exposed downlights



BK *


CORTONA 41 3000K

LED integrated

voltage: 230V	LED 24W 1840lm 3000K
IP20	
technical specification	installation place
	beam angle: 116°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2732
- GREY (GR) AZ2735
- BLACK (BK) AZ2737





WH *


CORTONA 41 4000K

LED integrated

voltage: 230V	LED 24W 1860lm 4000K
IP20	
technical specification	installation place
	beam angle: 116°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2730
- GREY (GR) AZ2733
- BLACK (BK) AZ2736





GR *


CORTONA 55 3000K

LED integrated

voltage: 230V	LED 50 3600lm 3000K
IP20	
technical specification	installation place
	beam angle: 114°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2741
- GREY (GR) AZ2743
- BLACK (BK) AZ2745





BK *


CORTONA 55 4000K

LED integrated

voltage: 230V	LED 50W 3620lm 4000K
IP20	
technical specification	installation place
	beam angle: 114°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2739
- GREY (GR) AZ2742
- BLACK (BK) AZ2744



∗ – EXPLANATION SHORTCUT PAGE 2 (E)



WH



GR



BK



WH



GR



BK



SOVANA TOP CCT + REMOTE CONTROLE

Exposed downlights

new



GR *


SOVANA TOP 45 CCT LED

LED integrated

voltage: 230V	LED 40W 2200lm
IP20	2700 ÷ 6500K dimm
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3433
- GREY (GR) AZ3435
- BLACK (BK) AZ3434





WH *


SOVANA TOP 55 CCT LED

LED integrated

voltage: 230V	LED 50W 2750lm
IP20	3000 ÷ 6500K dimm
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2724
- GREY (GR) AZ2725
- BLACK (BK) AZ2726



new



BK *


SOVANA TOP 80 CCT LED

LED integrated

voltage: 230V	LED 80W 4000lm
IP20	2700 ÷ 6500K dimm
technical specification	installation place
	beam angle: 130°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3445
- GREY (GR) AZ3447
- BLACK (BK) AZ3446







∗ - EXPLANATION SHORTCUT PAGE 2 (E)


AZzardo

SOVANA PENDANT CCT + REMOTE CONTROLE

Exposed downlights




SOVANA PENDANT 45 CCT LED

LED integrated

voltage: 230V	LED 40W 2200lm
IP20	2700 ÷ 6500K dimm
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3436
- GREY (GR) AZ3438
- BLACK (BK) AZ3437






SOVANA PENDANT 55 CCT LED

LED integrated

voltage: 230V	LED 50W 2750lm
IP20	2700 ÷ 6500K dimm
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2727
- GREY (GR) AZ2729
- BLACK (BK) AZ2728






SOVANA PENDANT 80 CCT LED

LED integrated

voltage: 230V	LED 80W 4000lm
IP20	2700 ÷ 6500K dimm
technical specification	installation place
	beam angle: 130°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3448
- GREY (GR) AZ3450
- BLACK (BK) AZ3449







∗ - EXPLANATION SHORTCUT PAGE 2 (E)


AZzardo

GALILEO 1 PENDANT

Exposed downlights





new



GALILEO 1 PENDANT 3000K


LED integrated

voltage: 230V	LED 15W 750lm 3000K
IP20	
technical specification	installation place
	adjustable beam angle: 12°÷ 35°

COLOUR / NEW INDEX NO.

WHITE (WH) AZ4068

BLACK (BK) AZ4069



12° 35°

ADJUSTABLE BEAM ANGLE



* - EXPLANATION SHORTCUT PAGE 2 (E)


ADJUSTABLE BEAM ANGLE
12°
35°
AZzardo

LINNEA PENDANT CCT SWITCH

Exposed downlights

new



LINNEA 112 PENDANT CCT SWITCH


LED integrated

voltage: 230V	LED 48W 2700lm
IP20	3000K/4000K/5500K
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

WHITE (WH) AZ4570

BLACK (BK) AZ4569



new



LINNEA 140 PENDANT CCT SWITCH


LED integrated

voltage: 230V	LED 54W 3100lm
IP20	3000K/4000K/5500K
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

WHITE (WH) AZ4572


BLACK (BK) AZ4571





∗ - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®




AZzardo®



EXCLUSIVE
DOWNLIGHTS

EXCLUSIVE
downlights



210 SIMON
212 MIRA
213 CLOE
214 EVA
216 PIRAMIDE
217 CLETO
218 ADAMO
219 ADAMO RING
220 ADAMO DIAMOND
222 LUCIANO
223 BIAGIO
224 LORENZA
225 LORENZO
226 ESTER ROUND
228 ESTER SQUARE
230 VEKTOR ROUND
231 VEKTOR SQUARE
232 MARIKA
233 ELEGANT BULB

SIMON

Exclusive downlights



WH-MATT *


SIMON ROUND

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 6cm

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) AZ1473
- CHROME (CH). AZ1614
- BLACK CHROME (BCH) AZ1613





WH-MATT



WH-MATT




BK-CHROME



BK-CHROME



CH



CH



WH-MATT *


SIMON SQUARE

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 6cm

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) AZ1474
- CHROME (CH). AZ1616
- BLACK CHROME (BCH) AZ1615




∗ – EXPLANATION SHORTCUT PAGE 2 (E)



MIRA

Exclusive downlights





GO *

MIRA


bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 7cm

COLOUR / NEW INDEX NO.

GOLD (GO) AZ1464

CHROME (CH). AZ1619





CH

* - EXPLANATION SHORTCUT PAGE 2 (E)



CH *


CLOE

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 6,5cm

COLOUR / NEW INDEX NO.

CHROME (CH). AZ1466





EVA


Exclusive downlights



CH *



CH



GO

EVA ROUND


bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 6,5cm

COLOUR / NEW INDEX NO.

GOLD (GO) **AZ1459**

CHROME (CH). **AZ1458**





CH *



CH


EVA SQUARE

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 6,5cm

COLOUR / NEW INDEX NO.

CHROME (CH). **AZ1460**



∗ - EXPLANATION SHORTCUT PAGE 2 (E)


AZzardo

PIRAMIDE

Exclusive downlights



CH *

PIRAMIDE L


bulb not included


voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 7,0cm

COLOUR / NEW INDEX NO.

GOLD (GO) AZ1611

CHROME (CH) AZ1463





GO *

PIRAMIDE XL


bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 7,0cm

COLOUR / NEW INDEX NO.

GOLD (GO) AZ1462

CHROME (CH) AZ1612





GO




CH



* - EXPLANATION SHORTCUT PAGE 2 (E)


CH *


CH

GO

CLETO


bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 7,0cm

COLOUR / NEW INDEX NO.

CHROME (CH). AZ1621

GOLD (GO) AZ1622





ADAMO MIDST

Exclusive downlights



BK MATT *




ADAMO MIDST

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 7,5cm


COLOUR / NEW INDEX NO.

- WHITE MATT (WH) AZ1483
- CHROME (CH). AZ1481
- BLACK CHROME (BCH) AZ1480
- BLACK MATT (BK). AZ2562
- GOLD (GO) AZ1482





* - EXPLANATION SHORTCUT PAGE 2 (E)





BK-CHROME / BK-MATT / CH / GO / WH-MATT *


ADAMO RING

bulb not included

voltage: 0V	accessory for Adamo Midst and Adamo Diamond
IP20	
aluminium	installation place

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) AZ1487
- CHROME (CH). AZ1485
- BLACK CHROME (BCH) AZ1484
- BLACK MATT (BK). AZ2567
- GOLD (GO) AZ1486





ADAMO DIAMOND

Exclusive downlights



CH *


ADAMO MIDST DIAMOND CH

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 7,5cm

COLOUR / NEW INDEX NO.

CHROME (CH) AZ2734





BCH *


ADAMO MIDST DIAMOND BCH

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 7,5cm

COLOUR / NEW INDEX NO.

BLACK CHROME (BCH) AZ2731





WH *


ADAMO MIDST DIAMOND WH


bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 7,5cm

COLOUR / NEW INDEX NO.

WHITE (WH) AZ2738





GO *


ADAMO MIDST DIAMOND GO

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 7,5cm

COLOUR / NEW INDEX NO.

GOLD (GO) AZ2740




* – EXPLANATION SHORTCUT PAGE 2 (E)



LUCIANO

Exclusive downlights



CH *

LUCIANO SQUARE


bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 7cm

COLOUR / NEW INDEX NO.

CHROME (CH) AZ1471

WHITE (WH) AZ1472





CH



WH



CH



CH *

LUCIANO ROUND


bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 7cm

COLOUR / NEW INDEX NO.

CHROME (CH) AZ1470

WHITE (WH) AZ1549





∗ – EXPLANATION SHORTCUT PAGE 2 (E)



CH *

BIAGIO


bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 6,5cm

COLOUR / NEW INDEX NO.

GOLD (GO) **AZ1493**

CHROME (CH). **AZ1492**





GO



LORENZA

Exclusive downlights

new



BK



CH



WH



new



BK *


LORENZA

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 7cm

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) AZ1476
- CHROME (CH) AZ1475
- BLACK (BK) AZ4174



* - EXPLANATION SHORTCUT PAGE 2 (E)


new



BK



CH



BK

new



BK *


LORENZO

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening 7cm

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) AZ1496
- CHROME (CH) AZ1617
- BLACK (BK) AZ4173





ESTER ROUND

Exclusive downlights

new



BK *


ESTER ROUND 1

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 6,5cm

COLOUR / NEW INDEX NO.

- CHROME (CH) AZ1449
- GOLD (GO) AZ1450
- BLACK (BK) AZ4175





CH



CH



GO



GO

new




BK

new



BK

new



BK *


ESTER ROUND 2

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 6,5cm

COLOUR / NEW INDEX NO.

- CHROME (CH) AZ1451
- GOLD (GO) AZ2467
- BLACK (BK) AZ4176





∗ – EXPLANATION SHORTCUT PAGE 2 (E)


AZzardo®

ESTER SQUARE

Exclusive downlights

new



CH *


ESTER SQUARE 1

bulb not included


voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening 5,8 x 5,8cm

COLOUR / NEW INDEX NO.

- CHROME (CH) AZ4410
- GOLD (GO) AZ4412
- BLACK (BK) AZ4411



new



GO *


ESTER SQUARE 2

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening 5,8 x 5,8cm

COLOUR / NEW INDEX NO.

- CHROME (CH) AZ4413
- GOLD (GO) AZ4415
- BLACK (BK) AZ4414





10

new



CH

new



CH

new



GO

new



GO

new



BK

new



BK



∗ - EXPLANATION SHORTCUT PAGE 2 (E)


AZzardo

VEKTOR ROUND

Exclusive downlights



CLEAR GLASS *


VEKTOR ROUND

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 6,5cm

COLOUR / NEW INDEX NO.

CLEAR GLASS AZ1494





* - EXPLANATION SHORTCUT PAGE 2 (E)



CLEAR GLASS *


VEKTOR SQUARE

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 6,5cm

COLOUR / NEW INDEX NO.

CLEAR GLASS AZ1495





MARIKA

Exclusive downlights



* – EXPLANATION ON THE LAST PAGE 2 (E)



AB *

MARIKA


bulb not included


voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 8cm

COLOUR / NEW INDEX NO.


ROSE GOLD (RG) **AZ2208**

ANTIQUE BROWN (AB) **AZ2209**





RG



AB

ELEGANT BULB LED GU10 7W

Exclusive downlights



CH *


ELEGANT LED GU10 7W 3000K/4000K

voltage: 230V	GU10 7W 230V RA>90
IP20	


COLOUR / NEW INDEX NO.

3000K (CHROME) **AZ2227**

4000K (CHROME) **AZ2226**




ELEGANT BULB LED GU10 7W
DEDICATED
FOR EXCLUSIVE DOWNLIGHTS SERIES



DOWNLIGHTS

DOWN lights


236 AIDA ROUND
237 AIDA SQUARE
238 GALATA IP44
239 KASTORIA IP44
240 LAMIR R IP44
241 LAMIR 17
242 SLIM SQUARE
244 SLIM ROUND
247 OKA
248 FILL ROUND
249 FILL SQUARE
250 MONA SPOT 12W
251 MONA SPOT 18W
252 FRIDA
254 TORONTO 15W SPOT
255 BOSTON 10W ROUND
256 COSTA
257 LINA
258 LUNA 15W
259 LUNA 7W
260 LINZ
261 UNA
262 OSCAR IP44
263 TITO IP54
264 EMILIO IP54
265 EZIO IP54
266 PABLO IP54
267 IKA IP65
268 CESAR
269 REMO 1 DOWNLIGHT
270 HUGO DOWNLIGHT
272 CARLO
273 EDITTA
274 IVO
275 IVO SQUARE
276 PACO
277 PIO
278 CARO ROUND
279 CARO SQUARE
280 IBIZA
281 REMI
282 MINORKA
284 MILET
285 ITAKA
286 SAVIO
287 GELO
288 NEMO
289 ERIKA
290 SIRO
291 SISTO
292 STAN
293 TORRES
294 VERDI
296 NOVA
297 NOVA GIPS
298 HERA GIPS SQUARE
299 HERA GIPS ROUND



AIDA ROUND

Downlights

new



BK *


AIDA ROUND 10W 3000K

LED integrated

voltage: 230V	LED 10W 700lm 3000K
IP20	
technical specification	installation place ■ inlet opening 9,2cm
	beam angle: 100°

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) AZ4218
- ■ BLACK (BK) AZ4220



new



WH *


AIDA ROUND 16W 3000K

LED integrated

voltage: 230V	LED 16W 1300lm 3000K
IP20	
technical specification	installation place ■ inlet opening 13cm
	beam angle: 100°

COLOUR / NEW INDEX NO.

- ☐ WHITE (WH) AZ4222
- ■ BLACK (BK) AZ4224






* - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®

new



BK

new



BK

new



WH

new



WH

new




AIDA SQUARE 10W 3000K

LED integrated

voltage: 230V	LED 9W 700lm 3000K LED
IP20	instalation place inlet opening 9,2x9,2cm
technical specification	beam angle: 100°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4226
- BLACK (BK) AZ4227



new




AIDA SQUARE 16W 3000K

LED integrated

voltage: 230V	LED 16W 1300lm 3000K LED
IP20	instalation place inlet opening 13x13cm
technical specification	beam angle: 100°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4228
- BLACK (BK) AZ4229



new



new



new



new





GALATA IP44

Downlights



∗ – EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®

new



WH ∗


GALATA R IP44 3000K / 4000K

LED integrated

voltage: 230V	LED 9W 700lm 3000K
IP44	LED 9W 700lm 4000K
technical specification	installation place ■ inlet opening 6,3cm
	beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) AZ4380
- ■ 3000K BLACK (BK) AZ4379
- ☐ 4000K WHITE (WH) AZ4382
- ■ 4000K BLACK (BK) AZ4381



new



WH

new



BK

new




KASTORIA IP44

LED integrated

voltage: 230V	LED 7W 550lm 3000K	LED
IP44		
technical specification	installation place	inlet opening 4,5cm
	beam angle: 120°	

COLOUR / NEW INDEX NO.

- CHROME (CH) AZ4391
- BLACK (BK) AZ4389
- GOLD (GO) AZ4390



new



new



new





LAMIR R IP44

Downlights

new




LAMIR R 9 IP44 3000K / 4000K

LED integrated

voltage: 230V		LED 9W 700lm 3000K
IP44		LED 9W 700lm 4000K
technical specification		installation place ■ inlet opening ◠ 6,8cm
		beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4384**
- ☐ 4000K WHITE (WH) **AZ4383**



new




LAMIR R 12 IP44 3000K / 4000K

LED integrated


voltage: 230V		LED 16W 1300lm 3000K
IP44		LED 16W 1300lm 4000K
technical specification		installation place ■ adjust. inlet: ◠ 7,50÷9,6cm
		beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4385**
- ☐ 4000K WHITE (WH) **AZ4386**



Adjusting the position of the wings in relation to the diameter of the hole, the range of the size of the hole from (inlet opening)



Lamir R9 – no adjustable wings

Lamir R12 (adjustable the position of the wings) – 7,5÷9,6cm

Lamir R17 and S17 (adjustable the position of the wings) – 7,4÷15,1cm

* - EXPLANATION SHORTCUT PAGE 2 (E)

new




LAMIR S 17 DIMM IP44 3000K / 4000K + REMOTE CONTROL

LED integrated

voltage: 230V	LED 22W DIMM 1800lm 3000K DIMM
IP44	LED 22W DIMM 1800lm 4000K DIMM
technical specification	installation place ■ adjust. inlet: 7,4÷15,1cm
	beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4388**
- ☐ 4000K WHITE (WH) **AZ4393**



new




LAMIR R 17 DIMM IP44 3000K / 4000K + REMOTE CONTROL

LED integrated

voltage: 230V	LED 22W DIMM 1800lm 3000K
IP44	LED 22W DIMM 1800lm 4000K
technical specification	installation place ■ adjust. inlet: 7,4÷15,1cm
	beam angle: 120°

COLOUR / NEW INDEX NO.

- ☐ 3000K WHITE (WH) **AZ4387**
- ☐ 4000K WHITE (WH) **AZ4392**





SLIM SQUARE IP44

Downlights








SLIM 9 SQUARE IP44 3000K

LED integrated

voltage: 230V	LED 6W 500lm 3000K RA>90 LED
IP44	
technical specification	installation place inlet opening Ø 7,7cm
	beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2830
- BLACK (BK) AZ2833












SLIM 15 SQUARE IP44 3000K

LED integrated

voltage: 230V	LED 12W 1000lm 3000K RA>90 LED
IP44	
technical specification	installation place inlet opening Ø 12,5cm
	beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2837
- BLACK (BK) AZ2836





∗ - EXPLANATION SHORTCUT PAGE 2 (E)


WARRANTY
5
YEARS
INTEGRATED
LED
COLOUR RENDERING INDEX
90
SIZE
RA

SLIM ROUND IP44

Downlights




CH


BK


WH


CH


BK


WH

* – EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®



BK *


SLIM 9 ROUND IP44 3000K

LED integrated

voltage: 230V	LED 6W 500lm 3000K RA>90 LED
IP44 technical specification	installation place inlet opening Ø 7,4cm
	beam angle: 120°

COLOUR / NEW INDEX NO.

- CHROME (CH) AZ2861
- BLACK (BK) AZ2834
- WHITE (WH) AZ2831





WH *


SLIM 9 ROUND IP44 4000K

LED integrated

voltage: 230V	LED 6W 500lm 4000K RA>90 LED
IP44 technical specification	installation place inlet opening Ø 7,4cm
	beam angle: 120°

COLOUR / NEW INDEX NO.

- CHROME (CH) AZ2862
- BLACK (BK) AZ2835
- WHITE (WH) AZ2832





BK *


SLIM 15 ROUND IP44 3000K

LED integrated

voltage: 230V	LED 12W 1000lm 3000K RA>90 LED
IP44 technical specification	installation place inlet opening Ø 12,5cm
	beam angle: 120°

COLOUR / NEW INDEX NO.

- CHROME (CH) AZ2838
- BLACK (BK) AZ2840
- WHITE (WH) AZ2839





CH *


SLIM 15 ROUND IP44 4000K

LED integrated

voltage: 230V	LED 12W 1000lm 4000K RA>90 LED
IP44 technical specification	installation place inlet opening Ø 12,5cm
	beam angle: 120°

COLOUR / NEW INDEX NO.

- CHROME (CH) AZ2841
- BLACK (BK) AZ2843
- WHITE (WH) AZ2842



LINDA

Downlights




LINDA 23 3000K

LED integrated

voltage: 230V	LED 18W 3000K RA>90 1500lm
IP20	
technical specification	installation place inlet opening Ø21cm
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ2244
- 3000K CHROME (CH) AZ2246






LINDA 30 3000K/4000K

LED integrated

voltage: 230V	LED 24W 3000K RA>90 2010lm
IP20	LED 24W 4000K RA>90 2100lm
technical specification	installation place inlet opening Ø28cm
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K CHROME (CH) AZ2250
- 4000K CHROME (CH) AZ2251





EXPLANATION SHORTCUT PAGE 2 (E)







new



WH *


OKA AL 3000K / 4000K

LED integrated

voltage: 230V	LED 3W 3000K RA>90 250lm
IP20	LED 3W 4000K RA>90 260lm
technical specification	installation place: inlet opening Ø 3,5cm
	beam angle: 66°

COLOUR / NEW INDEX NO.

- ☐ WHITE 3000K (WH) AZ2232
- ☐ WHITE 4000K (WH) AZ2233
- ■ BLACK 3000K (BK) AZ4171
- ■ BLACK 4000K (BK) AZ4172





AC *


OKA AC 3000K / 4000K

LED integrated

voltage: 230V	LED 3W 3000K RA>90 250lm
IP20	LED 3W 4000K RA>90 260lm
technical specification	installation place: inlet opening Ø 3,6cm
	beam angle: 66°

COLOUR / NEW INDEX NO.

- ☐ ACRYLIC 3000K (AC) AZ2234
- ☐ ACRYLIC 4000K (AC) AZ2235





ACR

new



BK





FILL ROUND

Downlights



BK *


FILL R 5W 3000K / 4000K


LED integrated

voltage: 230V	LED 5W 425lm 3000K
IP20	LED 5W 425lm 4000K
technical specification	installation place · inlet opening Ø 4cm
	beam angle: 60°
	usb charger including


COLOUR / NEW INDEX NO.

- BLACK 3000K (BK) AZ3381
- BLACK 4000K (BK) AZ3382






∗ - EXPLANATION SHORTCUT PAGE 2 (E)



BK *



WH BK


FILL S 5W 3000K / 4000K


LED integrated

voltage: 230V	LED 5W 425lm 3000K
IP20	LED 5W 425lm 4000K
technical specification	installation place · inlet opening Ø 4cm
	beam angle: 60°

COLOUR / NEW INDEX NO.

- ☐ WHITE 3000K (WH) AZ3377
- ■ BLACK 3000K (BK) AZ3379
- ☐ WHITE 4000K (WH) AZ3378
- ■ BLACK 4000K (BK) AZ3380





MONA SPOT 12W

Downlights






MONA SPOT 12W 3000K / 4000K

LED integrated

voltage: 230V	LED 12W 800lm 3000K
IP20	LED 12W 1000lm 4000K
technical specification	installation place · inlet opening 7,5cm
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4532
- 3000K BLACK (BK) AZ4531
- 4000K WHITE (WH) AZ4534
- 4000K BLACK (BK) AZ4533







EXPLANATION SHORTCUT PAGE 2 (E)

new



BK *


MONA SPOT 18W 3000K

LED integrated

voltage: 230V	LED 18W 1300lm 3000K LED
IP20	
technical specification	installation place · inlet opening 9,5cm
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4536
- 3000K BLACK (BK) AZ4535





WH



BK



FRIDA

Downlights

new



BK *


FRIDA 7W 3000K / 4000K

LED integrated

voltage: 230V	LED 7W 500lm 3000K
IP54	LED 7W 550lm 4000K
technical specification	installation place inlet opening 7-8cm
	beam angle: 24°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4525
- 3000K BLACK (BK) AZ4523
- 4000K WHITE (WH) AZ4526
- 4000K BLACK (BK) AZ4524





new



WH *


FRIDA 12W 3000K / 4000K

LED integrated

voltage: 230V	LED 12W 1100lm 3000K
IP54	LED 12W 1100lm 4000K
technical specification	installation place inlet opening 7-8cm
	beam angle: 24°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ4529
- 3000K BLACK (BK) AZ4527
- 4000K WHITE (WH) AZ4530
- 4000K BLACK (BK) AZ4528







BK



BK



WH



WH

* - EXPLANATION SHORTCUT PAGE 2 (E)


AZzardo

TORONTO 15W SPOT

Downlights

new



BK *



BK



WH


TORONTO 1 SPOT 3000K

LED integrated

voltage: 230V	LED 15W 1020lm 3000K LED
IP20	
technical specification	installation place inlet opening 16,2cm
	beam angle: 21°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4071
- BLACK (BK) AZ4063







∗ - EXPLANATION SHORTCUT PAGE 2 (E)



WH *


BOSTON 10W ROUND

LED integrated

voltage: 230V	LED 10W 685lm 3000K
IP20	
technical specification	installation place inlet opening 9,6cm
	beam angle: 21°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3471
- BLACK (BK) AZ3470







COSTA SPOT


Downlights



BK / BK *



WH



BK


COSTA SPOT

LED integrated

voltage: 230V	LED 12W 1020lm 3000K
IP20	
technical specification	installation place · inlet opening Ø 9cm
	beam angle: 24°

COLOUR / NEW INDEX NO.

- WHITE/WHITE (WH/WH) **AZ2705**
- BLACK/BLACK (BK/BK) **AZ2706**







* – EXPLANATION SHORTCUT PAGE 2 (E)





BK *


LINA

LED integrated

voltage: 230V		LED 2W 170lm 3000K LED
IP20		
technical specification		installation place inlet opening Ø 4,6cm
		beam angle: 19°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ2708



TILT 90°

ROTATION 360°





LUNA 15W

Downlights





BK *

LUNA 15W DIM


LED integrated

voltage: 230V		LED 15W 1270lm
IP20		3000K RA>90 dimm
technical specification		installation place inlet opening Ø 8,5cm
		beam angle: 22°

COLOUR / NEW INDEX NO.

WHITE / BLACK (WH / BK) **AZ2828**

BLACK / BLACK (BK / BK). **AZ2829**











∗ – EXPLANATION SHORTCUT PAGE 2 (E)



WH / BK *


LUNA 7W

LED integrated

voltage: 230V		LED 7W 595lm 3000K
IP20		
technical specification		installation place / inlet opening Ø 7cm
		beam angle: 28°

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ3396**
- BLACK / BLACK (BK / BK). **AZ3397**







WH / BK



BK / BK

WARRANTY 5 YEARS INTEGRATED LED



LINZ IP44

Downlights




LINZ IP44

LED integrated

voltage: 230V	LED 5W 420lm 3000/4000K
IP44	
technical specification	installation place inlet opening Ø 5,8cm
	beam angle: 180°


COLOUR / NEW INDEX NO.

- ACRYL (ACR) (3000K) **AZ2774**
- ACRYL (ACR) (4000K) **AZ2775**





∗ - EXPLANATION SHORTCUT PAGE 2 (E)



CH *

UNA IP44


LED integrated

voltage: 230V		LED 7W 590lm 3000/4000K LED
IP44		
technical specification		installation place inlet opening Ø 6,2cm
		beam angle: 180°

COLOUR / NEW INDEX NO.

CHROME (CH) (3000K) **AZ2772**

CHROME (CH) (4000K) **AZ2773**





OSCAR IP44

Downlights





BK *


OSCAR IP44

bulb not included

voltage: 230V	connect GU10 1x 7W only LED
IP44	
	installation place
	inlet opening Ø 6,5cm

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ1714
- CHROME (CH) AZ1715
- BLACK (BK) AZ2692
- GOLD (GO) AZ2800






WH



CH



BK



GO

* – EXPLANATION SHORTCUT PAGE 2 (E)

new



BK *



WH



ALU

new



BK


TITO

bulb not included

voltage: 230V	connect GU10 1x 7W only LED
IP54	
	installation place
	inlet opening Ø6cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0814**
- WHITE (WH) **AZ0815**
- BLACK (BK) **AZ4139**





EMILIO IP54

Downlights



CH *


EMILIO


bulb not included

voltage: 230V	connect GU10 1x 7W only LED
IP54	
	installation place
	inlet opening Ø5,7cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0810
- BLACK (BK) AZ0809
- WHITE (WH) AZ0871
- CHROME (CH) AZ0808





BK



WH



ALU




CH




∗ - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®



WH *



ALU

BK

CH

WH


EZIO

bulb not included

voltage: 230V	connect GU10 1x 7W only LED
IP54	
	installation place
	inlet opening Ø5,7cm

COLOUR / NEW INDEX NO.


- ALUMINIUM (ALU) AZ0811
- BLACK (BK) AZ0812
- WHITE (WH) AZ0813
- CHROME (CH) AZ1051





PABLO IP54

Downlights



ALU *


PABLO

bulb not included

voltage: 230V	connect GU10 1x 7W only LED
IP54	
	installation place
	inlet opening Ø 6cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ1015
- WHITE (WH) AZ0817
- BLACK 4000K (AC) AZ4140





WH

new



BK



ALU



new



BK *


IKA SQUARE IP65

bulb not included

voltage: 230V	connect GU10 1x Max. 50W
IP65	
	installation place
	inlet opening Ø 5,9cm

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2864
- BLACK (BK) AZ4230
- DARK GREY (DGR) AZ4231



new



DGR *


IKA ROUND IP65

bulb not included

voltage: 230V	connect GU10 1x Max. 50W
IP65	
	installation place
	inlet opening Ø5,9cm

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2865
- BLACK (BK) AZ3017
- DARK GREY (DGR) AZ4232





CESAR

Downlights



CH *



CH



CH


CESAR

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening 9x9cm

COLOUR / NEW INDEX NO.


CHROME (CH). AZ1152









EXPLANATION SHORTCUT PAGE 2/61




BK + REMO R **BK**




BK + REMO R **WH**



BK + REMO R **GO**



BK + REMO R **CHA**



BK + REMO R **CH**



BK + REMO R **ALU**



WH + REMO R **BK**



WH + REMO R **WH**



WH + REMO R **GO**



WH + REMO R **CHA**



WH + REMO R **CH**



WH + REMO R **ALU**



ALU + REMO R **BK**




ALU + REMO R **WH**



ALU + REMO R **GO**




ALU + REMO R **CHA**



ALU + REMO R **CH**



ALU + REMO R **ALU**



CH + REMO R **BK**




CH + REMO R **WH**



CH + REMO R **GO**



CH + REMO R **CHA**



CH + REMO R **CH**



CH + REMO R **ALU**



ALU / WH *


REMO 1 DOWNLIGHT

bulb not included

voltage: 230V	connect GU10 1x Max.50W
IP20	
	installation place
	inlet opening Ø 10cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ1729**
- BLACK (BK) **AZ1732**
- WHITE (WH) **AZ1731**
- CHROME (CH) **AZ1730**






REMO R

bulb not included

voltage: 0V	accessory for Remo 1 Downlight and Hugo 1
IP20	Downlight and Hugo 2 Downlight
Aluminium	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0821**
- BLACK (BK) **AZ0823**
- WHITE (WH) **AZ0822**
- GOLD (GO) **AZ0824**
- CHAMPAGNE (CHA) **AZ0825**
- CHROME (CH) **AZ0855**



HUGO 1 DOWNLIGHT

Downlights



WH / BK *


HUGO 1 DOWNLIGHT

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 10,5cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ1733
- BLACK (BK) AZ1736
- WHITE (WH) AZ1735
- CHROME (CH) AZ1734






REMO R

bulb not included

voltage: 0V	accessory for Remo 1 Downlight and Hugo 1
IP20	Downlight and Hugo 2 Downlight
Aluminium	installation place


COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0821
- BLACK (BK) AZ0823
- WHITE (WH) AZ0822
- GOLD (GO) AZ0824
- CHAMPAGNE (CHA) AZ0825
- CHROME (CH) AZ0855





BK + REMO R **BK** | **BK** + REMO R **WH** | **BK** + REMO R **GO**



BK + REMO R **CHA** | **BK** + REMO R **CH** | **BK** + REMO R **ALU**



WH + REMO R **BK** | **WH** + REMO R **WH** | **WH** + REMO R **GO**



WH + REMO R **CHA** | **WH** + REMO R **CH** | **WH** + REMO R **ALU**




ALU + REMO R **BK** | **ALU** + REMO R **WH** | **ALU** + REMO R **GO**



ALU + REMO R **CHA** | **ALU** + REMO R **CH** | **ALU** + REMO R **ALU**



CH + REMO R **BK** | **CH** + REMO R **WH** | **CH** + REMO R **GO**



CH + REMO R **CHA** | **CH** + REMO R **CH** | **CH** + REMO R **ALU**

* - EXPLANATION SHORTCUT PAGE 2 (E)



WH / BK *


HUGO 2 DOWNLIGHT


bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place
	inlet opening 10,5x22,5cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ1737
- BLACK (BK) AZ1740
- WHITE (WH) AZ1739
- CHROME (CH) AZ1738





BK + REMO R BK | BK + REMO R WH | ALU + REMO R GO



BK + REMO R CHA | BK + REMO R CH | ALU + REMO R ALU



WH + REMO R BK | WH + REMO R WH | WH + REMO R GO



WH + REMO R CHA | WH + REMO R CHA | WH + REMO R ALU



ALU + REMO R BK | ALU + REMO R WH | ALU + REMO R GO



ALU + REMO R CHA | ALU + REMO R CH | ALU + REMO R ALU



CH + REMO R WH | CH + REMO R BK | CH + REMO R GO



CH + REMO R CHA | CH + REMO R CH | CH + REMO R ALU

CARLO

Downlights

new



BK *


CARLO

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 8cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0804
- WHITE (WH) AZ0805
- BLACK (BK) AZ4141



TILT 45°



WH



ALU

new



BK



∗ - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®

new



BK *


EDITTA

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø8cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0806
- WHITE (WH) AZ0807
- BLACK (BK) AZ4144








WH



ALU

new



BK



IVO

Downlights



ALU *


IVO

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø6,4cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0758
- BLACK (BK) AZ1716
- WHITE (WH) AZ0759
- CHROME (CH) AZ1717





WH



ALU



BK



CH



∗ – EXPLANATION SHORTCUT PAGE 2 (E)


CH *


IVO SQUARE

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø6,4cm

COLOUR / NEW INDEX NO.

CHROME (CH). AZ1788
WHITE (WH). AZ1825






CH *


IVO 2 SQUARE

bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place
	inlet opening 6,5x14,5cm

COLOUR / NEW INDEX NO.

CHROME (CH). AZ1789
WHITE (WH). AZ1826





PACO

Downlights



BK *


PACO 1

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening 8x8cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0795
- BLACK (BK) AZ0797
- WHITE (WH) AZ0796



TILT 45°



WH *


PACO 2

bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place
	inlet opening 8x16cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0798
- BLACK (BK) AZ0800
- WHITE (WH) AZ0799



TILT 45°



ALU *


PACO 3

bulb not included


voltage: 230V	connect GU10 3x Max 50W
IP20	
	installation place
	inlet opening 8x24cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0801
- BLACK (BK) AZ0803
- WHITE (WH) AZ0802




TILT 45°



* - EXPLANATION SHORTCUT PAGE 2 (E)



WH *




PIO

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening 6,3x6,3cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ0760**
- BLACK (BK) **AZ1278**
- CHROME (CH) **AZ1718**





WH *


PIO 2

bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place
	inlet opening 7x14,6cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ1719**
- BLACK (BK) **AZ1720**
- CHROME (CH) **AZ1749**





CARO ROUND

Downlights




CARO ROUND

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø7,8cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ2432
- BLACK (BK) AZ2431
- WHITE (WH) AZ2430









* - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®



ALU *


CARO SQUARE

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø8cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ2435
- BLACK (BK) AZ2434
- WHITE (WH) AZ2433



TILT 45°



WH *


CARO 2 SQUARE

bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place
	inlet opening 8x15,8cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ2438
- BLACK (BK) AZ2437
- WHITE (WH) AZ2436



TILT 45°



BK *


CARO 3 SQUARE

bulb not included

voltage: 230V	connect GU10 3x Max 50W
IP20	
	installation place
	inlet opening 8x23,5cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ2441
- BLACK (BK) AZ2440
- WHITE (WH) AZ2439



TILT 45°



ALU *


CARO 4 SQUARE

bulb not included

voltage: 230V	connect GU10 4x Max 50W
IP20	
	installation place
	inlet opening 16x16cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ2444
- WHITE (WH) AZ2442



TILT 45°

IBIZA

Downlights



WH /BK *


IBIZA

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 10cm

COLOUR / NEW INDEX NO.


- WHITE / BLACK (WH / BK) **AZ1361**
- BLACK / GOLD (BK / GO) **AZ2804**
- WHITE / WHITE (WH / WH) **AZ2803**
- BLACK / BLACK (BK / BK). **AZ3532**



TILT 45°



WH / BK



BK / GO



WH / WH



BK / BK



* - EXPLANATION SHORTCUT PAGE 2 (E)



WH *

REMI


bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 8,5cm

COLOUR / NEW INDEX NO.

WHITE (WH) AZ1363

BLACK (BK) AZ4143





new



BK



WH



MINORKA

Downlights


new



BK / BK *



WH / BK



BK / GO



WH / WH

new



BK / BK


MINORKA

bulb not included


voltage: 230V	GU10 1x Max 50W
IP20	
	installation place
	inlet opening 9,5x9,5cm

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ1362**
- BLACK / GOLD (BK/GO) **AZ2802**
- WHITE / WHITE (WH/WH) **AZ2801**
- BLACK / BLACK (BK/BK) **AZ4142**



TILT 40°







connecting element included





* – EXPLANATION SHORTCUT PAGE 2 (E)



AZzardo

MILET

Downlights



new



BK *

MILET


bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place
	inlet opening 7,2 x 7,2cm


COLOUR / NEW INDEX NO.

WHITE (WH) AZ4075

BLACK (BK) AZ4076



new



BK

new



WH

∗ – EXPLANATION SHORTCUT PAGE 2 (E)



BK *


ITAKA

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø7,5cm

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4073
- BLACK (BK) AZ4074



new



BK

new



WH



SAVIO

Downlights



ACR *


SAVIO ROUND

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø5,8cm

COLOUR / NEW INDEX NO.

ACRYL (ACR) **AZ2779**





ACR *


SAVIO SQUARE


bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø5,8cm

COLOUR / NEW INDEX NO.

ACRYL (ACR) **AZ2778**





* - EXPLANATION SHORTCUT PAGE 2 (E)



WH *


GELO

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø6,6cm

COLOUR / NEW INDEX NO.

☐ WHITE FROST (WH) AZ3539







NEMO

Downlights



BK *



WH



BK



CH



GO


NEMO

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 6,8cm

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3398
- BLACK (BK) AZ3399
- CHROME (CH) AZ3400
- GOLD (GO) AZ3401







* - EXPLANATION SHORTCUT PAGE 2 (E)



GO *

ERIKA


bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø5,4cm

COLOUR / NEW INDEX NO.


GOLD (GO) **AZ2776**

CHROME (WH) **AZ2777**





GO



CH



SIRO

Downlights



BK / BK *


SIRO 1

bulb not included


voltage: 230V	connect 1x ES111 MAX 50W or ADAP111
IP20	connect GU10 1x Max 40W
	installation place
	inlet opening Ø 15cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0767
- BLACK / ALUMINIUM (BK / ALU) . . . AZ0769
- WHITE (WH) AZ0768
- BLACK / BLACK (BK / BK) AZ2805



TILT 90° ROTATION 360°



BK / BK *


SIRO 2

bulb not included

voltage: 230V	connect 2x ES111 MAX 50W or ADAP111
IP20	connect GU10 2x Max 40W
	installation place
	inlet opening 31x15cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0770
- BLACK / ALUMINIUM (BK / ALU) . . . AZ0772
- WHITE (WH) AZ0771
- BLACK / BLACK (BK / BK) AZ2806



TILT 90° ROTATION 360°



ALU *


SIRO 3

bulb not included

voltage: 230V	connect 3x ES111 MAX 50W or ADAP111
IP20	connect GU10 3x Max 40W
	installation place
	inlet opening 48x15cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0773



TILT 90° ROTATION 360°



* - EXPLANATION SHORTCUT PAGE 2 (E)



BK / ALU *


SISTO 1

bulb not included

voltage: 230V	1x ES111 MAX 50W or ADAP111
IP20	connect GU10 1x Max 40W
	installation place
	inlet opening 16X16cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0793**
- WHITE / BLACK (WH/BK) **AZ1446**
- BLACK / BLACK (BK/BK) **AZ2810**









BK / BK *


SISTO 2

bulb not included

voltage: 230V	connect 2x ES111 MAX 50W or ADAP111
IP20	connect GU10 2x Max 40W
	installation place
	inlet opening 30,5x16cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0794**
- WHITE / BLACK (WH/BK) **AZ1447**
- BLACK/BLACK (BK/BK) **AZ2809**







STAN

Downlights



ALU /ALU *


STAN

bulb not included

voltage: 230V	connect 1x ES111 MAX 50W or ADAP111
IP20	connect GU10 1x Max 40W
	installation place
	inlet opening Ø 14,5cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0860
- WHITE (WH) AZ0861
- BLACK / BLACK (BK / BK) AZ2811
- CHROME (CH) AZ2957







WH



ALU



BK / BK



CH



* - EXPLANATION SHORTCUT PAGE 2 (E)



BK *


TORRES GU10

bulb not included

voltage: 230V	connect GU10 1x Max 40W
IP20	
	installation place
	inlet opening Ø8,2cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2682**
- BLACK (BK) **AZ2683**



TILT 40°



WH *


TORRES ES111

bulb not included

voltage: 230V	connect 1x ES111 MAX 50W or ADAP111
IP20	
	installation place
	inlet opening Ø14,5cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2684**
- BLACK (BK) **AZ2685**




TILT 40°



VERDI

Downlights




VERDI

bulb not included


voltage: 230V	connect 1x ES111 MAX 50W or ADAP111
IP20	connect GU10 1x Max 40W
	installation place
	inlet opening 17x17cm


COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3526
- BLACK (BK) AZ3527



TILT 45°






VERDI 2

bulb not included


voltage: 230V	connect 2x ES111 MAX 50W or ADAP111
IP20	connect GU10 2x Max 40W
	installation place
	inlet opening 30x17cm

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3528
- BLACK (BK) AZ3529



TILT 45°




VERDI 3

bulb not included

voltage: 230V	connect 3x ES111 MAX 50W or ADAP111
IP20	connect GU10 3x Max 40W
	installation place
	inlet opening 45x17cm

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ3530
- BLACK (BK) AZ3531



TILT 45°

* - EXPLANATION SHORTCUT PAGE 2 (E)


AZzardo

NOVA

Downlights



BK / BK *


NOVA 1

bulb not included

voltage: 230V	connect 1x ES111 MAX 50W or ADAP111
IP20	connect GU10 1x Max 40W
	installation place
	inlet opening 15x15cm

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK /BK) **AZ2869**
- WHITE / WHITE (WH /WH) **AZ2870**
- WHITE / BLACK (WH /BK) **AZ2871**



TILT 45°



BK / BK *


NOVA 2

bulb not included

voltage: 230V	connect 2x ES111 MAX 50W or ADAP111
IP20	connect GU10 2x Max 40W
	installation place
	inlet opening 30,5x15cm

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK /BK) **AZ2875**
- WHITE / WHITE (WH /WH) **AZ2876**
- WHITE / BLACK (WH /BK) **AZ2877**



TILT 45°



∗ – EXPLANATION SHORTCUT PAGE 2 (E)



WH / WH *


NOVA GIPS

bulb not included

voltage: 230V	connect 1x ES111 MAX 50W or ADAP111	
IP20	connect GU10 1x Max 40W	
	installation place	
	inlet opening	15,2x15,2cm

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) **AZ2872**
- WHITE / WHITE (WH/WH) **AZ2873**



TILT 45°



BK / BK *


NOVA 2 GIPS

bulb not included


voltage: 230V	connect 2x ES111 MAX 50W or ADAP111	
IP20	connect GU10 2x Max 40W	
	installation place	
	inlet opening	30.5x15.2cm

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK /BK) **AZ2935**
- WHITE / WHITE (WH /WH) **AZ2934**



TILT 45 °



BK/BK



WH/WH



BK/BK




WH/WH



HERA GIPS SQUARE

Downlights



WH *


HERA GIPS SQUARE S WH


bulb not included

voltage: 230V	connect GU10 1x Max 40W
IP20	
	installation place
	inlet opening 10x10cm

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ3466**





WH *

HERA GIPS SQUARE M WH


bulb not included

voltage: 230V	connect GU10 1x Max 40W
IP20	
	installation place
	inlet opening 12x12cm

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ3467**

glass diffuser only included with AZ3467





Recommended plasterboard profile: 12mm



∗ - EXPLANATION SHORTCUT PAGE 2 (E)



WH *


HERA GIPS ROUND M

bulb not included

voltage: 230V	connect GU10 1x Max 40W
IP20	
	installation place
	inlet opening Ø 13cm

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ3465**





WH *


HERA GIPS ROUND S

bulb not included

voltage: 230V	connect GU10 1x Max 40W
IP20	
	installation place
	inlet opening Ø 10cm

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ3464**








INDOOR WALL LAMPS


INDOOR
wall lamps

302 TAZ
303 OZ
304 SANE
305 RAGGIO
306 VELIA ROUND
307 VELIA SQUARE
308 BLAS
309 LAMBDA
311 FELIX
312 MARS
313 VENUS
314 GAMBINO
316 LETICIA
317 LETICIA 2
318 LETICIA 2 LED
319 MONTANA
320 AVON
321 CLOVER
322 VIGO
323 LATONA
324 RAUL
325 SCATOLA
326 VIDAL
327 VIALETTO
328 ANCONA
329 ANCONA WOOD
330 TORCH
331 VEGA
332 ARCHO
334 GINNO
335 ANGUS
336 RAMONA
338 VERA
339 FARO
340 LUMI
341 LUMI FLEX
342 VERONICA
343 NOGAT


TAZ

Indoor wall lamps










TAZ

LED integrated

voltage: 230V	LED 1W 85lm 4000K LED
IP20	
technical specification	installation place inlet opening Ø 4,8cm
	beam angle: 360°

COLOUR / NEW INDEX NO.


- BLACK (BK) AZ3369
- WHITE (WH) AZ3370
- SATIN NICKEL (SN) AZ3371





* - EXPLANATION SHORTCUT PAGE 2 (E)





WH *



WH



BK



SN


OZ

LED integrated

voltage: 230V	LED 1W 85lm 4000K LED
IP20	
technical specification	installation place inlet opening Ø 4,8cm
	beam angle: 360°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ3372
- WHITE (WH) AZ3373
- SATIN NICKEL (SN) AZ3374



SANE

Indoor wall lamps




SANE Ø 40

LED integrated

voltage: 230V	LED 1W 85lm 3000K
IP20	Transformer 230V – included
technical specification	installation place inlet opening Ø 4,8cm
	beam angle: 180°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ2765
- WHITE (WH) AZ2766
- NICKEL (NI) AZ2767






SANE Ø 60

LED integrated

voltage: 230V	LED 2W 170lm 3000K
IP20	Transformer 230V – included
technical specification	installation place inlet opening Ø 5cm
	beam angle: 180°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ2768
- WHITE (WH) AZ2769
- ANTIQUE BRUSH (ANB) AZ2770
- NICKEL (NI) AZ2771





* – EXPLANATION SHORTCUT PAGE 2 (E)




























RAGGIO


LED integrated

voltage: 230V	LED 3W 240lm 3000K	LED
IP54	Transformer 230V – included	
technical specification	installation place ▭ inlet opening ⏢ 8.8x4cm	
	beam angle: 15°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2963**
- BLACK (BK) **AZ2964**
- SATIN NICKEL (SN) **AZ2965**





VELIA ROUND

Indoor wall lamps










VELIA ROUND 2


bulb not included

voltage: 230V	GU10 2x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4398
- BLACK (BK) AZ4399
- BRASS (BS) AZ4397






∗ – EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®












VELIA SQUARE 2

bulb not included

voltage: 230V	GU10 2x Max 50W
IP20	
	installation place


COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4403**
- BLACK (BK) **AZ4401**
- BRASS (BS) **AZ4402**



BLAS

Indoor wall lamps



ALU *



BK


BLAS

bulb not included

voltage: 230V	connect G9 1x Max 40W
IP20	
	installation place


COLOUR / NEW INDEX NO.

BLACK (BK) AZ3069





* - EXPLANATION SHORTCUT PAGE 2 (E)




LAMBDA

LED integrated

voltage: 230V	LED 10W 850lm 3000K
IP20	
technical specification	installation place
	beam angle: 90°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ3346**
- WHITE (WH) **AZ3345**










FELIX LED

Indoor wall lamps



* – EXPLANATION SHORTCUT PAGE 2 (E)



FELIX S


LED integrated

voltage: 230V		LED 6W 500lm 3000K
IP20		
technical specification		installation place
		beam angle: 2x90°

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ2456**

GOLD (GO) **AZ2425**






FELIX M

LED integrated

voltage: 230V		LED 6W 500lm 3000K
IP20		
technical specification		installation place
		beam angle: 2x110°

COLOUR / NEW INDEX NO.

WHITE (WH) **AZ2426**






FELIX L

LED integrated

voltage: 230V		LED 12W 1008lm 3000K
IP20		
technical specification		installation place
		beam angle: 2x110°


COLOUR / NEW INDEX NO.

WHITE (WH) **AZ2427**



MARS

Indoor wall lamps



BK / BK *



ALU



WH



WH / GO



BK / GO



BK / BK


MARS

bulb not included

voltage: 230V	connect G9 1x Max.40W
IP20	
	installation place

COLOUR / NEW INDEX NO.


- ALUMINIUM (ALU) AZ0895
- WHITE (WH) AZ0896
- WHITE / GOLD (WH/GO) AZ1090
- BLACK / GOLD (BK/GO) AZ1052
- BLACK / BLACK (BK / BK) AZ2931





* – EXPLANATION SHORTCUT PAGE 2 (E)








VENUS

bulb not included

voltage: 230V	connect G9 1x Max.40W
IP20	
	installation place


COLOUR / NEW INDEX NO.

- ☐ ALUMINIUM (ALU) AZ0893
- ☐ WHITE (WH) AZ0894




GAMBINO LED IP54

Indoor wall lamps



FOUR ADJUSTABLE LIGHT ANGLE



BGR *


GAMBINO

LED integrated

voltage: 230V	LED 2x3W 480 lm 3000K
IP54	
technical specification	installation place
	beam angle: adjustable max 90°

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ0950**
- BRIGHT GREY (BGR) **AZ0958**
- DARK GREY (DGR) **AZ0957**



FOUR ADJUSTABLE LIGHT ANGLE TILT 90°



WH



BGR




DGR





* – EXPLANATION SHORTCUT

AZzardo®






GAMBINO 2

LED integrated

voltage: 230V	LED 4x3W 480 lm 3000K
IP54	
technical specification	installation place
	beam angle: adjustable max 90°

COLOUR / NEW INDEX NO.

☐ WHITE (WH). **AZ1882**




EIGHT ADJUSTABLE LIGHT ANGLE TILT 90°



LETICIA

Indoor wall lamps






LETICIA

bulb not included

voltage: 230V	connect G9 1x Max.40W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ0951**
- ANODISED GOLD (AGO) **AZ0952**
- BLACK / GOLD (BK / GO) **AZ2814**
- BLACK / BLACK (BK / BK) **AZ2932**



TWO ADJUSTABLE LIGHT ANGLE TILT 90°



∗ – EXPLANATION SHORTCUT PAGE 2 (E)





BK / GO *


LETICIA 2

bulb not included

voltage: 230V	connect G9 1x Max.40W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ1059
- WHITE (WH) AZ1058
- BLACK / GOLD (BK / GO) AZ2815
- BLACK / BLACK (BK / BK) AZ2933



TWO ADJUSTABLE LIGHT ANGLE TILT 90°



ALU

WH

BK / GO

BK / BK

LETICIA 2 LED IP54

Indoor wall lamps


DGR *


BGR DGR WH

LETICIA 2 LED


LED integrated

voltage: 230V		LED 2x3W 3000K 420lm
IP54		
technical specification		installation place
		beam angle: adjustable max 90°


COLOUR / NEW INDEX NO.

DARK GRAY (DGR) AZ2189

WHITE (WH) – AZ2190



FOUR ADJUSTABLE LIGHT ANGLE TILT 90°





* - EXPLANATION SHORTCUT PAGE 2 (E)




MONTANA

LED integrated

voltage: 230V		LED 5W 450lm 3000K
IP20		
technical specification		installation place
		beam angle: 120°

COLOUR / NEW INDEX NO.

☐ WHITE (WH) **AZ2859**











AVON LED

Indoor wall lamps


WH *


BK


WH


GO


AVON

LED integrated

voltage: 230V	LED 5W 3000K 385lm
IP20	
technical specification	installation place
	beam angle: 90°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ2196
- WHITE (WH) AZ2195
- GOLD (GO) AZ2197





WARRANTY 5 YEARS INTEGRATED LED



* – EXPLANATION SHORTCUT PAGE 2 (E)





BK *


CLOVER SQUARE **

LED integrated

voltage: 230V		LED 12W 3000K 840lm
IP20		
technical specification		installation place
		beam angle: 360°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ2198
- WHITE (WH) AZ2199





WH *


CLOVER OVAL

LED integrated

voltage: 230V		LED 12W 3000K 840lm
IP20		
technical specification		installation place
		beam angle: 360°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ2997
- WHITE (WH) AZ2998




WARRANTY 5 YEARS INTEGRATED LED

** - OFFERED ONLY OUTSIDE OF THE EUROPEAN UNION

VIGO LED IP54

Indoor wall lamps






VIGO

LED integrated

voltage: 230V	LED 2x3W 420lm 3000K
IP54	
technical specification	installation place
	beam angle: 2x90°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ2203
- WHITE (WH) AZ2202



WARRANTY 5 YEARS INTEGRATED LED



* - EXPLANATION SHORTCUT PAGE 2 (E)



BK *



BK WH

LATONA


LED integrated

voltage: 230V		LED 10W 800lm 3000K
IP20		
technical specification		installation place
		beam angle: 90°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ2204

WHITE (WH) AZ2205




WARRANTY 5 YEARS INTEGRATED LED



RAUL

Indoor wall lamps



CH *


RAUL

bulb not included

voltage: 230V	connect G9 2x Max.40W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) AZ0892
- WHITE (WH) AZ0891
- CHROME (CH) AZ0868





ALU



WH



∗ - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®



WH *


SCATOLA

LED integrated

voltage: 230V		LED 9W 720 lm 3000K
IP20		
technical specification		installation place
		beam angle: 60°

COLOUR / NEW INDEX NO.

☐ WHITE (WH). AZ0578






VIDAL

Indoor wall lamps







WH *



ALU


VIDAL

bulb not included


voltage: 230V	connect G9 1x Max.40W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- ☐ ALUMINIUM (ALU) **AZ0862**
- ☐ WHITE (WH) **AZ0863**



∗ - EXPLANATION SHORTCUT PAGE 2 (E)



BK *


VIALETTO L

LED integrated

voltage: 230V		LED 12W 965 lm 3000K
IP20		
technical specification		installation place
		beam angle: 60°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ0573






BK



ANCONA LED IP54

Indoor wall lamps




ANCONA S IP54


LED integrated

voltage: 230V	LED 6W 445lm 3000K
IP54	
technical specification	installation place
	beam angle: 360°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2192
- BLACK (BK) AZ2191






ANCONA M IP54

LED integrated

voltage: 230V	LED 9W 890lm 3000K
IP54	
technical specification	installation place
	beam angle: 360°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2193
- BLACK (BK) AZ2194








ANCONA L IP54

LED integrated

voltage: 230V	LED 24W 1680lm 3000K
IP54	
technical specification	installation place
	beam angle: 360°

COLOUR / NEW INDEX NO.


- BLACK (BK) AZ2852
- WHITE (WH) AZ2853





∗ – EXPLANATION SHORTCUT PAGE 2 (E)





NATURAL WOOD


ANCONA WOOD S

LED integrated

voltage: 230V	LED 6W 360lm 3000K LED
IP20	
technical specification	installation place
	beam angle: 360°

COLOUR / NEW INDEX NO.

NATURAL WOOD (WH) **AZ2714**





NATURAL WOOD


ANCONA WOOD M

LED integrated

voltage: 230V	LED 12W 720lm 3000K LED
IP20	
technical specification	installation place
	beam angle: 360°

COLOUR / NEW INDEX NO.

NATURAL WOOD (WH) **AZ2715**



TORCH LED IP54

Indoor wall lamps


WH *


BK

WH


TORCH

LED integrated

voltage: 230V	LED 6W 420lm 3000K
IP54	
technical specification	installation place
	beam angle: 45°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ2206
- WHITE (WH) AZ2207



TILT 90°



* – EXPLANATION SHORTCUT PAGE 2 (E)



WH *


VEGA


bulb not included

voltage: 230V	connect G9 1x Max. 40W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK / GOLD (BK / GO) AZ1709
- WHITE (WH) AZ1708
- CHROME (CH) AZ1758
- ANODISED GOLD (AGO) AZ1746





BK / GO

WH


CH

AGO



ARCHO

Indoor wall lamps




ARCHO A

bulb included

voltage: 230V	connect G24-D2 1x Max.18W
IP20	
	installation place

COLOUR / NEW INDEX NO.

ALUMINIUM (ALU) **AZ0199**






ARCHO 2A


bulb included

voltage: 230V	connect G24-D2 1x Max.18W
IP20	
	installation place

COLOUR / NEW INDEX NO.

CHROME (CH). **AZ0326**






ARCHO 2B

bulb included


voltage: 230V	connect PL-L 1x Max.36W
IP20	
	installation place

COLOUR / NEW INDEX NO.

CHROME (CH). **AZ0327**



* - EXPLANATION SHORTCUT PAGE 2 (E)




ARCHO C


bulb included

voltage: 230V	connect PL-L 1x Max.55W
IP20	
	installation place

COLOUR / NEW INDEX NO.

ALUMINIUM (ALU) **AZ0201**






ARCHO 2C

bulb included

voltage: 230V	connect PL-L 1x Max.55W
IP20	
	installation place

COLOUR / NEW INDEX NO.

CHROME (CH) **AZ0328**





GINNO LED

Indoor wall lamps




GINNO 1

LED integrated

voltage: 230V	LED 2x 1W 160 lm 3000K
IP20	
technical specification	installation place
	beam angle: 2x45°

COLOUR / NEW INDEX NO.

- WHITE / ALUMINIUM (WH / ALU) . . **AZ0761**
- ALUMINIUM (ALU) **AZ0764**






GINNO 2

LED integrated

voltage: 230V	LED 4x 1W 320 lm 3000K
IP20	
technical specification	installation place
	beam angle: 4x45°

COLOUR / NEW INDEX NO.

- WHITE / ALUMINIUM (WH / ALU) . . **AZ0762**
- ALUMINIUM (ALU) **AZ0765**






GINNO 3

LED integrated

voltage: 230V	LED 6x 1W 440 lm 3000K
IP20	
technical specification	installation place
	beam angle: 6x45°

COLOUR / NEW INDEX NO.

- WHITE / ALUMINIUM (WH / ALU) . . **AZ0763**
- ALUMINIUM (ALU) **AZ0766**











* - EXPLANATION SHORTCUT PAGE 2 (E)



WH *



`WH CH

ANGUS LED SWITCH


LED integrated

voltage: 230V		LED 3W 250lm 3000K
IP20		
technical specification		installation place
		beam angle: 15°

COLOUR / NEW INDEX NO.

WHITE (WH). AZ2446

CHROME (CH). AZ2445










* - EXPLANATION SHORTCUT PAGE 2 (E)

RAMONA LED SWITCH

Indoor wall lamps




RAMONA 1 LED SWITCH

LED integrated

voltage: 230V	LED 6W 3000K 500lm
IP20	
technical specification	installation place
	beam angle: 60°

COLOUR / NEW INDEX NO.

- SAND WHITE (WH) AZ2566
- SAND BLACK (BK) AZ2565








RAMONA 2 LED SWITCH

LED integrated

voltage: 230V	LED 2X 6W 3000K 500lm
IP20	
technical specification	installation place
	beam angle:2x60°

COLOUR / NEW INDEX NO.

- SAND WHITE (WH) AZ2564
- SAND BLACK (BK) AZ2563





* - EXPLANATION SHORTCUT PAGE 2 (E)


AZzardo

VERA LED SWITCH

Indoor wall lamps



new






VERA LED SWITCH

LED integrated


voltage: 230V	LED 6W+3W 510lm+255lm 3000K
IP20	
technical specification	installation place
	beam angle: 110° + 10°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ4417
- BLACK (BK) AZ3201










* - EXPLANATION SHORTCUT PAGE 2 (E)








FARO LED SWITCH

LED integrated

voltage: 230V		LED 6W 420lm
IP20		+ LED 3W 250lm 3000K
technical specification		installation place
		beam angle: 360°+10°

COLOUR / NEW INDEX NO.

- SATIN NICKEL (NI). **AZ2552**
- CHROME (CH). **AZ2424**
- BLACK (BK) **AZ3204**







* - EXPLANATION SHORTCUT PAGE 2 (E)

LUMI LED

Indoor wall lamps






LUMI

LED integrated

voltage: 230V	LED 5W 500lm 3000K
IP20	
technical specification	installation place
	adjustable beam angle: 19°÷70°

COLOUR / NEW INDEX NO.

- WHITE FINISH SHINING (WH) **AZ4556**
- BLACK FINISH SHINING (BK) **AZ4555**











* – EXPLANATION SHORTCUT PAGE 2 (E)

new



WH *

WARRANTY 5 YEARS INTEGRATED LED



BK



WH


LUMI FLEX

LED integrated

voltage: 230V	LED 5W 500lm 3000K LED
IP20	
technical specification	installation place
	adjustable beam angle: 19°÷70°

COLOUR / NEW INDEX NO.

- WHITE FINISH SHINING (WH) **AZ4562**
- BLACK FINISH SHINING (BK) **AZ4561**









* – EXPLANATION SHORTCUT PAGE 2 (E)

VERONICA LED SWITCH IP44

Indoor wall lamps






VERONICA LED IP44 SWITCH

LED integrated

voltage: 230V	LED 1x 3W 150 lm 3000K
IP44	
technical specification	installation place
	beam angle: 15°

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ1547
- BLACK (BK) AZ1548
- CHROME (CH) AZ1546



FLEXIBLE TILT FLEXIBLE ROTATION




∗ - EXPLANATION SHORTCUT PAGE 2 (E)












NOGAT LED SWITCH

LED integrated

voltage: 230V	LED 3W 250lm 3000K
IP20	
technical specification	installation place
	beam angle: 10°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ2943
- WHITE (WH) AZ2944





AZzardo®

OUTDOORLINE

www.azzardolighting.com



OUTDOOR
WALL LAMPS

OUTDOOR
Wall lamps

348 HYDE IP54
349 FANO SMART
350 FANO IP54
352 CASPER SQUARE IP54
353 CASPER ROUND IP54
354 APULIA IP54
355 PAPIKO IP65
356 ALIX IP65
358 JOE IP54
360 TONIO IP54
361 IKA IP65
362 REZIA IP54
364 RIMINI SQUARE IP54
366 RIMINI IP54
367 JAKE WALL 2 IP54
368 PEDER IP54
369 GORAN
370 ULF IP44
372 VENTA IP54
373 VENETO IP54
374 CASOLA IP54
375 COSEL IP54
376 ARBAX IP54
377 ARIDA IP54
378 GAMBINO IP54
379 LETICIA 2 LED IP54
380 CREMONA IP54
382 LARS IP54
383 ZITA XL IP54
384 CIVITA IP54
385 GINNA IP54
386 FONS IP65
387 LIVIO 2 IP54
388 GAGARIN IP44
389 SARONA IP54
390 ENOK IP54
392 CASORIA IP54
394 AFI IP54
395 OVE WALL IP54
396 ALF IP65
398 NIKLAS IP44
400 MIKKEL IP54
402 RASMUS IP65
403 OSVALD IP44
404 ROLF IP44
406 SORANO IP44
408 NILS IP44
410 FRAME IP54
412 AGAPE IP54
413 MATERA IP54
414 EDVIN IP65
414 EDVARD IP65
415 FLOKI IP54
416 HAVANA IP44
418 BOOMBOX IP44

HYDE IP54

Outdoor lamps



CH *


HYDE OVAL

bulb not included

voltage: 230V	LED GU10 1x MAX 35W
IP54	
	installation place
	inlet opening Ø 5cm

COLOUR / NEW INDEX NO.

CHROME (CH). AZ3325





CH *


HYDE SQUARE

bulb not included

voltage: 230V	LED GU10 1x MAX 35W
IP54	
	installation place
	inlet opening Ø 5cm

COLOUR / NEW INDEX NO.

CHROME (CH). AZ3326





* - EXPLANATION SHORTCUT PAGE 2 (E)

new



WH *


FANO S 30 SMART LED RGB

LED integrated

voltage: 230V	LED 24W 1720lm RGB
IP54	2600-6000K
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4786
- DARK GREY (DGR) AZ4787
- WHITE (WH) AZ4788



CCT = 2600÷6000K DIMMABLE REMOTE CONTROL

new



BK *


FANO R 30 SMART LED RGB

LED integrated

voltage: 230V	LED 24W 1720lm RGB
IP54	
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.


- BLACK (BK) AZ4783
- DARK GREY (DGR) AZ4784
- WHITE (WH) AZ4785



CCT = 2600÷6000K DIMMABLE REMOTE CONTROL



BK



DGR



WH



BK



DGR



WH



LED DIMPOWER

AZzardo®

FANO IP54

Outdoor lamps

new



WH *


FANO S 30

bulb not included

voltage: 230V	E27 2X MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4372
- DARK GREY (DGR) AZ4370
- WHITE (WH) AZ4374



new



BK *


FANO R 30

bulb not included

voltage: 230V	E27 2X MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4371
- DARK GREY (DGR) AZ4369
- WHITE (WH) AZ4373





BK



DGR



WH



BK



DGR



WH

* – EXPLANATION SHORTCUT PAGE 2 (E)




FANO SQUARE

bulb not included

voltage: 230V	E27 2X MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

DARK GREY (DGR) AZ2186






FANO R

bulb not included

voltage: 230V	E27 2X MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

DARK GREY (DGR) AZ2187





CASPER SQUARE IP54

new









CASPER SQUARE 3000K / 4000K

LED integrated

voltage: 230V	LED 15W 1300lm 3000K
IP54	LED 15W 1300lm 4000K
technical specification	installation place
	beam angle: 110°

COLOUR / NEW INDEX NO.

3000K BLACK (BK)	AZ4496
3000K DARK GREY (DGR)	AZ4498
3000K WHITE (WH)	AZ4500
4000K BLACK (BK)	AZ4497
4000K DARK GREY (DGR)	AZ4499
4000K WHITE (WH)	AZ4501







new



WH *

CASPER ROUND 3000K / 4000K

LED integrated

voltage: 230V	LED 15W 1300lm 3000K
IP54	LED 15W 1300lm 4000K
technical specification	installation place
	beam angle: 110°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ4490**
- 3000K DARK GREY (DGR) **AZ4492**
- 3000K WHITE (WH) **AZ4494**
- 4000K BLACK (BK) **AZ4491**
- 4000K DARK GREY (DGR) **AZ4493**
- 4000K WHITE (WH) **AZ4495**



5,5



20



DGR



BK



WH

APULIA IP54

Outdoor lamps

new




APULIA R

LED integrated

voltage: 230V	LED 10W 800lm 3000K
IP54	
technical specification	installation place
	beam angle: 130°


COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4333
- DARK GREY (DGR) AZ4335
- WHITE (WH) AZ4334





new




APULIA S


LED integrated

voltage: 230V	LED 10W 800lm 3000K
IP54	
technical specification	installation place
	beam angle: 130°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4336
- DARK GREY (DGR) AZ4338
- WHITE (WH) AZ4337





* - EXPLANATION SHORTCUT PAGE 2 (E)

new








PAPIKO IP65

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP65	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4216
WHITE (WH) AZ4217





ALIX IP65

Outdoor lamps

new




ALIX IP65

bulb not included

voltage: 230V	GU10 1x Max 35W
IP65	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4056
- GREY (GR) AZ4057
- WHITE (WH) AZ4055











∗ - EXPLANATION SHORTCUT PAGE 2 (E)



JOE IP54

Outdoor lamps



DGR *


JOE TUBE

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) AZ3313
- BLACK (BK) AZ3314
- WHITE (WH) AZ3315
- BRIGHT GREY (BGR) AZ3316



new



WH *


JOE WALL 1

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) AZ3317
- BLACK (BK) AZ3318
- WHITE (WH) AZ4315





* - EXPLANATION SHORTCUT PAGE 2 (E)

new



WH *


JOE WALL 2

bulb not included

voltage: 230V	GU10 2x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) AZ3319
- BLACK (BK) AZ3320
- WHITE (WH) AZ4316



new



BK *


JOE SQUARE

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) AZ3323
- WHITE (WH) AZ3324
- BLACK (BK) AZ4270





WH

new



WH

new



WH



DGR



DGR



DGR



BK



BK



BK



BGR



WH



DGR

new




BK

TONIO IP54

Outdoor lamps



* = EXPLANATION SHORTCUT PAGE 2 (E



WH *


TONIO

bulb not included

voltage: 230V	connect GU10 1x Max.35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

☐ WHITE (WH) AZ0870



new




IKA SQUARE IP65

bulb not included

voltage: 230V	connect GU10 1x Max. 35W
IP65	
	installation place
	inlet opening Ø 6,4cm

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2864
- BLACK (BK) AZ4230
- DARK GREY (DGR) AZ4231



new




IKA ROUND IP65

bulb not included

voltage: 230V	connect GU10 1x Max. 35W
IP65	
	installation place
	inlet opening Ø 6cm

COLOUR / NEW INDEX NO.

- WHITE (WH) AZ2865
- BLACK (BK) AZ3017
- DARK GREY (DGR) AZ4232





REZIA IP54

Outdoor lamps

new




REZIA 1


bulb not included

voltage: 230V	GU10 1x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4343
- DARK GRAY (DGR) AZ4344





new




REZIA 2

bulb not included

voltage: 230V	GU10 2x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4345
- DARK GRAY (DGR) AZ4346



∗ - EXPLANATION SHORTCUT PAGE 2 (E)


AZzardo

RIMINI SQUARE IP54

Outdoor lamps



RIMINI 1 SQUARE

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) AZ4311
- WHITE (WH) AZ4313
- BLACK (BK) AZ4267





RIMINI 2 SQUARE

bulb not included

voltage: 230V	GU10 2x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) AZ4312
- WHITE (WH) AZ4314
- BLACK (BK) AZ4268

* - EXPLANATION SHORTCUT PAGE 2 (E)


AZzardo

RIMINI IP54

Outdoor lamps




RIMINI 1

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) AZ2176
- WHITE (WH) AZ2175
- BLACK (BK) AZ4265






RIMINI 2

bulb not included

voltage: 230V	GU10 2x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) AZ2178
- WHITE (WH) AZ2177
- BLACK (BK) AZ4266












new



new





∗ – EXPLANATION SHORTCUT PAGE 2 (E)






JAKE WALL 2 IP54

bulb not included

voltage: 230V	GU10 2x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) AZ3321
- WHITE (WH) AZ3322
- BLACK (BK) AZ4269










PEDER IP54

Outdoor lamps



new



DGR *


PEDER

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4514
- DARK GREY (DGR) AZ4515




TILT 90°





BK



DGR

* - EXPLANATION SHORTCUT PAGE 2 (E)

new




GORAN SENSOR

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP44	
	installation place


COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4695
- DARK GRAY (DGR) AZ4696
- WHITE (WH) AZ4697




TILT 90°

MASTER SLAVE SYSTEM



One lamp with a PIR sensor (passive motion sensor) is enough to turn on all other lamps connected to the Master line (in the diagram it is marked with a dashed line).





TIME – LIGHTING TIME ADJUSTMENT

LUX – DUSK SENSITIVITY ADJUSTMENT




BK


DGR


WH





ULF IP44

Outdoor lamps







DGR



BK

* – EXPLANATION SHORTCUT PAGE 2 (E)



TIME – LIGHTING TIME ADJUSTMENT
SENS – RANGE ADJUSTMENT
LUX – DUSK SENSITIVITY ADJUSTMENT

new




ULF 1 WALL SENSOR

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP44	
	installation place


COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4454**
DARK GREY (DGR) **AZ4455**



new






ULF 2 WALL

bulb not included


voltage: 230V	GU10 2x MAX 35W
IP44	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4473**
DARK GREY (DGR) **AZ4474**



MASTER SLAVE SYSTEM




One lamp with a PIR sensor (passive motion sensor) is enough to turn on all other lamps connected to the Master line (in the diagram it is marked with a dashed line).

VENTA IP54

Outdoor lamps



new



VENTA


bulb not included


voltage: 230V	E27 1x MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.


BLACK (BK) AZ4350

DARK GREY (DGR) AZ4351





BK



DGR

∗ - EXPLANATION SHORTCUT PAGE 2 (E)

new



DGR *



BK



DGR

VENETO


bulb not included

voltage: 230V	E27 1x MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4348

DARK GREY (DGR) AZ4349





CASOLA IP54

new



DGR *



BK



DGR

CASOLA


LED integrated

voltage: 230V	LED 12W 950lm 3000K
IP54	
technical specification	installation place
	beam angle: 110°

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4355

DARK GREY (DGR) AZ4356





* EXPLANATION SHORTCUT PAGE 210



new



BK *



BK



DGR

COSEL


LED integrated

voltage: 230V		LED 2x8W 1300lm 3000K
IP54		
technical specification		installation place
		beam angle: 2x 110°

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4353**

DARK GREY (DGR) **AZ4354**



ARBAX IP54

Outdoor lamps

new



DGR *


ARBAX 1

LED integrated

voltage: 230V	LED 6W 500lm 3000K
IP54	
technical specification	installation place
	beam angle: 60°

COLOUR / NEW INDEX NO.

DARK GREY (DGR) AZ4341



new



DGR *


ARBAX 2

LED integrated

voltage: 230V	LED 12W 1000lm 3000K
IP54	
technical specification	installation place
	beam angle: 2x 60°

COLOUR / NEW INDEX NO.

DARK GREY (DGR) AZ4342





* - EXPLANATION SHORTCUT PAGE 2 (E)

new




ARIDA

bulb not included

voltage: 230V	E27 1x Max 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

DARK GREY (DGR) AZ4347



** NUMBERS IS NOT INCLUDED






GAMBINO IP54

Outdoor lamps

new



BK *


GAMBINO 1 3000K / 4000K

LED integrated

voltage: 230V	LED 2x3W 500lm 3000K
IP54	LED 2x3W 500lm 4000K
technical specification	installation place
	adjustable beam angle Max 90°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) AZ0950
- 3000K BRIGHT GREY (BGR). AZ0958
- 3000K DARK GREY (DGR). AZ0957
- 3000K BLACK (BK) AZ4148
- 4000K BLACK (BK) AZ4470
- 4000K DARK GREY (DGR). AZ4471
- 4000K WHITE (WH) AZ4472



EIGHT ADJUSTABLE LIGHT ANGLE TILT 90°



WH *


GAMBINO 2

LED integrated

voltage: 230V	LED 4x 6W 480 lm 3000K
IP54	
technical specification	installation place
	adjustable beam angle Max 90°

COLOUR / NEW INDEX NO.

- WHITE (WH). AZ1882



EIGHT ADJUSTABLE LIGHT ANGLE TILT 90°



* – EXPLANATION SHORTCUT PAGE 2 (E)


AZzardo®



WH



BGR




DGR

new



BK

FOUR ADJUSTABLE LIGHT ANGLE



new



BK *


LETICIA 2 LED

LED integrated


voltage: 230V	LED 2x3W 400lm 3000K
IP54	
technical specification	installation place
	adjustable beam angle Max 90°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4469
- DARK GREY (DGR) AZ2189
- WHITE (WH) AZ2190







FOUR ADJUSTABLE LIGHT ANGLE




WH

BGR

new

BK



CREMONA IP54

Outdoor lamps






CREMONA S

LED integrated

voltage: 230V	LED 2x3W 350lm 3000K
IP54	
technical specification	installation place
	beam angle: 60°

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) AZ2180
- WHITE (WH) AZ2179
- BLACK (BK) AZ4339



new




CREMONA M

LED integrated

voltage: 230V	LED 2x5W 500lm 3000K
IP54	
technical specification	installation place
	beam angle: 2x 60°

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) AZ2182
- WHITE (WH) AZ2181
- BLACK (BK) AZ4340







new







new



LARS IP54

Outdoor lamps

new



BK *


LARS ROUND WALL 3000K / 4000K

LED integrated


voltage: 230V		LED 13W 1000lm 3000K
IP54		LED 13W 1000lm 4000K
technical specification		installation place
		beam angle: 2x 180°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ4504
- 4000K BLACK (BK) AZ4505



new



BK *


LARS SQUARE 3000K / 4000K

LED integrated

voltage: 230V		LED 13W 1000lm 3000K
IP54		LED 13W 1000lm 4000K
technical specification		installation place
		beam angle: 2x 180°

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) AZ4506
- 4000K BLACK (BK) AZ4507





∗ – EXPLANATION SHORTCUT PAGE 2 (E)



BK *


ZITA XL

LED integrated

voltage: 230V	LED 6W 450lm 3000K
IP54	
technical specification	installation place
	beam angle: 35°

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) AZ2200
- BRIGHT GREY (BGR) AZ2201
- BLACK (BK) AZ4150
- WHITE (WH) AZ4151





DGR



BGR

new



BK

new



WH



CIVITA IP54

Outdoor lamps

new



DGR *


CIVITA

LED integrated

voltage: 230V	LED 12W 800lm 3000K
IP54	
technical specification	installation place
	beam angle: 180°

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ4361**



new



DGR *


CIVITA SENSOR

LED integrated

voltage: 230V	LED 12W 800lm 3000K
IP54	
technical specification	installation place
	beam angle: 180°

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ4360**



TIME – LIGHTING TIME ADJUSTMENT

LUX – DUSK SENSITIVITY ADJUSTMENT




TIME LUX





MASTER SLAVE SYSTEM (OPTION)



One lamp with a PIR sensor (passive motion sensor) is enough to turn on all other lamps connected to the Master line (in the diagram it is marked with a dashed line).

* – EXPLANATION SHORTCUT PAGE 2 (



DGR *


GINNA 3

LED integrated

voltage: 230V	LED 6x1W 500lm 3000K
IP54	
technical specification	installation place
	beam angle: 60°

COLOUR / NEW INDEX NO.

- BLACK (BK)) AZ3484
- GOLD (GO) AZ3485
- DARK GREY (DGR) AZ4194
- WHITE (WH) AZ4195





BK *



GO *

new



DGR *

new



WH *



FONS IP65

Outdoor lamps





DGR *

FONS


bulb not included

voltage: 230V	connect GU10 1x Max.35W
IP65	
	installation place

COLOUR / NEW INDEX NO.

DARK GREY (DGR) AZ0869

BRIGHT GREY (BGR) AZ0890





BGR



DGR

* - EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®


BK *


LIVIO 2


bulb not included

voltage: 230V	connect GU10 2x Max.35W
IP54	
	installation place


COLOUR / NEW INDEX NO.

BLACK (BK) AZ0776
BRIGHT GREY (BGR) AZ0888




BK

BGR


DGR



GAGARIN IP44

Outdoor lamps

new



DGR *


GAGARIN IP44

bulb not included

voltage: 230V	E27 1x MAX 40W
IP44	
	installation place

COLOUR / NEW INDEX NO.

DARK GREY (DGR) AZ4352





* EXPLANATION SHORTCUT PAGE 2 (E)




SARONA LED IP54

LED integrated

voltage: 230V		LED 3W 250lm 3000K LED
IP54		
technical specification		installation place inlet opening Ø 7,2cm
		beam angle: 10°

COLOUR / NEW INDEX NO.

DARK GREY (DGR) AZ2183





ENOK IP54

Outdoor lamps



new



DGR *


ENOK ROUND WALL 3000K

LED integrated

voltage: 230V		LED 9W 700lm 3000K
IP54		
technical specification		installation place
		beam angle: 360°

COLOUR / NEW INDEX NO.

3000K DARK GREY (DGR) AZ4460



new



BK *

ENOK SQUARE WALL 3000K / 4000K


LED integrated

voltage: 230V		LED 9W 700lm 3000K
IP54		LED 9W 700lm 4000K
technical specification		installation place
		beam angle: 360°

COLOUR / NEW INDEX NO.


3000K BLACK (BK) AZ4461


4000K BLACK (BK) AZ4462



2 IN 1

THERE ARE 2 TYPES OF FRONT COVER FOR THE LAMP INCLUDED.
THANKS TO MAGNETIC FIXING SYSTEM THEY CAN BE EASILY CHANGED OR REMOVED COMPLETELY.





CASORIA IP54

Outdoor lamps

new



CASORIA ROUND


LED integrated


voltage: 230V	LED 6W 450lm 3000K
IP54	
technical specification	installation place
	beam angle: 60°

COLOUR / NEW INDEX NO.

DARK GREY (DGR) AZ4365

BLACK (BK) AZ4366







new




CASORIA SLIM

LED integrated

voltage: 230V	LED 6W 450lm 3000K
IP54	
technical specification	installation place
	beam angle: 60°

COLOUR / NEW INDEX NO.

DARK GREY (DGR) AZ4368



new




CASORIA SQUARE

LED integrated

voltage: 230V	LED 6W 450lm 3000K
IP54	
technical specification	installation place
	beam angle: 60°

COLOUR / NEW INDEX NO.

DARK GREY (DGR) AZ4367



∗ – EXPLANATION SHORTCUT PAGE 2 (E)


AZzardo

AFI IP54

Outdoor lamps



new



BK *


AFI 3000K / 4000K

LED integrated

voltage: 230V	LED 2W 150lm 3000K	LED
IP54	LED 2W 150lm 4000K	
technical specification	installation place	
	beam angle: 60°	

COLOUR / NEW INDEX NO.

- 3000K DARK GREY (DGR) AZ4510
- 3000K BLACK (BK) AZ4512
- 4000K DARK GREY (DGR) AZ4511
- 4000K BLACK (BK) AZ4513





BK



DGR

* - EXPLANATION SHORTCUT PAGE 2 (E)

new



DGR *

OVE WALL 3000K / 4000K


LED integrated

voltage: 230V	LED 2W 150lm 3000K
IP54	LED 2W 150lm 4000K
technical specification	installation place
	beam angle: 60°

COLOUR / NEW INDEX NO.

3000K DARK GREY (DGR) AZ4508

4000K DARK GREY (DGR) AZ4509





ALF IP65

Outdoor lamps

new



ALF ROUND 3000K


LED integrated

voltage: 230V	LED 3W 250lm 3000K
IP65	
technical specification	installation place inlet opening Ø 4,5cm
	beam angle: 180°

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4463**

DARK GREY (DGR) **AZ4464**



new



ALF SQUARE 3000K


LED integrated

voltage: 230V	LED 3W 250lm 3000K
IP65	
technical specification	installation place inlet opening 4,5x4,5cm
	beam angle: 180°


COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4465**

DARK GREY (DGR) **AZ4466**








∗ - EXPLANATION SHORTCUT PAGE 2 (E)







BK



DGR



BK



DGR

NIKLAS IP44

Outdoor lamps

new




NIKLAS WALL SENSOR


bulb not included

voltage: 230Vs	E27 1x MAX 40W
IP44	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4487






TIME – LIGHTING TIME ADJUSTMENT


LUX – DUSK SENSITIVITY ADJUSTMENT

MASTER SLAVE SYSTEM (OPTION)



One lamp with a PIR sensor (passive motion sensor) is enough to turn on all other lamps connected to the Master line (in the diagram it is marked with a dashed line).





* EXPLANATION SHORTCUT PAGE 2 (E)



new




NIKLAS WALL

bulb not included

voltage: 230V	E27 1x MAX 40W
IP44	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4486**



new




NIKLAS 2 WALL

bulb included

voltage: 230V	E27 2x MAX 40W
IP44	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4488**



MIKKEL IP54

Outdoor lamps

new




MIKKEL WALL

bulb not included

voltage: 230V	E27 1x MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4484





new




MIKKEL

bulb not included

voltage: 230V	E27 1x MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4485





∗ - EXPLANATION SHORTCUT PAGE 2 (E)






AZzardo®

RASMUS IP65

Outdoor lamps

new




RASMUS WALL

bulb not included

voltage: 230V	E27 1x MAX 40W
IP65	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4482



new




RASMUS

bulb not included

voltage: 230V	E27 1x MAX 40W
IP65	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4483





* – EXPLANATION SHORTCUT PAGE 2 (E)



new




OSVALD WALL

bulb not included

voltage: 230V	E27 1x MAX 40W
IP44	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4489**



ROLF IP44

Outdoor lamps

new




ROLF 1 WALL

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP44	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4475
- DARK GREY (DGR) AZ4476
- WHITE (WH) AZ4477







new




ROLF 2 500

bulb not included

voltage: 230V	LED GU10 2x MAX 35W
IP44	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4456
- DARK GREY (DGR) AZ4457





new




ROLF 2 900

bulb not included

voltage: 230V	LED GU10 2x MAX 35W
IP44	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4458
- DARK GREY (DGR) AZ4459






∗ – EXPLANATION SHORTCUT PAGE 2 (E)


AZzardo

SORANO IP54

Outdoor lamps



new



SORANO 500


bulb not included

voltage: 230V	E27 1x MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4444

DARK GREY (DGR) AZ4358



new



SORANO 700


bulb not included

voltage: 230V	E27 1x MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4445

DARK GREY (DGR) AZ4359



∗ – EXPLANATION SHORTCUT PAGE 2 (E)

new




SORANO WALL


bulb not included

voltage: 230V	E27 1x MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4446
DARK GREY (DGR) AZ4357









NILS IP44

Outdoor lamps




TIME – LIGHTING TIME ADJUSTMENT

LUX – DUSK SENSITIVITY ADJUSTMENT





MASTER SLAVE SYSTEM (OPTION)



One lamp with a PIR sensor (passive motion sensor) is enough to turn on all other lamps connected to the Master line (in the diagram it is marked with a dashed line).

new




NILS WALL SENSOR

bulb not included

voltage: 230V	E27 1x MAX 40W
IP44	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4479**



new




NILS WALL

bulb not included

voltage: 230V	E27 1x MAX 40W
IP44	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4478**



∗ – EXPLANATION SHORTCUT PAGE 2 (E)



new




NILS 500

bulb not included

voltage: 230V	E27 1x MAX 40W
IP44	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4480**



new




NILS 800

bulb not included

voltage: 230V	E27 1x MAX 40W
IP44	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4481**



FRAME IP54

Outdoor lamps



* – EXPLANATION SHORTCUT PAGE 2 (E)




FRAME WALL

LED integrated

voltage: 230V	LED 8W 800lm 3000K LED
IP54	
technical specification	installation place
	beam angle: 90°


COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4308
- DARK GREY (DGR) AZ2132
- BRIGHT GREY (BGR) AZ2133



TILT 350°






FRAME SPIKE

LED integrated

voltage: 230V	LED 8W 800lm 3000K LED
IP54	
technical specification	installation place
	beam angle: 90°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4307
- DARK GREY (DGR) AZ2128
- BRIGHT GREY (BGR) AZ2129



TILT 350°




FRAME 70

LED integrated

voltage: 230V	LED 8W 800lm 3000K LED
IP54	
technical specification	installation place
	beam angle: 90°

COLOUR / NEW INDEX NO.

- BLACK (BK) AZ4305
- DARK GREY (DGR) AZ2130
- BRIGHT GREY (BGR) AZ2131



TILT 350°

AGAPE IP54

Outdoor lamps



* = EXPLANATION SHORTCUT PAGE 2 (E)

AZzardo®




AGAPE 60

LED integrated

voltage: 230V	LED 6W 480lm 3000K
IP54	
technical specification	installation place
	beam angle: 60°

COLOUR / NEW INDEX NO.

DARK GREY (DGR) AZ3482






AGAPE 80

LED integrated

voltage: 230V	LED 6W 480lm 3000K
IP54	
technical specification	installation place
	beam angle: 60°

COLOUR / NEW INDEX NO.

DARK GREY (DGR) AZ3483






MATERA 600

bulb not included


voltage: 230V	connect GU10 1x Max. 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ2185**








MATERA WALL

bulb not included

voltage: 230V	connect GU10 1x Max. 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ2184**





EDVIN / EDVARD IP65

Outdoor lamps

new




EDVIN

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP65	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4502



TILT 90°

new




EDVARD

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP65	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4503



TILT 90°



EXPLANATION SHORTCUT PAGE 2 / 3






FLOKI 3000K / 4000K

LED integrated

voltage: 230V	LED 6W 500lm 3000K
IP65	LED 6W 500lm 4000K
technical specification	installation place
	beam angle: 30°

COLOUR / NEW INDEX NO.


- 3000K BLACK (BK) **AZ4468**
- 4000K BLACK (BK) **AZ4467**



TILT 180°

HAVANA IP44

Outdoor lamps



HAVANA


bulb not included

voltage: 230V	E27 1x MAX 40W
IP44	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) AZ4662

WHITE (WH) AZ4663











* - EXPLANATION SHORTCUT PAGE 2 (E)








waterproof switch button

HAVANA IP44

Outdoor lamps

HIT! – Portable LED lamp with a built-in 10W Bluetooth speaker



Portable LED lamp with a built-in 1 0W Bluetooth speaker. Equipped with a practical carrying handle. Lamp consists of 9 LEDs with variable color and 6 LEDs with white light. It has 7 light colors in various modes of operation. Product is made of white plastic. Comes with a remote control as well as a battery and USB charging cabie so that the lamp can be placed anywhere due to the fact that it is not limited by access to mains supply.This is a wonderful decoration that can imspire to create an amazing arrangement in your garden. IP44 water resistance allows outdoor use.

Play music from your smartphone or tablet via bluetooth!



BOOMBOX MEDIUM RGBW + REMOTE CONTROL

Dimensions: 22x22x32cm
Power: . . . . . 10W speaker
Battery: 2000mAh
Color: . . . . . RGBW
Accessories: . . . . . remote control included



BOOMBOX BUCKET RGBW + REMOTE CONTROL

Dimensions: 32x56cm
Power: . . . . . 5W speaker
Battery: 2000mAh
Color: . . . . . RGBW
Accessories: . . . . . remote control included





* – EXPLANATION SHORTCUT PAGE 2 (E)



new



WH *


BOOMBOX MEDIUM RGBW + REMOTE CONTROL

LED integrated

voltage: 230V	LED 10W 800lm RGBW DIMM USB 3000K
IP44	RGB
technical specification	installation place
	beam angle: 360°

COLOUR / NEW INDEX NO.

☐ WHITE (WH) AZ4664



new



WH *


BOOMBOX BUCKET RGBW + REMOTE CONTROL

LED integrated

voltage: 230V	LED 5W 400lm RGBW DIMM USB 3000K
IP44	RGB
technical specification	installation place
	beam angle: 360°

COLOUR / NEW INDEX NO.

☐ WHITE (WH) AZ4665






LED TUBES, LED GRILL & HERMETIC LAMPS

LED tubes

LED Grill & Hermetic lamps



ACCESSORIES

LED tubes, LED grill & hermetic lamps

LED TUBE 600mm 4300K / AZ1153



LED TUBE 600mm 6400K / AZ1154



LED TUBE 1200mm 4300K / AZ1155



LED TUBE 1200mm 6400K / AZ1156



LED TUBE 1500mm 4300K / AZ1157



LED TUBE 1500mm 6400K / AZ1158





LED Grill Lamp Surface 1200mm / AZ1190





LED Grill Lamp Concealed 1200mm / AZ1191





LED Grill Lamp Concealed 600mm / AZ1189





LED HERMETIC LAMP Surface 1200mm / AZ1192





LED BULBS

LED bulbs





E27 AZZARDO LAMPA LED E27 8W BALL WH / AZ4019
DIMMABLE / **FULL GLASS**

360° | E27 | 806lm 8W | 2700 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 125 mm 175 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ON OFF ≥15 000× | G A↑G



E27 AZZARDO LAMPA LED E27 8,5W BALL WH / AZ4020
DIMMABLE / **FULL GLASS**

360° | E27 | 1050lm 8,5W | 2700 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 125 mm 175 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ON OFF ≥15 000× | G A↑G



E27 AZZARDO LAMPA LED E27 8W BALL AM / AZ4021
DIMMABLE / **FULL GLASS**

360° | E27 | 720lm 8W | 4000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 125 mm 175 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ON OFF ≥15 000× | G A↑G



E27 AZZARDO LAMPA LED E27 8W BALL WH / AZ4022
DIMMABLE / **FULL GLASS**

360° | E27 | 806lm 8W | 4000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 125 mm 175 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ON OFF ≥15 000× | G A↑G



E27 8W LL127081 / AZ1638
FULL GLASS

360° | E27 | 630lm 8W | 3000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 60 mm 105 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ON OFF ≥15 000× | G A↑G



E27 10W LL127101 / AZ1639
FULL GLASS

360° | E27 | 830lm 10W | 3000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 60 mm 105 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ON OFF ≥15 000× | G A↑G



360°

E27 12W LL127121 / **AZ1640**

FULL GLASS

E27 | 990lm 12W | 3000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 60 mm 105 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ON OFF ≥15 000× | G A↑G



180°

E27 15W LL127151 / **AZ1081**

E27 | 1200lm 15W | 3000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 95 mm 135 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ON OFF ≥15 000× | G A↑G



360°

E14 AZZARDO LAMPA LED E14 5W CANDLE WH / **AZ4016**

DIMMABLE / **FULL GLASS**

E14 | 450lm 5W | 2700 K | DIMMABLE | 25 000 h = 25 Years 2,7h/day | 24 mm 75 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ON OFF ≥15 000× | G A↑G



360°

E14 AZZARDO LAMPA LED E14 5W BALL WH / **AZ4017**

DIMMABLE / **FULL GLASS**

E14 | 450lm 5W | 2700 K | DIMMABLE | 25 000 h = 25 Years 2,7h/day | 24 mm 75 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ON OFF ≥15 000× | G A↑G



360°

E14 AZZARDO LAMPA LED E14 5W BALL WH / **AZ4018**

DIMMABLE / **FULL GLASS**

E14 | 450lm 5W | 4000 K | DIMMABLE | 25 000 h = 25 Years 2,7h/day | 24 mm 75 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ON OFF ≥15 000× | G A↑G



360°

E14 12W / **AZ3055**

E14 | 1000lm 12W | 3000 K | DIMMABLE | 25 000 h = 25 Years 2,7h/day | 24 mm 75 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ON OFF ≥15 000× | G A↑G



360°

E14 12W / AZ3056

E14 | 1050lm 12W | 4000 K | DIMMABLE | 25 000 h = 25 Years 2,7h/day | 24 mm / 75 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G



38°

GU10 AZZARDO LAMPA LED GU10 7W / AZ4023

DIMMABLE / **FULL GLASS**

GU10 | 530lm 7W | 3000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 50 mm / 55 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G



38°

GU10 AZZARDO LAMPA LED GU10 7W / AZ4024

DIMMABLE / **FULL GLASS**

GU10 | 580lm 7W | 4000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 50 mm / 55 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G



38°

GU10 4W LL110042 / AZ2502

FULL GLASS

GU10 | 350lm 4W | 3000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 50 mm / 55 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G



38°

GU10 7W LL210071 RA>90 DIMMABLE 4000K AZ2165

FULL GLASS

GU10 | 520lm 7W | 4000 K | DIMMABLE | 25 000 h = 25 Years 2,7h/day | 50 mm / 55 mm | RA ≥90 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G



45°

GU10 7W CHROME ELEGANT LED LL110076

3000K / AZ2227

GU10 | 410lm 7W | 3000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 50 mm / 72 mm | RA ≥90 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G



45°

GU10 7W CHROME ELEGANT LED LL210076
4000K / AZ2226

GU10 | 450lm 7W | 4000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 50mm 72mm | RA ≥90 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G A↑G




ADAPTER PAR-16 ADAP111 / AZ1117

GU10 + = ES111

MR16 + = QR111

HOW TO USE:





45°

ES111 15W White LL110152 / AZ1500
DIMMABLE – 3000K

GU10 | 1150lm 15W | 3000 K | DIMMABLE | 25 000 h = 25 Years 2,7h/day | 111mm 69,5mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G A↑G



45°

ES111 15W White LL210152 / AZ1877
DIMMABLE – 4000K

GU10 | 1200lm 15W | 4300 K | DIMMABLE | 25 000 h = 25 Years 2,7h/day | 111mm 69,5mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G A↑G



45°

ES111 15W BLACK LL110151 / AZ1499
DIMMABLE – 3000K

GU10 | 1150lm 15W | 3000 K | DIMMABLE | 25 000 h = 25 Years 2,7h/day | 111mm 69,5mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G A↑G



45°

ES111 15W BLACK LL210151 / AZ1876
DIMMABLE – 4000K

GU10 | 1200lm 15W | 4300 K | DIMMABLE | 25 000 h = 25 Years 2,7h/day | 111mm 69,5mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G A↑G



45°

QR111 17W WHITE LL153171 / AZ1109

NO DIMM – 3000K

G53 | 1250lm 17W | 3000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 111 mm 69 mm | RA ≥80 | 12V AC/DC | INTERIOR | ON < 0,2s | ≥15 000× | G



45°

QR111 17W BLACK LL153172 / AZ1108

NO DIMM – 3000K

G53 | 1260lm 17W | 3000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 111 mm 69 mm | RA ≥80 | 12V AC/DC | INTERIOR | ON < 0,2s | ≥15 000× | G



48°

QR111 NEW CHROME 15W 12V LL153151 / AZ1783

NO DIMM

G53 | 750lm 15W | 3000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 111 mm 70 mm | RA ≥80 | 12V AC/DC | INTERIOR | ON < 0,2s | ≥25 000× | G



24°

QR111 NEW CHROME 15W 12V LL153152 / AZ1784

NO DIMM

G53 | 750lm 15W | 3000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 111 mm 70 mm | RA ≥80 | 12V AC/DC | INTERIOR | ON < 0,2s | ≥25 000× | G



48°

ES111 NEW chrome 15W 230V LL110154 / AZ1785

DIMMABLE

GU10 | 800lm 15W | 3000 K | DIMMABLE | 40 000 h = 25 Years 4,3h/day | 111 mm 70 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥25 000× | G



24°

QR111 NEW chrome 12W 12V LL110123 / AZ1182

no DIMM – 3000K

G53 | 480lm 12W | 3000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 111mm 50mm | RA ≥90 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G



QR111 NEW CHROME 12W 12V LL210123 / AZ2507

NO DIMM – 4000K

24° | G53 | 560 lm 12 W | 4000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 111mm 53mm | RA ≥90 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G A↑G



ES111 NEW chrome 12W 230V LL110122 / AZ2364

DIMMABLE – 3000K

24° | GU10 | 480 lm 12 W | 3000 K | DIMMABLE | 25 000 h = 25 Years 2,7h/day | 111mm 69mm | RA ≥90 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G A↑G



ES111 NEW chrome 12W 230V LL210122 / AZ2365

DIMMABLE – 4000K

24° | GU10 | 560 lm 12 W | 4000 K | DIMMABLE | 25 000 h = 25 Years 2,7h/day | 111mm 69mm | RA ≥90 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G A↑G



ES111 NEW chrome 12W 230V LL110121 / AZ2362

no DIMM – 3000K

24° | GU10 | 480 lm 12 W | 3000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 111mm 69mm | RA ≥90 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G A↑G



ES111 NEW chrome 12W 230V LL210121 / AZ2363

no DIMM – 4000K

24° | GU10 | 560 lm 12 W | 4000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 111mm 69mm | RA ≥90 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G A↑G



G9 2W LL109021 / AZ1376

360° | G9 | 180 lm 2 W | 3000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 15 mm 40 mm | RA ≥80 | 12V AC/DC | INTERIOR | ON < 0,2s | ≥15 000× | G A↑G



G9 2,5W LL109251 / AZ1377

360° | G9 | 200lm 2,5W | 3000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 15 mm 49 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G



G9 3,5W AZ3051 FULL GLASS

360° | G9 | 350lm 3,5W | 3000 K | DIMMABLE | 25 000 h = 25 Years 2,7h/day | 14 mm 55 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G



G9 3,5W AZ3052 FULL GLASS

360° | G9 | 360lm 3,5W | 4000 K | DIMMABLE | 25 000 h = 25 Years 2,7h/day | 14 mm 55 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G



G9 4W LL109041 / AZ1097

360° | G9 | 390lm 4W | 3000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 16 mm 48,5 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G



G9 6W LL109061 / AZ1378


360° | G9 | 550lm 6W | 3000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 15 mm 64 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G



G9 8W LL109081 / AZ1891

360° | G9 | 720lm 8W | 3000 K | NO DIMM | 25 000 h = 25 Years 2,7h/day | 18 mm 64 mm | RA ≥80 | 220-240V 50/60Hz | INTERIOR | ON < 0,2s | ≥15 000× | G





G4 1,6W LL104161 / **AZ2324**

NO DIMM – 3000K



ENERGY efficiency

Group energy label **A** 

Group energy label **B** 

Group energy label **C** 

Group energy label **D** 

Group energy label **E** 

Group energy label **F** 

Group energy label **G** 

ARTICLES SYMBOL index

AZ0199 332
AZ0201 333
AZ0326 332
AZ0327 332
AZ0328 333
AZ0573 327
AZ0578 325
AZ0598 117
AZ0606 116
AZ0607 116
AZ0707 116
AZ0708 116
AZ0735 117
AZ0736 117
AZ0737 117
AZ0742 116
AZ0758 274
AZ0759 274
AZ0760 277
AZ0761 334
AZ0762 334
AZ0763 334
AZ0764 334
AZ0765 334
AZ0766 334
AZ0767 290
AZ0768 290
AZ0769 290
AZ0770 290
AZ0771 290
AZ0772 290
AZ0773 290
AZ0776 387
AZ0779 96
AZ0780 96
AZ0781 96
AZ0782 96
AZ0783 96
AZ0784 96
AZ0791 138
AZ0792 138
AZ0793 291
AZ0794 291
AZ0795 276
AZ0796 276
AZ0797 276
AZ0798 276
AZ0799 276
AZ0800 276
AZ0801 276
AZ0802 276
AZ0803 276
AZ0804 272
AZ0805 272
AZ0806 273
AZ0807 273
AZ0808 264
AZ0809 264
AZ0810 264
AZ0811 265
AZ0812 265
AZ0813 265
AZ0814 263
AZ0815 263
AZ0817 266
AZ0818 110
AZ0819 110
AZ0820 110
AZ0821 110
AZ0821 269
AZ0821 270
AZ0822 110
AZ0822 269
AZ0822 270
AZ0823 110
AZ0823 269
AZ0823 270
AZ0824 110
AZ0824 269
AZ0824 270
AZ0825 110
AZ0825 269
AZ0825 270
AZ0826 108
AZ0827 108
AZ0828 108
AZ0829 108
AZ0830 108
AZ0831 108
AZ0832 108
AZ0833 108
AZ0851 117
AZ0852 117
AZ0855 110
AZ0855 269
AZ0855 270
AZ0856 108
AZ0857 96
AZ0858 96
AZ0859 96
AZ0860 292
AZ0861 292
AZ0862 326
AZ0863 326
AZ0868 324
AZ0869 386
AZ0871 264
AZ0872 106
AZ0873 106
AZ0888 387
AZ0890 386
AZ0891 324
AZ0892 324
AZ0893 313
AZ0894 313
AZ0895 312
AZ0896 312
AZ0929 106
AZ0930 106
AZ0941 96
AZ0950 314
AZ0950 378
AZ0951 316
AZ0952 316
AZ0957 314
AZ0957 378
AZ0958 314
AZ0958 378
AZ0959 159
AZ0960 159
AZ0964 159
AZ0965 159
AZ0991 106
AZ1015 266
AZ1051 265
AZ1052 312
AZ1053 112
AZ1054 112
AZ1055 113
AZ1056 113
AZ1058 317
AZ1059 317
AZ1081 427
AZ1090 312
AZ1097 432
AZ1108 430
AZ1109 430
AZ1110 112
AZ1111 113
AZ1117 429
AZ1152 268
AZ1153 422
AZ1154 422
AZ1155 422
AZ1156 422
AZ1157 422
AZ1158 422
AZ1182 430
AZ1189 423
AZ1190 423
AZ1191 423
AZ1192 423
AZ1265 158
AZ1267 158
AZ1278 277
AZ1312 387
AZ1352 106
AZ1353 106
AZ1354 106
AZ1355 106
AZ1356 162
AZ1357 162
AZ1358 163
AZ1359 163
AZ1360 92
AZ1361 280
AZ1362 282
AZ1363 281
AZ1364 168
AZ1365 168
AZ1366 169
AZ1367 169
AZ1368 168
AZ1369 168
AZ1370 169
AZ1371 169
AZ1372 170
AZ1373 170
AZ1375 170
AZ1376 431
AZ1377 432
AZ1378 432
AZ1381 115
AZ1382 115
AZ1383 117
AZ1385 117
AZ1386 117
AZ1387 117
AZ1388 117
AZ1436 96
AZ1437 96
AZ1439 106
AZ1446 291
AZ1447 291
AZ1449 226
AZ1450 226
AZ1451 226
AZ1452 143
AZ1453 142
AZ1454 142
AZ1455 172
AZ1456 172
AZ1457 140
AZ1458 214
AZ1459 214
AZ1460 214
AZ1462 216
AZ1463 216
AZ1464 212
AZ1466 213
AZ1471 222
AZ1472 222
AZ1473 210
AZ1474 210
AZ1475 224
AZ1476 224
AZ1477 132
AZ1478 132
AZ1479 132
AZ1480 218
AZ1481 218
AZ1482 218
AZ1483 218
AZ1484 219
AZ1485 219
AZ1486 219
AZ1487 219
AZ1489 133
AZ1490 133
AZ1491 133
AZ1492 223
AZ1493 223
AZ1494 230
AZ1495 231
AZ1496 225
AZ1499 429
AZ1500 429
AZ1546 342
AZ1547 342
AZ1548 342
AZ1611 216
AZ1612 216
AZ1613 210
AZ1614 210
AZ1615 210
AZ1616 210
AZ1617 225
AZ1618 143
AZ1619 212
AZ1621 217
AZ1622 217
AZ1623 153
AZ1624 153
AZ1625 153
AZ1626 153
AZ1638 426
AZ1639 426
AZ1640 427
AZ1706 114
AZ1707 114
AZ1708 331
AZ1709 331
AZ1710 94
AZ1711 94
AZ1712 95
AZ1713 95
AZ1714 262
AZ1715 262
AZ1716 274
AZ1717 274
AZ1718 277
AZ1719 277
AZ1720 277
AZ1723 168
AZ1724 168
AZ1729 269
AZ1730 269
AZ1731 269
AZ1732 269
AZ1737 271
AZ1738 271
AZ1739 271
AZ1740 271
AZ1744 139
AZ1745 139
AZ1746 331
AZ1749 277
AZ1750 168
AZ1751 168
AZ1752 168
AZ1753 96
AZ1754 95
AZ1755 95
AZ1756 94
AZ1757 94
AZ1758 331
AZ1781 114
AZ1783 430
AZ1784 430
AZ1785 430
AZ1787 96
AZ1788 275
AZ1789 275
AZ1800 158
AZ1825 275
AZ1826 275
AZ1876 429
AZ1877 429
AZ1882 315
AZ1882 378
AZ1885 169
AZ1886 169
AZ1891 432
AZ2128 411
AZ2129 411
AZ2130 411
AZ2131 411
AZ2132 411
AZ2133 411
AZ2135 96
AZ2136 96
AZ2137 106
AZ2138 106
AZ2165 428
AZ2175 366
AZ2176 366
AZ2177 366
AZ2178 366
AZ2179 381
AZ2180 381
AZ2181 381
AZ2182 381
AZ2186 351
AZ2187 351
AZ2189 318
AZ2189 379
AZ2190 318
AZ2190 379
AZ2191 328
AZ2192 328
AZ2193 328
AZ2194 328
AZ2195 320
AZ2196 320
AZ2197 320
AZ2198 321
AZ2199 321
AZ2200 383
AZ2201 383
AZ2202 322
AZ2203 322
AZ2204 323
AZ2205 323
AZ2206 330
AZ2207 330
AZ2208 232

ARTICLES SYMBOL INDEX

Index pages

AZ2209....232
AZ2211....145
AZ2214....145
AZ2215....145
AZ2218....145
AZ2219....145
AZ2220....145
AZ2221....145
AZ2222.....39
AZ2223.....39
AZ2224.....39
AZ2225.....39
AZ2226....233
AZ2226....429
AZ2227....233
AZ2227....428
AZ2232....247
AZ2233....247
AZ2234....247
AZ2235....247
AZ2244....246
AZ2246....246
AZ2250....246
AZ2251....246
AZ2252....178
AZ2253....178
AZ2254....178
AZ2255....178
AZ2256....178
AZ2257....178
AZ2258....178
AZ2259....178
AZ2260....178
AZ2261....178
AZ2262....178
AZ2263....178
AZ2264....178
AZ2265....178
AZ2266....178
AZ2267....178
AZ2268....182
AZ2269....182
AZ2270....182
AZ2271....182
AZ2272....182
AZ2273....182
AZ2274....182
AZ2275....182
AZ2276....179
AZ2277....179
AZ2278....173
AZ2279....173
AZ2280....173
AZ2281....173
AZ2282....173
AZ2283....173
AZ2324....433
AZ2362....431
AZ2363....431
AZ2364....431
AZ2365....431
AZ2416....130
AZ2417....130
AZ2424....339
AZ2425....311
AZ2426....311
AZ2427....311
AZ2430....278
AZ2431....278
AZ2432....278
AZ2433....279
AZ2434....279
AZ2435....279
AZ2436....279
AZ2437....279
AZ2438....279
AZ2439....279
AZ2440....279
AZ2441....279
AZ2442....279
AZ2443....279
AZ2444....279
AZ2445....335
AZ2446....335
AZ2456....311
AZ2457.....33
AZ2458.....32
AZ2459.....32
AZ2460.....33
AZ2467....226
AZ2496....179
AZ2502....428
AZ2507....431
AZ2552....339
AZ2558.....92
AZ2559.....92
AZ2562....218
AZ2563....336
AZ2564....336
AZ2565....336
AZ2566....336
AZ2567....219
AZ2570....179
AZ2682....293
AZ2683....293
AZ2684....293
AZ2685....293
AZ2692....262
AZ2702....101
AZ2703....101
AZ2705....100
AZ2705....256
AZ2706....100
AZ2706....256
AZ2708....257
AZ2714....329
AZ2715....329
AZ2716....194
AZ2717....194
AZ2718....191
AZ2719....191
AZ2720....191
AZ2721....191
AZ2722....191
AZ2723....191
AZ2724....200
AZ2725....200
AZ2726....200
AZ2727....202
AZ2728....202
AZ2729....202
AZ2730....198
AZ2731....220
AZ2732....198
AZ2733....198
AZ2734....220
AZ2735....198
AZ2736....198
AZ2737....198
AZ2738....220
AZ2739....198
AZ2740....220
AZ2741....198
AZ2742....198
AZ2743....198
AZ2744....198
AZ2745....198
AZ2746....192
AZ2747....192
AZ2748....192
AZ2749....192
AZ2750....192
AZ2751....192
AZ2758....196
AZ2759....196
AZ2760....196
AZ2761....197
AZ2763....197
AZ2765....304
AZ2766....304
AZ2767....304
AZ2768....304
AZ2769....304
AZ2770....304
AZ2771....304
AZ2772....261
AZ2773....261
AZ2774....260
AZ2775....260
AZ2776....289
AZ2777....289
AZ2778....286
AZ2779....286
AZ2780....190
AZ2781....190
AZ2782....190
AZ2783....190
AZ2784....118
AZ2785....118
AZ2786....118
AZ2787....118
AZ2800....262
AZ2801....282
AZ2802....282
AZ2803....280
AZ2804....280
AZ2805....290
AZ2806....290
AZ2809....291
AZ2810....291
AZ2811....292
AZ2814....316
AZ2815....317
AZ2818....102
AZ2819....102
AZ2820....102
AZ2821....102
AZ2822....105
AZ2823....105
AZ2824....104
AZ2825....104
AZ2826....104
AZ2827....104
AZ2828....258
AZ2829....258
AZ2830....242
AZ2831....245
AZ2832....245
AZ2833....242
AZ2834....245
AZ2835....245
AZ2836....242
AZ2837....242
AZ2838....245
AZ2839....245
AZ2840....245
AZ2841....245
AZ2842....245
AZ2843....245
AZ2844....119
AZ2845....119
AZ2846....119
AZ2852....328
AZ2853....328
AZ2856....100
AZ2857....100
AZ2859....319
AZ2861....245
AZ2862....245
AZ2864 ...267
AZ2864 ...361
AZ2865....267
AZ2865....361
AZ2869....296
AZ2870....296
AZ2871....296
AZ2872....297
AZ2873....297
AZ2875....296
AZ2876....296
AZ2877....296
AZ2878....105
AZ2879....105
AZ2890....158
AZ2924.....25
AZ2925.....25
AZ2929....102
AZ2930....102
AZ2931....312
AZ2932....316
AZ2933....317
AZ2934....297
AZ2935....297
AZ2943....343
AZ2944....343
AZ2952....143
AZ2955.....96
AZ2956.....96
AZ2957....292
AZ2963....305
AZ2964....305
AZ2965....305
AZ2973.....12
AZ2974.....12
AZ2975.....12
AZ2976.....12
AZ2981.....13
AZ2982.....13
AZ2983.....14
AZ2984.....14
AZ2985.....14
AZ2986.....14
AZ2987.....12
AZ2988.....12
AZ2991.....12
AZ2992.....12
AZ2997....321
AZ2998....321
AZ2999.....12
AZ3000.....12
AZ3001.....12
AZ3002.....12
AZ3017....267
AZ3017....361
AZ3051....432
AZ3052....432
AZ3055....427
AZ3056....428
AZ3069....308
AZ3193....136
AZ3194....136
AZ3195....136
AZ3196....136
AZ3197....137
AZ3198....137
AZ3199.....6
AZ3199.....41
AZ3200.....6
AZ3200.....41
AZ3201....338
AZ3204....339
AZ3313....358
AZ3314....358
AZ3315....358
AZ3316....358
AZ3317....358
AZ3318....358
AZ3319....359
AZ3320....359
AZ3321....367
AZ3322....367
AZ3323....359
AZ3324....359
AZ3345....309
AZ3346....309
AZ3369....302
AZ3370....302
AZ3371....302
AZ3372....303
AZ3373....303
AZ3374....303
AZ3375....123
AZ3376....123
AZ3377.....249
AZ3378.....249
AZ3379.....249
AZ3380.....249
AZ3381.....248
AZ3382.....248
AZ3383.....38
AZ3384.....38
AZ3385.....38
AZ3386.....38
AZ3387.....38
AZ3388.....38
AZ3389....134
AZ3390.....38
AZ3391.....38
AZ3392....134
AZ3393....134
AZ3394....134
AZ3395....134
AZ3396....259
AZ3397....259
AZ3398....288
AZ3399....288
AZ3400....288
AZ3401....288
AZ3433....200
AZ3434....200
AZ3435....200
AZ3436....202
AZ3437....202
AZ3438....202
AZ3445....200
AZ3446....200
AZ3447....200
AZ3448....202
AZ3449....202
AZ3450....202
AZ3453....181
AZ3453....187
AZ3454....181
AZ3454....187
AZ3464.....299
AZ3465.....299

AZ3466 298
AZ3467 298
AZ3470 255
AZ3471 255
AZ3484 385
AZ3485 385
AZ3486 30
AZ3487 30
AZ3488 141
AZ3489 141
AZ3490 45
AZ3491 45
AZ3492 164
AZ3493 164
AZ3494 164
AZ3495 164
AZ3496 164
AZ3497 153
AZ3498 98
AZ3499 98
AZ3500 40
AZ3501 40
AZ3502 98
AZ3503 98
AZ3508 144
AZ3509 144
AZ3510 42
AZ3511 42
AZ3512 42
AZ3513 126
AZ3514 126
AZ3515 126
AZ3516 125
AZ3517 125
AZ3518 125
AZ3519 127
AZ3520 127
AZ3521 127
AZ3522 131
AZ3523 131
AZ3524 43
AZ3525 43
AZ3526 294
AZ3527 294
AZ3528 294
AZ3529 294
AZ3530 294
AZ3531 294
AZ3532 280
AZ3539 287
AZ3540 165
AZ3541 165
AZ3542 103
AZ3543 103
AZ3544 103
AZ3545 103
AZ3674 180
AZ3675 180
AZ3676 180
AZ3677 180
AZ3678 181
AZ3679 181
AZ3680 181
AZ3681 181
AZ3682 184
AZ3683 184
AZ3684 184
AZ3685 184
AZ3686 184
AZ3687 184
AZ3688 184
AZ3689 184
AZ3690 184
AZ3691 184
AZ3692 184
AZ3693 184
AZ3694 185
AZ3695 185
AZ3697 185
AZ3698 185
AZ3790 180
AZ3791 180
AZ3792 180
AZ3793 180
AZ3794 180
AZ3795 180
AZ3796 180
AZ3798 180
AZ3799 180
AZ3800 180
AZ3801 180
AZ4016 427
AZ4017 427
AZ4018 427
AZ4019 426
AZ4020 426
AZ4021 426
AZ4022 426
AZ4023 428
AZ4024 428
AZ4055 356
AZ4056 356
AZ4057 356
AZ4063 254
AZ4064 152
AZ4065 152
AZ4066 27
AZ4067 27
AZ4068 204
AZ4069 204
AZ4070 152
AZ4071 254
AZ4072 152
AZ4073 285
AZ4074 285
AZ4075 284
AZ4076 284
AZ4116 14
AZ4117 14
AZ4128 156
AZ4130 156
AZ4132 156
AZ4134 156
AZ4139 263
AZ4140 266
AZ4141 272
AZ4142 282
AZ4143 281
AZ4144 273
AZ4148 378
AZ4150 383
AZ4151 383
AZ4152 120
AZ4153 120
AZ4154 120
AZ4155 121
AZ4156 121
AZ4157 121
AZ4171 247
AZ4172 247
AZ4173 225
AZ4174 224
AZ4175 226
AZ4176 226
AZ4181 130
AZ4182 130
AZ4183 25
AZ4184 25
AZ4194 385
AZ4195 385
AZ4196 150
AZ4197 150
AZ4198 150
AZ4199 150
AZ4200 130
AZ4201 130
AZ4202 24
AZ4203 24
AZ4204 20
AZ4205 20
AZ4206 20
AZ4207 124
AZ4208 124
AZ4209 124
AZ4210 128
AZ4211 128
AZ4212 128
AZ4213 128
AZ4214 128
AZ4215 128
AZ4216 355
AZ4217 355
AZ4218 236
AZ4220 236
AZ4222 236
AZ4224 236
AZ4226 237
AZ4227 237
AZ4228 237
AZ4229 237
AZ4230 267
AZ4230 361
AZ4231 267
AZ4231 361
AZ4232 267
AZ4232 361
AZ4233 174
AZ4234 174
AZ4235 174
AZ4236 174
AZ4237 174
AZ4238 174
AZ4239 174
AZ4240 174
AZ4241 174
AZ4242 174
AZ4243 174
AZ4244 174
AZ4245 176
AZ4246 176
AZ4247 176
AZ4248 176
AZ4249 176
AZ4250 176
AZ4251 176
AZ4252 176
AZ4253 176
AZ4254 176
AZ4255 176
AZ4256 176
AZ4259 93
AZ4260 93
AZ4261 93
AZ4265 366
AZ4266 366
AZ4267 364
AZ4268 364
AZ4269 367
AZ4270 359
AZ4271 12
AZ4272 12
AZ4273 14
AZ4274 14
AZ4275 14
AZ4276 14
AZ4277 14
AZ4278 14
AZ4279 16
AZ4280 16
AZ4281 17
AZ4282 17
AZ4283 14
AZ4284 14
AZ4285 16
AZ4286 16
AZ4287 17
AZ4288 17
AZ4289 13
AZ4290 13
AZ4291 13
AZ4292 13
AZ4293 13
AZ4294 13
AZ4295 15
AZ4295 15
AZ4297 15
AZ4298 15
AZ4299 15
AZ4300 15
AZ4301 17
AZ4302 17
AZ4303 15
AZ4304 15
AZ4305 411
AZ4307 411
AZ4308 411
AZ4309 15
AZ4310 15
AZ4311 364
AZ4312 364
AZ4313 364
AZ4314 364
AZ4315 358
AZ4316 359
AZ4317 167
AZ4318 167
AZ4319 166
AZ4320 166
AZ4322 119
AZ4323 119
AZ4324 119
AZ4325 120
AZ4326 120
AZ4327 120
AZ4328 121
AZ4329 121
AZ4330 121
AZ4333 354
AZ4334 354
AZ4335 354
AZ4336 354
AZ4337 354
AZ4338 354
AZ4339 381
AZ4340 381
AZ4341 376
AZ4342 376
AZ4343 362
AZ4344 362
AZ4345 362
AZ4346 362
AZ4347 377
AZ4348 373
AZ4349 373
AZ4350 372
AZ4351 372
AZ4352 388
AZ4353 375
AZ4354 375
AZ4355 374
AZ4356 374
AZ4357 407
AZ4358 406
AZ4359 406
AZ4360 384
AZ4361 384
AZ4365 392
AZ4366 392
AZ4367 392
AZ4368 392
AZ4369 350
AZ4370 350
AZ4371 350
AZ4372 350
AZ4373 350
AZ4374 350
AZ4379 238
AZ4380 238
AZ4381 238
AZ4382 238
AZ4383 240
AZ4384 240
AZ4385 240
AZ4386 240
AZ4387 241
AZ4388 241
AZ4389 239
AZ4390 239
AZ4391 239
AZ4392 241
AZ4393 241
AZ4397 306
AZ4398 306
AZ4399 306
AZ4401 307
AZ4402 307
AZ4403 307
AZ4410 228
AZ4411 228
AZ4412 228
AZ4413 228
AZ4414 228
AZ4415 228
AZ4417 338
AZ4430 154
AZ4431 154
AZ4432 154
AZ4433 154
AZ4434 154
AZ4435 154
AZ4436 155
AZ4437 155
AZ4438 155
AZ4439 155
AZ4440 155
AZ4441 155
AZ4442 21
AZ4443 21
AZ4444 406
AZ4445 406
AZ4446 407
AZ4454 371
AZ4455 371
AZ4456 404
AZ4457 404
AZ4458 404

ARTICLES SYMBOL INDEX

Index pages

AZ4459....404
AZ4460....391
AZ4461....391
AZ4462....391
AZ4463....396
AZ4464....396
AZ4465....396
AZ4466....396
AZ4467....415
AZ4468....415
AZ4469....379
AZ4470....378
AZ4471....378
AZ4472....378
AZ4473....371
AZ4474....371
AZ4475....404
AZ4476....404
AZ4477....404
AZ4478....408
AZ4479....408
AZ4480....409
AZ4481....409
AZ4482....402
AZ4483....402
AZ4484....400
AZ4485....400
AZ4486....399
AZ4487....398
AZ4488....399
AZ4489....403
AZ4490....353
AZ4491....353
AZ4492....353
AZ4493....353
AZ4494....353
AZ4495....353
AZ4496....352
AZ4497....352
AZ4498....352
AZ4499....352
AZ4500....352
AZ4501....352
AZ4502....414
AZ4503....414
AZ4504....382
AZ4505....382
AZ4506....382
AZ4507....382
AZ4508....395
AZ4509....395
AZ4510....394
AZ4511....394
AZ4512....394
AZ4513....394
AZ4514....368
AZ4515....368
AZ4516.....34
AZ4517.....148
AZ4517.....149
AZ4518.....148
AZ4519.....44
AZ4520.....44
AZ4522.....149
AZ4523....252
AZ4524....252
AZ4525....252
AZ4526....252
AZ4527....252
AZ4528....252
AZ4529....252
AZ4530....252
AZ4531....250
AZ4532....250
AZ4533....250
AZ4534....250
AZ4535....251
AZ4536....251
AZ4537....146
AZ4538....146
AZ4539....146
AZ4540....146
AZ4541.....35
AZ4542.....35
AZ4543.....35
AZ4544.....35
AZ4545....147
AZ4546....147
AZ4547.....35
AZ4548.....35
AZ4549.....31
AZ4550.....31
AZ4551.....31
AZ4552.....31
AZ4553....100
AZ4554....100
AZ4555....340
AZ4556....340
AZ4557.....28
AZ4558.....28
AZ4559.....28
AZ4560.....28
AZ4561....341
AZ4562....341
AZ4563.....36
AZ4565.....36
AZ4567.....36
AZ4568.....36
AZ4569....206
AZ4570....206
AZ4571....206
AZ4572....206
AZ4577.....22
AZ4578.....22
AZ4579.....69
AZ4580.....69
AZ4581.....69
AZ4582.....69
AZ4583.....69
AZ4584.....69
AZ4585.....69
AZ4586.....69
AZ4587.....69
AZ4588.....69
AZ4589.....68
AZ4590.....68
AZ4591.....68
AZ4592.....68
AZ4593.....68
AZ4594.....68
AZ4595.....67
AZ4596.....67
AZ4597.....67
AZ4598.....67
AZ4599.....67
AZ4600.....67
AZ4601.....67
AZ4602.....67
AZ4603.....62
AZ4604.....62
AZ4605.....62
AZ4606.....62
AZ4607.....62
AZ4608.....62
AZ4609.....62
AZ4610.....62
AZ4611.....62
AZ4612.....62
AZ4613.....64
AZ4614.....64
AZ4615.....64
AZ4616.....64
AZ4617.....64
AZ4618.....64
AZ4619.....64
AZ4620.....64
AZ4621.....70
AZ4622.....70
AZ4623.....70
AZ4624.....70
AZ4625.....70
AZ4626.....70
AZ4627.....75
AZ4628.....75
AZ4629.....74
AZ4630.....72
AZ4631.....72
AZ4632.....72
AZ4633.....73
AZ4634.....73
AZ4635.....73
AZ4636.....71
AZ4637.....71
AZ4638.....48
AZ4639.....48
AZ4640.....48
AZ4641.....48
AZ4642.....48
AZ4643.....48
AZ4644.....48
AZ4645.....48
AZ4646.....49
AZ4647.....49
AZ4648.....49
AZ4649.....49
AZ4649.....52
AZ4650.....49
AZ4651.....49
AZ4652.....53
AZ4653.....53
AZ4654.....7
AZ4655.....7
AZ4656.....8
AZ4657.....8
AZ4658.....26
AZ4659.....26
AZ4662....416
AZ4663....416
AZ4664.....36
AZ4664....419
AZ4665....419
AZ4666.....9
AZ4666.....36
AZ4667.....9
AZ4670.....52
AZ4671.....52
AZ4672.....52
AZ4673.....52
AZ4674.....52
AZ4675.....53
AZ4676.....53
AZ4677.....52
AZ4678.....52
AZ4679.....50
AZ4680.....50
AZ4681.....51
AZ4682.....51
AZ4683.....50
AZ4684.....50
AZ4685.....51
AZ4686.....51
AZ4687.....51
AZ4688.....51
AZ4689.....52
AZ4690.....52
AZ4691.....53
AZ4692.....53
AZ4693.....52
AZ4694.....52
AZ4695....369
AZ4696....369
AZ4697....369
AZ4709.....23
AZ4710.....23
AZ4711.....23
AZ4712.....48
AZ4713.....48
AZ4714.....48
AZ4715.....48
AZ4716.....48
AZ4717.....48
AZ4718.....48
AZ4719.....48
AZ4722.....3
AZ4723.....3
AZ4724.....3
AZ4725.....3
AZ4726.....3
AZ4727.....3
AZ4728.....2
AZ4729.....2
AZ4730.....2
AZ4731.....2
AZ4732.....2
AZ4733.....2
AZ4734.....2
AZ4735.....2
AZ4736.....2
AZ4737.....2
AZ4738.....4
AZ4739.....4
AZ4740.....4
AZ4741.....4
AZ4742.....3
AZ4743.....3
AZ4744.....4
AZ4745.....4
AZ4746.....4
AZ4747.....4
AZ4748.....5
AZ4749.....5
AZ4756....186
AZ4757....186
AZ4758....186
AZ4759....186
AZ4760....186
AZ4761....186
AZ4762....186
AZ4763....186
AZ4764....186
AZ4765....186
AZ4766....186
AZ4767....186
AZ4768....188
AZ4769....188
AZ4770....188
AZ4771....188
AZ4772....188
AZ4773....188
AZ4774....188
AZ4775....188
AZ4776....188
AZ4780.....5
AZ4780.....16
AZ4780.....53
AZ4782.....5
AZ4782.....16
AZ4782.....53
AZ4783....349
AZ4784....349
AZ4785....349
AZ4786....349
AZ4787....349
AZ4788....349
AZ4796.....16
AZ4797.....16
AZ4798.....78
AZ4799.....78
AZ4800.....78
AZ4801.....78
AZ4802.....79
AZ4803.....79
AZ4804.....79
AZ4805.....79
AZ4806.....80
AZ4807.....80
AZ4808.....80
AZ4809.....80
AZ4810.....81
AZ4811.....81
AZ4812.....81
AZ4813.....81
AZ4814.....82
AZ4815.....82
AZ4816.....82
AZ4817.....82
AZ4818.....84
AZ4819.....84
AZ4820.....83
AZ4821.....83
AZ4822.....85
AZ4823.....85
AZ4824.....86
AZ4825.....86
AZ4826.....86
AZ4827.....86
AZ4830....187
AZ4836.....56
AZ4838.....56
AZ4840.....57
AZ4842.....57
AZ4844.....59
AZ4846.....58
AZ4848.....58
AZ4850.....58
AZ4852.....60
AZ4854.....60
AZ4856.....55
AZ4857.....55
AZ4860.....54
AZ4861.....54
AZ4862.....51
AZ4863.....49
AZ4864.....49
AZ4865.....49
AZ4866.....53
AZ4901.....61
AZ4902.....61
AZ4903.....61
AZ5001.....50
AZ5002.....50
AZ5003.....50
AZ5004.....50



Ra (CRI) - Colour Rendering Index **EU standard – Ra ≥ 80**
Best colour rendering index, Ra (CRI) = 100

Ra (CRI) - wskaźnik oddawania barw **Standard UE – Ra ≥ 80**
Najlepszy wskaźnik oddawania barw, Ra (CRI) = 100

Ra (CRI)- Index podania farieb **Štandard EU – Ra ≥ 80**
Najlepší index podania farieb Ra(CRI)=100

Ra (CRI)- Index podání barev **Standard EU – Ra ≥ 80**
Nejlepší index podání barev Ra(CRI)=100



5 lat gwarancji na sterownik w lampie LED oraz moduł świecący (wraz z diodami).
Czas gwarancji jest liczony od dnia zakupu potwierdzonego paragonem lub fakturą.

A warranty of 5 years is given for the driver for LED lamps and light modules (with diodes).
The warranty is counted from the day of purchase, confirmed by a bill or an invoice.

5 év garancia érvényes a LED vezérlőre és a Led panelre egyaránt.
A garancia a vásárlás napján lép életbe, melyet számlával vagy nyugtával szükséges igazolni

Les 5 ans de garantie concernant le driver de LED et le module lumineux (avec les diods). La durée de la garantie est dès le jour d'achat confirmé par un ticket de caisse ou une facture.

5 -ročná záruka sa vzťahuje na ovládač pre LED lampy, vrátane svetelného zdroja
Záručná doba sa počíta od dátumu zakúpenia tovaru.

5 letá záruka se vztahuje na ovládač pro LED lampy, včetne světelného zdroje.
Záruční doba se počíta od dátumu zakoupení zboží.

MULTICOLOR

We can paint the lamps in any RAL colour subject to an extra charge.

Contre un supplément, il est possible de commander la lampe dans une teinte choisie dans la palette RAL.

Za dopłatą, możliwość wybarwienia lampy z palety kolorów RAL.

Za doplatek je možné svítidlo barevně upravit dle vzorníku barev RAL.

Za doplatok je možné svietidlo farebne upraviť podľa vzorkovníka farieb RAL.

We reserve the rights to make changes in the product range, design and model.
Please note that, as a result of printing processes, actual colors may vary from those reproduced here.

Nous nous reservons le droid d'apporter des modifications dans le choix et le design des modeles.
Veuillez noter qu'en raison des techniques d'impression les teintes des produits peuvent legerement varier par rapport a celles du cataloque.

Zastrzegamy sobie prawo do dokonania zmian ofertowych i konstrukcyjnych.
Z uwagi na proces druku przedstawione kolory mogą się różnić od rzeczywistych.

Fenntartjuk a jogunkat a termékskála, a dizájn és a modellek változtatására.
Kérem vegyék figyelembe, a nyomtatási folyamat eredményeképpen
a termék valós színe esetleg kismértékben különbözhet a nyomtatott változattól.

Vyhrazujeme si právo k provádění nabídkových a konstrukčních změn.
Vzhledem k procesu tisku se mohou nabízené barvy lišit od reálných.

Vyhradzujeme si právo na vykonávanie ponukových a konštrukčných zmien.
Vzhľadom k procesu tlače sa môžu ponúkané farby líšiť od reálnych.

PROJEKT GRAFICZNY I PRZYGOTOWALNIA MORYC STUDIO TEL. 602 215 250
www.moryc.com.pl